




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification ⁷ : C07K 14/705, C12N 15/12, C12Q 1/68, C12N 5/10, C07K 16/28, G01N 33/53, A61K 38/17</p>	<p>A2</p>	<p>(11) International Publication Number: WO 00/40614 (43) International Publication Date: 13 July 2000 (13.07.00)</p>
<p>(21) International Application Number: PCT/US99/29996 (22) International Filing Date: 20 December 1999 (20.12.99) (30) Priority Data: 60/114,220 30 December 1998 (30.12.98) US 60/120,018 29 January 1999 (29.01.99) US 60/140,415 22 June 1999 (22.06.99) US (71) Applicant (for all designated States except US): BETH ISRAEL DEACONESS MEDICAL CENTER, INC. [US/US]; 330 Brookline Avenue, Boston, MA 02215 (US). (72) Inventor; and (75) Inventor/Applicant (for US only): SCHARENBERG, Andrew, M. [US/US]; 12 Skyview Road, Lexington, MA 02420 (US). (74) Agent: PLUMER, Elizabeth, R.; Wolf, Greenfield & Sacks, P.C., 600 Atlantic Avenue, Boston, MA 02210 (US).</p>	<p>(81) Designated States: AU, CA, JP, US, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>Without international search report and to be republished upon receipt of that report.</i></p>	

(54) Title: CHARACTERIZATION OF A CALCIUM CHANNEL FAMILY



(57) Abstract

Nucleic acids encoding SOC/CRAC calcium channel polypeptides, including fragments and biologically functional variants thereof and encoded polypeptides are provided. The nucleic acids and polypeptides disclosed herein are useful as therapeutic and diagnostic agents. Agents that selectively bind to the foregoing polypeptides and genes also are provided.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

CHARACTERIZATION OF A CALCIUM CHANNEL FAMILY**Field of the Invention**

This invention relates to nucleic acids coding for a novel family of calcium channel polypeptides, the encoded polypeptides, unique fragments of the foregoing, and methods of making and using same.

Background of the Invention

Calcium channels are membrane-spanning, multi-subunit proteins that facilitate the controlled transport ("flux") of Ca^{2+} ions into and out of cells. Cells throughout the animal kingdom, and at least some bacterial, fungal and plant cells, possess one or more types of calcium channels. In general, "excitable" cells, such as neurons of the central nervous system, peripheral nerve cells, and muscle cells, including those of skeletal muscles, cardiac muscles, and venous and arterial smooth muscles, possess voltage-dependent calcium channels. In a voltage-dependent calcium channel, the transport of Ca^{2+} ions into and out of the cells requires a certain minimal level of depolarization (the difference in potential between the inside of the cell bearing the channel and the extracellular environment) with the rate of Ca^{2+} cell flux dependent on the difference in potential. In "non-excitable" cells, calcium influx is thought to occur predominantly in response to stimuli which cause the release of calcium from intracellular stores. This process, termed *store operated calcium influx*, is not well understood.

Characterization of a particular type of calcium channel by analysis of whole cells is complicated by the presence of mixed populations of different types of calcium channels in the majority of cells. Although single-channel recording methods can be used to examine individual calcium channels, such analysis does not reveal information related to the molecular structure or biochemical composition of the channel. Furthermore, in this type of analysis, the channel is isolated from other cellular constituents that might be important for the channel's natural functions and pharmacological interactions. To study the calcium channel structure-function relationship, large amounts of pure channel protein are needed. However, acquiring large amounts of pure protein is difficult in view of the complex nature of these multisubunit proteins, the varying concentrations of calcium channel proteins in tissue sources, the presence of mixed populations of calcium channel proteins in tissues, and the modifications of the native protein that can occur during the isolation procedure.

Summary of the Invention

The invention is based on the identification of a novel family of calcium channel polypeptides and the molecular cloning and partial characterization of a novel member of this family that is expressed predominantly in human hematopoietic cells, liver, and kidney. This newly identified family of calcium channel polypeptides is designated, "SOC" or "CRAC" or "ICRAC", for Store Operated Channels or Calcium Release Activated Channels. Although not wishing to be bound to any particular theory or mechanism, it is believed that the SOC/CRAC calcium channel polypeptides are transmembrane polypeptides that modulate Ca^{2+} flux "into" and "out of" a cell, for example, in certain instances they may be activated upon depletion of Ca^{2+} from intracellular calcium stores, allowing Ca^{2+} influx into the cell. Accordingly, the compositions disclosed herein are believed to be useful for modulating calcium transport into and out of such intracellular stores and for the treatment of disorders that are characterized by aberrant calcium transport into and out of such intracellular stores. In particular, we believe that the SOC/CRAC calcium channel polypeptides disclosed herein play an important role in the influx of extracellular calcium by mediating the refilling of intracellular calcium stores following their depletion. Accordingly, we believe that the compositions for expressing functional SOC/CRAC calcium channel polypeptides in cells, as disclosed herein, are useful for treating patients having conditions that are characterized by reduced extracellular calcium influx into their SOC/CRAC-expressing cells. Additionally, the compositions of the invention are useful for delivering therapeutic and/or imaging agents to cells which preferentially express SOC/CRAC calcium channel polypeptides and, in particular, for delivering such agents to hematopoietic cells, liver, heart, spleen, and kidney to modulate proliferation and growth of these cells. Moreover, in view of the importance of cellular calcium levels to cell viability, we believe that SOC-2/CRAC-1, SOC-3/CRAC-2, and SOC-4/CRAC-3 as disclosed herein, and/or other members of the SOC/CRAC family of calcium channel polypeptides, represent an ideal target for designing and/or identifying (e.g., from molecular libraries) small molecule inhibitors that block lymphocyte proliferation, as well as other binding agents that selectively bind to SOC/CRAC polypeptides to which drugs or toxins can be conjugated for delivery to SOC/CRAC polypeptide expressing cells.

The invention is based, in part, on the molecular cloning and sequence analysis of the novel SOC/CRAC calcium channel molecules disclosed herein (also referred to as a "SOC-2/CRAC-1 molecule," a "SOC-3/CRAC-2 molecule," and/or "SOC-4/CRAC-3 molecule") that are predominantly expressed in human hematopoietic cells, liver, spleen, heart, and

kidney (SOC-2/CRAC-1), kidney and colon (SOC-3/CRAC-2), and prostate (SOC-4/CRAC-3 molecule). As used herein, a "SOC/CRAC molecule" embraces a "SOC/CRAC calcium channel nucleic acid" (or "SOC/CRAC nucleic acid") and a "SOC/CRAC calcium channel polypeptide" (or "SOC/CRAC polypeptide"). Homologs and alleles also are embraced within the meaning of a SOC/CRAC calcium channel molecule.

According to one aspect of the invention, isolated SOC/CRAC nucleic acids which code for one or more member(s) of the SOC/CRAC family of calcium channel polypeptides or unique fragments thereof are provided. The isolated nucleic acids refer to one or more of the following:

(a) nucleic acid molecules which hybridize under stringent conditions to a nucleic acid molecule selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31, and which code for a SOC/CRAC polypeptide;

(b) deletions, additions and substitutions of (a) which code for a respective SOC/CRAC polypeptide;

(c) nucleic acid molecules that differ from the nucleic acid molecules of (a) or (b) in codon sequence due to the degeneracy of the genetic code, and

(d) complements of (a), (b) or (c).

The invention in another aspect provides an isolated nucleic acid molecule selected from the group consisting of (a) a unique fragment of a nucleic acid molecule selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:29, and SEQ ID NO:31, (b) complements of (a), provided that the unique fragment includes a sequence of contiguous nucleotides which is not identical to any sequence selected from a sequence group consisting of (1) sequences having the SEQ. ID NOS. or GenBank accession numbers of Table I, (2) complements of (1), and (3) fragments of (1) and (2).

According to yet another aspect of the invention, isolated SOC/CRAC polypeptides are provided. The isolated SOC/CRAC polypeptide molecules are encoded by one or more SOC/CRAC nucleic acid molecules of the invention. Preferably, the SOC/CRAC polypeptide contains one or more polypeptides selected from the group consisting of the polypeptides having SEQ. ID Nos. 2, 4, 6, 8, 24, 26, 28, 30, and 32. In other embodiments, the isolated polypeptide may be a fragment or variant of the foregoing SOC/CRAC polypeptide molecules of sufficient length to represent a sequence unique within the human genome, and identifying

with a polypeptide that functions as a calcium channel, provided that the fragment excludes a sequence of contiguous amino acids identified in Table II, and/or excludes a sequence of contiguous amino acids encoded for by a nucleic acid sequence identified in Table I. In another embodiment, immunogenic fragments of the polypeptide molecules described above are provided.

According to another aspect of the invention, isolated SOC/CRAC binding agents (e.g., polypeptides) are provided which selectively bind to a SOC/CRAC molecule (e.g., a SOC/CRAC polypeptide encoded by the isolated nucleic acid molecules of the invention). Preferably, the isolated binding agents selectively bind to a polypeptide which comprises the sequence selected from the group consisting of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, and SEQ ID NO:32, or unique fragments thereof. In the preferred embodiments, the isolated binding polypeptides include antibodies and fragments of antibodies (e.g., Fab, F(ab)₂, Fd and antibody fragments which include a CDR3 region which binds selectively to a SOC/CRAC polypeptide). Preferably, the antibodies for human therapeutic applications are human antibodies.

According to another aspect of the invention, a pharmaceutical composition containing a pharmaceutically effective amount of an isolated SOC/CRAC nucleic acid, an isolated SOC/CRAC polypeptide, or an isolated SOC/CRAC binding polypeptide in a pharmaceutically acceptable carrier also is provided. The pharmaceutical compositions are useful in accordance with therapeutic methods disclosed herein.

According to yet another aspect of the invention, a method for isolating a SOC/CRAC molecule is provided. The method involves:

a) contacting a SOC/CRAC nucleic acid or a SOC/CRAC binding polypeptide with a sample that is believed to contain one or more SOC/CRAC molecules, under conditions to form a complex of the SOC/CRAC nucleic acid or the SOC/CRAC binding polypeptide and the SOC/CRAC molecule;

b) detecting the presence of the complex;

c) isolating the SOC/CRAC molecule from the complex; and

d) determining whether the isolated SOC/CRAC molecule has SOC/CRAC calcium channel activity. As used herein "SOC/CRAC calcium channel activity" refers to the transport of Ca²⁺ into and out of intracellular stores that is mediated by a SOC/CRAC

polypeptide. In general, the SOC/CRAC calcium channel activity is initiated by a reduction or depletion of intracellular calcium stores.

In certain embodiments, the SOC/CRAC nucleic acid is a SOC-2/CRAC-1 nucleic acid (e.g., a nucleic acid having SEQ. ID NO. 27, or complements thereof); in certain other
5 embodiments, the SOC/CRAC nucleic acid is a SOC-3/CRAC-2 nucleic acid (e.g., a nucleic acid having SEQ. ID NO. 29, or complements thereof); in further embodiments, the SOC/CRAC nucleic acid is a SOC-4/CRAC-3 nucleic acid (e.g., a nucleic acid having SEQ. ID NO. 31, or complements thereof). In yet other embodiments, the SOC/CRAC polypeptide is a SOC-2/CRAC-1 binding polypeptide (e.g., an antibody that selectively binds to a SOC-
10 2/CRAC-1 polypeptide). In yet further embodiments, the SOC/CRAC polypeptide is a SOC-3/CRAC-2 binding polypeptide (e.g., an antibody that selectively binds to a SOC-3/CRAC-2 polypeptide). In some embodiments, the SOC/CRAC polypeptide is a SOC-4/CRAC-3 binding polypeptide (e.g., an antibody that selectively binds to a SOC-4/CRAC-3 polypeptide). In the preferred embodiments, the isolated binding polypeptides include
15 antibodies and fragments of antibodies (e.g., Fab, F(ab)₂, Fd and antibody fragments which include a CDR3 region which binds selectively to a SOC-2/CRAC-1, to a SOC-3/CRAC-2, and/or to a SOC-4/CRAC-3 polypeptide). Preferably the isolated binding polypeptides or other binding agents selectively bind to a single SOC/CRAC molecule, i.e., are capable of distinguishing between different members of the SOC/CRAC family. Accordingly, one or
20 more SOC/CRAC binding agents can be contained in a single composition (e.g., a pharmaceutical composition) to identify multiple SOC/CRAC molecules *in vivo* or *in vitro*.

According to yet another aspect of the invention, a method for identifying agents useful in the modulation of SOC/CRAC calcium channel activity is provided. The method involves:

- 25 a) contacting a SOC/CRAC polypeptide with a candidate agent suspected of modulating SOC/CRAC calcium channel activity, under conditions sufficient to allow the candidate agent to interact selectively with (e.g. bind to) the SOC/CRAC polypeptide;
- b) detecting a Ca²⁺ concentration of step (b) associated with the SOC/CRAC calcium channel activity of the SOC/CRAC polypeptide in the presence of the candidate agent; and
- 30 c) comparing the Ca²⁺ concentration of step (b) with a control Ca²⁺ concentration of a SOC/CRAC polypeptide in the absence of the candidate agent to determine whether the candidate agent modulates (increases or decreases) SOC/CRAC calcium channel activity.

According to another aspect of the invention, a method for identifying agents useful in the modulation of a SOC/CRAC polypeptide kinase activity is provided. The method involves:

a) contacting a SOC/CRAC polypeptide with kinase activity with a candidate agent suspected of modulating SOC/CRAC kinase activity, under conditions sufficient to allow the candidate agent to interact with the SOC/CRAC polypeptide and modulate its kinase activity;

b) detecting a kinase activity associated with the SOC/CRAC polypeptide in the presence of the candidate agent; and

c) comparing the kinase activity of step (b) with a control kinase activity of a SOC/CRAC polypeptide in the absence of the candidate agent to determine whether the candidate agent modulates (increases or decreases) SOC/CRAC kinase activity. In some embodiments the SOC/CRAC polypeptide comprises amino acids 999-1180 of the SOC-2/CRAC-1 polypeptide (SEQ ID NO:24), or a fragment thereof that retains the kinase activity.

According to yet another aspect of the invention, a method for determining the level of expression of a SOC/CRAC polypeptide in a subject is provided. The method involves:

a) measuring the expression of a SOC/CRAC polypeptide in a test sample, and

b) comparing the measured expression of the SOC/CRAC polypeptide in the test sample to the expression of a SOC/CRAC polypeptide in a control containing a known level of expression to determine the level of SOC/CRAC expression in the subject. Expression is defined as SOC/CRAC mRNA expression or SOC/CRAC polypeptide expression. Various methods can be used to measure expression. The preferred embodiments of the invention utilize PCR and Northern blotting for measuring mRNA expression, and monoclonal or polyclonal SOC/CRAC antisera as reagents for measuring SOC/CRAC polypeptide expression. In preferred embodiments, the SOC/CRAC molecule (nucleic acid and/or polypeptide) is SOC-2/CRAC-1. In other preferred embodiments, the SOC/CRAC molecule is SOC-3/CRAC-2. In yet further preferred embodiments, the SOC/CRAC molecule is SOC-4/CRAC-3. In certain embodiments, the test samples include biopsy samples and biological fluids such as blood. The method is useful, e.g., for assessing the presence or absence or stage of a proliferative disorder in a subject.

The invention also contemplates kits comprising a package including assays for SOC/CRAC epitopes, SOC/CRAC nucleic acids, and instructions, and optionally related materials such as controls, for example, a number, color chart, or an epitope of the expression product of the foregoing isolated nucleic acid molecules of the invention for comparing, for

example, the level of SOC/CRAC polypeptides or SOC/CRAC nucleic acid forms (wild-type or mutant) in a test sample to the level in a control sample having a known amount of a SOC/CRAC nucleic acid or SOC/CRAC polypeptide. This comparison can be used to assess in a subject a risk of developing a cancer or the progression of a cancer. The kits may also include assays for other known genes, and expression products thereof, associated with, for example, proliferative disorders (e.g., BRCA, p53, etc.). In a preferred embodiment, the kit comprises a package containing: (a) a binding agent that selectively binds to an isolated nucleic acid of the invention or an expression product thereof to obtain a measured test value, (b) a control containing a known amount of a SOC/CRAC nucleic acid or a SOC/CRAC polypeptide to obtain a measured control value, and (c) instructions for comparing the measured test value to the measured control value to determine the amount of SOC/CRAC nucleic acid or expression product thereof in a sample.

The invention provides isolated nucleic acid molecules, unique fragments thereof, expression vectors containing the foregoing, and host cells containing the foregoing. The invention also provides isolated binding polypeptides and binding agents which bind such polypeptides, including antibodies, and pharmaceutical compositions containing any of the compositions of the invention. The foregoing can be used, *inter alia*, in the diagnosis or treatment of conditions characterized by the aberrant expression levels and/or the presence of mutant forms of a SOC/CRAC nucleic acid or polypeptide. The invention also provides methods for identifying agents that alter the function of the SOC/CRAC polypeptide.

These and other aspects of the invention, as well as various advantages and utilities, will be more apparent with reference to the detailed description of the preferred embodiments.

Brief Description of the Sequences

SEQ ID NO:1 is a partial nucleotide sequence of the human SOC-2/CRAC-1 cDNA.

SEQ ID NO:2 is the predicted amino acid sequence of the translation product of human SOC-2/CRAC-1 cDNA (SEQ ID NO:1).

SEQ ID NO:3 is a partial nucleotide sequence of the human SOC-2/CRAC-1 cDNA.

SEQ ID NO:4 is the predicted amino acid sequence of the translation product of human SOC-2/CRAC-1 cDNA (SEQ ID NO:3).

SEQ ID NO:5 is a partial nucleotide sequence of the human SOC-2/CRAC-1 cDNA.

SEQ ID NO:6 is the predicted amino acid sequence of the translation product of human SOC-2/CRAC-1 cDNA (SEQ ID NO:5).

SEQ ID NO:7 is a partial nucleotide sequence of the mouse homologue (mSOC-2/CRAC-1) of the human SOC-2/CRAC-1 cDNA.

SEQ ID NO:8 is the predicted amino acid sequence of the translation product of the mSOC-2/CRAC-1 cDNA (SEQ ID NO:7).

5 SEQ ID NO:9 is the nucleotide sequence of the mouse MLSN-1 (SOC-1) cDNA.

SEQ ID NO:10 is the predicted amino acid sequence of the translation product of the mouse MLSN-1 (SOC-1) cDNA (SEQ ID NO:9).

SEQ ID NO:11 is the nucleotide sequence of a human calcium channel cDNA with GenBank Acc. no.: AB001535.

10 SEQ ID NO:12 is the predicted amino acid sequence of the translation product of the human calcium channel cDNA with GenBank Acc. no.: AB001535 (SEQ ID NO:11).

SEQ ID NO:13 is the amino acid sequence of a *C. Elegans* polypeptide at the c05c12.3 locus.

15 SEQ ID NO:14 is the amino acid sequence of a *C. Elegans* polypeptide at the F54D1 locus.

SEQ ID NO:15 is the amino acid sequence of a *C. Elegans* polypeptide at the t01H8 locus.

SEQ ID NO:16 is the nucleotide sequence of a mouse kidney cDNA with GenBank Acc. no.: AI226731.

20 SEQ ID NO:17 is the predicted amino acid sequence of the translation product of the mouse kidney cDNA with GenBank Acc. no.: AI226731 (SEQ ID NO:16).

SEQ ID NO:18 is the nucleotide sequence of a human brain cDNA with GenBank Acc. no.: H18835.

25 SEQ ID NO:19 is the predicted amino acid sequence of the translation product of the human brain cDNA with GenBank Acc. no.: H18835 (SEQ ID NO:18).

SEQ ID NO:20 is the nucleotide sequence of the human EST with GenBank Acc. no.: AA419592.

SEQ ID NO:21 is the nucleotide sequence of the human EST with GenBank Acc. no.: AA419407.

30 SEQ ID NO:22 is the nucleotide sequence of the mouse EST with GenBank Acc. no.: AI098310.

SEQ ID NO:23 is a partial nucleotide sequence of the human SOC-2/CRAC-1 cDNA that contains the SOC-2/CRAC-1 sequences of SEQ ID NO:1, SEQ ID NO:3, and SEQ ID NO:5.

5 SEQ ID NO:24 is the predicted amino acid sequence of the translation product of human SOC-2/CRAC-1 cDNA (SEQ ID NO:23).

SEQ ID NO:25 is a partial nucleotide sequence of the human SOC-3/CRAC-2 cDNA.

SEQ ID NO:26 is the predicted amino acid sequence of the translation product of human SOC-3/CRAC-2 cDNA (SEQ ID NO:25).

SEQ ID NO:27 is the full nucleotide sequence of the human SOC-2/CRAC-1 cDNA.

10 SEQ ID NO:28 is the predicted amino acid sequence of the translation product of human SOC-2/CRAC-1 cDNA (SEQ ID NO:27).

SEQ ID NO:29 is the full nucleotide sequence of the human SOC-3/CRAC-2 cDNA.

SEQ ID NO:30 is the predicted amino acid sequence of the translation product of human SOC-3/CRAC-2 cDNA (SEQ ID NO:29).

15 SEQ ID NO:31 is the full nucleotide sequence of the human SOC-4/CRAC-3 cDNA.

SEQ ID NO:32 is the predicted amino acid sequence of the translation product of human SOC-4/CRAC-3 cDNA (SEQ ID NO:31).

Brief Description of the Drawings

20 Figure 1 is a schematic depicting the intron/exon organization of the chicken SOC-2/CRAC-1 genomic sequence, as well as the putative transmembrane (TM) domains, and the targeting constructs utilized in the knockout experiments.

Detailed Description of the Invention

One aspect of the invention involves the partial cloning of cDNAs encoding members of a novel family of calcium channel polypeptides, referred to herein as "SOC/CRAC"
25 (designated "SOC" or "CRAC" or "ICRAC", for Sore Operated Channels or Calcium Release Activated Channels, or CECH). Although not intending to be bound to any particular mechanism or theory, we believe that a SOC/CRAC family member is a transmembrane calcium channel that modulates Ca^{2+} flux "into" and "out of" a cell; in certain instances it may be activated upon depletion of Ca^{2+} from intracellular calcium stores, allowing Ca^{2+} influx
30 into the cell.

The first three isolated SOC/CRAC members disclosed herein, define a new family of calcium channels which is distinct from previously described calcium channels, such as voltage gated calcium channels, ryanodine receptor/inositol-1,4,5-triphosphate receptor

channels, and Transient Receptor Potential (TRP) channels. The SOC/CRAC family of calcium channels exhibits high selectivity (with a P_{Ca}/P_{Na} ratio near 1000), a unitary conductance below the detection level of the patch clamp method (the conductance estimated at approximately 0.2 picosiemens), and are subject to inhibition by high intracellular calcium levels. Although not intending to be bound to any particular mechanism or theory, we believe that SOC/CRAC calcium channels are responsible for the majority of, for example, calcium entry which occurs when intracellular calcium stores are depleted, and that SOC/CRAC currents are important for initiating various types of calcium-dependent processes. Thus, we believe that SOC/CRAC calcium channels play an important role in cellular calcium homeostasis by, e.g., modulating the supply of calcium to refill intracellular stores when depleted.

The isolated full-length sequence of a representative, first member of the SOC/CRAC family, human SOC/CRAC nucleic acid (cDNA), SOC-2/CRAC-1, is represented as the nucleic acid of SEQ ID NO:27. This nucleic acid sequence codes for the SOC-2/CRAC-1 polypeptide with the predicted amino acid sequence disclosed herein as SEQ ID NO:28. A homologous mouse cDNA sequence (>90% identity to the human at the nucleotide level) is represented as the nucleic acid of SEQ ID NO:7, and codes for a unique fragment of a mouse SOC-2/CRAC-1 polypeptide having the predicted, partial amino acid sequence represented as SEQ ID NO:8. Analysis of the SOC-2/CRAC-1 partial sequence by comparison to nucleic acid and protein databases show that SOC-2/CRAC-1 shares a limited homology to mouse MLSN-1 (SOC-1, SEQ ID NOs: 9 and 10). Limited homology is also shared between SOC-2/CRAC-1 and three *C. Elegans* polypeptides (SEQ ID NOs: 13, 14, and 15). We further believe that SOC-2/CRAC-1 plays a role in the regulation of cellular Ca^{2+} fluxing and, in particular, lymphocyte Ca^{2+} fluxing.

A second member of the human SOC/CRAC family of calcium channels, SOC-3/CRAC-2, is represented as the nucleic acid of SEQ ID NO:29, and codes for the human SOC-3/CRAC-2 polypeptide having the predicted amino acid sequence represented as SEQ ID NO:30 (this molecule may also be referred to as CECH2). SOC-3/CRAC-2 is predominantly expressed in human hematopoietic cells (including peripheral blood lymphocytes, liver, bone marrow, spleen, thymus, lymph nodes, heart, and kidney. Expression can also be detected (at lesser levels) in brain, skeletal muscle colon, small intestine, placenta, lung, and cells (cell lines) such as HL-60, HeLa, K562, MOLT-4, SW-480, A459, and G361.

A third member of the human SOC/CRAC family of calcium channels, SOC-4/CRAC-3, is represented as the nucleic acid of SEQ ID NO:31, and codes for the human SOC-4/CRAC-3 polypeptide having the predicted amino acid sequence represented as SEQ ID NO:32 (this molecule may also be referred to as CECH6). It specifically expressed in the prostate gland/cells.

As used herein, a SOC/CRAC calcium channel nucleic acid (also referred to herein as a "SOC/CRAC nucleic acid" refers to a nucleic acid molecule which: (1) hybridizes under stringent conditions to one or more of the nucleic acids having the sequences of SEQ. ID NOS. 7, 27, 29, and/or 31 (sequences of the mouse and human SOC-2/CRAC-1, human SOC-3/CRAC-2, and human SOC-4/CRAC-3 nucleic acids), and (2) codes for a SOC-2/CRAC-1, a SOC-3/CRAC-2 or a SOC-4/CRAC-3 calcium channel polypeptide, respectively, or unique fragments of said SOC-2/CRAC-1, SOC-3/CRAC-2, or SOC-4/CRAC-3 polypeptide.

As used herein, a SOC/CRAC calcium channel polypeptide (also referred to herein as a "SOC/CRAC polypeptide") refers to a polypeptide that is coded for by a SOC-2/CRAC-1, a SOC-3/CRAC-2, and/or a SOC-4/CRAC-3 nucleic acid. Preferably, the above-identified SOC/CRAC polypeptides mediate transport of calcium into and out of a cell.

SOC/CRAC polypeptides also are useful as immunogenic molecules for the generation of binding polypeptides (e.g., antibodies) which bind selectively to SOC/CRAC (e.g., SOC-2/CRAC-1, SOC-3/CRAC-2, and/or SOC-4/CRAC-3) polypeptides. Such antibodies can be used in diagnostic assays to identify and/or quantify the presence of a SOC/CRAC polypeptide in a sample, such as a biological fluid or biopsy sample. SOC/CRAC polypeptides further embrace functionally equivalent fragments, variants, and analogs of the preferred SOC/CRAC polypeptides, provided that the fragments, variants, and analogs also are useful in mediating calcium transport into and out of intracellular calcium stores.

As used herein, "SOC/CRAC calcium channel activity" refers to Ca^{2+} transport ("Ca²⁺ fluxing") across the plasma membrane that is mediated by a SOC/CRAC calcium channel polypeptide. The SOC/CRAC calcium channel polypeptide typically has one or more of the following properties: high selectivity, a unitary conductance below the detection level of the patch clamp method, and are subject to inhibition by high intracellular calcium levels. Such activity can be easily detected using standard methodology well known in the art. See, e.g., the Examples and Neher, E., "Ion channels for communication between and within cells",

Science, 1992; 256:498-502; and Hoth, M., and Penner, R., "Depletion of intracellular calcium stores activates a calcium current in mast cells", Nature, 1992; 355 (6358):353-6.

According to one aspect of the invention, isolated nucleic acid molecules which code for one or more member(s) of the SOC/CRAC family of calcium channel polypeptides are provided. The isolated nucleic acid molecules are selected from the following groups:

(a) nucleic acid molecules which hybridize under stringent conditions to one or more nucleic acid molecules selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31, and which code for a SOC/CRAC polypeptide;

(b) deletions, additions and substitutions of (a) which code for a respective SOC/CRAC polypeptide;

(c) nucleic acid molecules that differ from the nucleic acid molecules of (a) or (b) in codon sequence due to the degeneracy of the genetic code, and

(d) complements of (a), (b) or (c).

In certain embodiments, the isolated nucleic acid molecule comprises one or more of nucleotides 1-1212 of SEQ ID NO:1; nucleotides 1-739 of SEQ ID NO:3; nucleotides 1-1579 of SEQ ID NO:5; nucleotides 1-5117 of SEQ ID NO:23; the mouse homolog for SOC-2/CRAC-1 corresponding to SEQ ID NO:7; nucleotides 1-2180 of SEQ ID NO:25; nucleotides 382-5976 of SEQ ID NO:27; nucleotides 73-3714 of SEQ ID NO:29; and nucleotides 23-3434 of SEQ ID NO:31. In yet other embodiments, the isolated nucleic acid molecule comprises a molecule which encodes a polypeptide having one or more sequences selected from the group consisting of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, and SEQ ID NO:32.

According to yet another aspect of the invention, an isolated nucleic acid molecule is provided which is selected from the group consisting of:

(a) a unique fragment of a nucleic acid molecule selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31, (of sufficient length to represent a sequence unique within the human genome); and (b) complements of (a), provided that the unique fragment includes a sequence of contiguous nucleotides which is not identical to a sequence in the prior art as represented by the sequence group consisting of: (1) sequences having the SEQ ID NOs or GenBank accession numbers of Table I, (2) complements of (1), and (3) fragments of (1) and (2).

In some embodiments, the sequence of contiguous nucleotides is selected from the group consisting of (1) at least two contiguous nucleotides nonidentical to the sequence group, (2) at least three contiguous nucleotides nonidentical to the sequence group, (3) at least four contiguous nucleotides nonidentical to the sequence group, (4) at least five contiguous
5 nucleotides nonidentical to the sequence group, (5) at least six contiguous nucleotides nonidentical to the sequence group, (6) at least seven contiguous nucleotides nonidentical to the sequence group.

In other embodiments, the unique fragment has a size selected from the group consisting of at least: 8 nucleotides, 10 nucleotides, 12 nucleotides, 14 nucleotides, 16
10 nucleotides, 18 nucleotides, 20, nucleotides, 22 nucleotides, 24 nucleotides, 26 nucleotides, 28 nucleotides, 30 nucleotides, 40 nucleotides, 50 nucleotides, 75 nucleotides, 100 nucleotides, 200 nucleotides, 1000 nucleotides and every integer length therebetween.

According to another aspect of the invention, expression vectors and host cells containing (e.g., transformed or transfected with) expression vectors comprising the nucleic
15 acid molecules disclosed herein operably linked to a promoter are provided. In certain preferred embodiments, the host cells are eukaryotic cells.

The isolated nucleic acid molecules disclosed herein have various utilities, including their use as probes and primers to identify additional members of the SOC/CRAC family of calcium channels, as diagnostic reagents for identifying the presence of SOC/CRAC
20 polypeptides in biological or other samples, and as agents for generating SOC/CRAC binding polypeptides (e.g., antibodies) that can be used as reagents in diagnostic and therapeutic assays to identify the presence, absence, and/or amounts of a SOC/CRAC nucleic acid or polypeptide in a biological or other sample.

As used herein with respect to nucleic acids, the term "isolated" means: (i) amplified
25 *in vitro* by, for example, polymerase chain reaction (PCR); (ii) recombinantly produced by cloning; (iii) purified, as by cleavage and gel separation; or (iv) synthesized by, for example, chemical synthesis. An isolated nucleic acid is one which is readily manipulatable by recombinant DNA techniques well known in the art. Thus, a nucleotide sequence contained in a vector in which 5' and 3' restriction sites are known or for which polymerase chain
30 reaction (PCR) primer sequences have been disclosed is considered isolated but a nucleic acid sequence existing in its native state in its natural host is not. An isolated nucleic acid may be substantially purified, but need not be. For example, a nucleic acid that is isolated within a cloning or expression vector is not pure in that it may comprise only a tiny percentage of the

material in the cell in which it resides. Such a nucleic acid is isolated, however, as the term is used herein because it is readily manipulatable by standard techniques known to those of ordinary skill in the art.

As used herein with respect to polypeptides (discussed below), the term "isolated" means separated from its native environment in sufficiently pure form so that it can be manipulated or used for any one of the purposes of the invention. Thus, isolated means sufficiently pure to be used (i) to raise and/or isolate antibodies, (ii) as a reagent in an assay, or (iii) for sequencing, etc.

Homologs and alleles of the SOC/CRAC nucleic acids of the invention can be identified by conventional techniques. Thus, an aspect of the invention is those nucleic acid sequences which code for SOC/CRAC polypeptides and which hybridize to a nucleic acid molecule selected from a group consisting of the nucleic acid of SEQ ID NO:1, the nucleic acid of SEQ ID NO:3, the nucleic acid of SEQ ID NO:5, the nucleic acid of SEQ ID NO:7, the nucleic acid of SEQ ID NO:23, the nucleic acid of SEQ ID NO:25, the nucleic acid of SEQ ID NO:27, the nucleic acid of SEQ ID NO:29, and the nucleic acid of SEQ ID NO:31, under stringent conditions. The term "stringent conditions" as used herein refers to parameters with which the art is familiar. Nucleic acid hybridization parameters may be found in references which compile such methods, e.g. *Molecular Cloning: A Laboratory Manual*, J. Sambrook, et al., eds., Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989, or *Current Protocols in Molecular Biology*, F.M. Ausubel, et al., eds., John Wiley & Sons, Inc., New York. More specifically, stringent conditions, as used herein, refers, for example, to hybridization at 65°C in hybridization buffer (3.5 x SSC, 0.02% Ficoll, 0.02% polyvinyl pyrrolidone, 0.02% Bovine Serum Albumin, 2.5mM NaH₂PO₄(pH7), 0.5% SDS, 2mM EDTA). SSC is 0.15M sodium chloride/0.15M sodium citrate, pH7; SDS is sodium dodecyl sulphate; and EDTA is ethylenediaminetetracetic acid. After hybridization, the membrane upon which the DNA is transferred is washed at 2 x SSC at room temperature and then at 0.1 x SSC/0.1 x SDS at temperatures up to 68°C.

There are other conditions, reagents, and so forth which can be used, and would result in a similar degree of stringency. The skilled artisan will be familiar with such conditions, and thus they are not given here. It will be understood, however, that the skilled artisan will be able to manipulate the conditions in a manner to permit the clear identification of homologs and alleles of the SOC/CRAC nucleic acids of the invention. The skilled artisan also is familiar with the methodology for screening cells and libraries for expression of such

molecules which then are routinely isolated, followed by isolation of the pertinent nucleic acid molecule and sequencing.

In general homologs and alleles typically will share at least 40% nucleotide identity and/or at least 50% amino acid identity to SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and/or SEQ ID NO:31, and SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, and/or SEQ ID NO:32, respectively. In some instances sequences will share at least 50% nucleotide identity and/or at least 65% amino acid identity and in still other instances sequences will share at least 60% nucleotide identity and/or at least 75% amino acid identity. The homology can be calculated using various, publicly available software tools developed by NCBI (Bethesda, Maryland) that can be obtained through the internet (<ftp://ncbi.nlm.nih.gov/pub/>). Exemplary tools include the BLAST system available at <http://www.ncbi.nlm.nih.gov>. Pairwise and ClustalW alignments (BLOSUM30 matrix setting) as well as Kyte-Doolittle hydropathic analysis can be obtained using the MacVector sequence analysis software (Oxford Molecular Group). Watson-Crick complements of the foregoing nucleic acids also are embraced by the invention.

In screening for SOC/CRAC related genes, such as homologs and alleles of SOC-2/CRAC-1 and/or SOC-3/CRAC-2, a Southern blot may be performed using the foregoing conditions, together with a radioactive probe. After washing the membrane to which the DNA is finally transferred, the membrane can be placed against X-ray film or a phosphorimager plate to detect the radioactive signal.

Given that the expression of the SOC/CRAC gene is prominent in certain human tissues (e.g., SOC-2/CRAC-1: lymphoid tissue/heart, SOC-3/CRAC-2: kidney/colon, SOC-4/CRAC-3: prostate), and given the teachings herein of partial human SOC/CRAC cDNA clones, full-length and other mammalian sequences corresponding to the human SOC/CRAC partial nucleic acid sequences can be isolated from, for example, a cDNA library prepared from one or more of the tissues in which SOC-2/CRAC-1 expression is prominent, SOC-3/CRAC-2 is prominent, and/or SOC-4/CRAC-3 expression is prominent, using standard colony hybridization techniques.

The invention also includes degenerate nucleic acids which include alternative codons to those present in the native materials. For example, serine residues are encoded by the codons TCA, AGT, TCC, TCG, TCT and AGC. Each of the six codons is equivalent for the purposes of encoding a serine residue. Thus, it will be apparent to one of ordinary skill in the

art that any of the serine-encoding nucleotide triplets may be employed to direct the protein synthesis apparatus, *in vitro* or *in vivo*, to incorporate a serine residue into an elongating SOC/CRAC polypeptide. Similarly, nucleotide sequence triplets which encode other amino acid residues include, but are not limited to: CCA, CCC, CCG and CCT (proline codons); CGA, CGC, CGG, CGT, AGA and AGG (arginine codons); ACA, ACC, ACG and ACT (threonine codons); AAC and AAT (asparagine codons); and ATA, ATC and ATT (isoleucine codons). Other amino acid residues may be encoded similarly by multiple nucleotide sequences. Thus, the invention embraces degenerate nucleic acids that differ from the biologically isolated nucleic acids in codon sequence due to the degeneracy of the genetic code.

The invention also provides isolated unique fragments of an isolated nucleic acid molecule selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31. A unique fragment is one that is a 'signature' for the larger nucleic acid. For example, the unique fragment is long enough to assure that its precise sequence is not found in molecules within the human genome outside of the SOC/CRAC nucleic acids defined above (and human alleles). Those of ordinary skill in the art may apply no more than routine procedures to determine if a fragment is unique within the human genome.

Unique fragments, however, exclude fragments completely composed of the nucleotide sequences of any of GenBank accession numbers and SEQ ID NOs listed in Table I (SEQ ID NO:9, AB001535, AI226731, H18835, AA419592, AA261842, AA419407, AI098310, AA592910, D86107, AF071787, Z77132, Z83117, Z68333, AA708532, AA551759, AA932133, R47363, N31660, AC005538, AA654650, AA370110, AA313170, AA493512, AI670079, AI671853, AC005538, AA654650, AA370110, AA313170, AA493512, AI670079, AI671853), or other previously published sequences as of the filing date of this application.

A fragment which is completely composed of the sequence described in the foregoing GenBank deposits and SEQ ID NO:9, is one which does not include any of the nucleotides unique to the sequences of the invention. Thus, a unique fragment must contain a nucleotide sequence other than the exact sequence of those in GenBank or fragments thereof. The difference may be an addition, deletion or substitution with respect to the GenBank sequence or it may be a sequence wholly separate from the GenBank sequence.

Unique fragments can be used as probes in Southern and Northern blot assays to identify such nucleic acids, or can be used in amplification assays such as those employing PCR. As known to those skilled in the art, large probes such as 200, 250, 300 or more nucleotides are preferred for certain uses such as Southern and Northern blots, while smaller fragments will be preferred for uses such as PCR. Unique fragments also can be used to produce fusion proteins for generating antibodies or determining binding of the polypeptide fragments, as demonstrated in the Examples, or for generating immunoassay components. Likewise, unique fragments can be employed to produce nonfused fragments of the SOC/CRAC polypeptides, useful, for example, in the preparation of antibodies, immunoassays or therapeutic applications. Unique fragments further can be used as antisense molecules to inhibit the expression of SOC/CRAC nucleic acids and polypeptides, respectively.

As will be recognized by those skilled in the art, the size of the unique fragment will depend upon its conservancy in the genetic code. Thus, some regions of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31, and complements thereof, will require longer segments to be unique while others will require only short segments, typically between 12 and 32 nucleotides long (e.g. 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31 and 32 bases) or more, up to the entire length of the disclosed sequence. As mentioned above, this disclosure intends to embrace each and every fragment of each sequence, beginning at the first nucleotide, the second nucleotide and so on, up to 8 nucleotides short of the end, and ending anywhere from nucleotide number 8, 9, 10 and so on for each sequence, up to the very last nucleotide, (provided the sequence is unique as described above). Virtually any segment of the region of SEQ ID NO:1 beginning at nucleotide 1 and ending at nucleotide 1212, or SEQ ID NO:3 beginning at nucleotide 1 and ending at nucleotide 739, or SEQ ID NO:5 beginning at nucleotide 1 and ending at nucleotide 1579, or SEQ ID NO:7 beginning at nucleotide 1 and ending at nucleotide 3532, or SEQ ID NO:23 beginning at nucleotide 1 and ending at nucleotide 5117, SEQ ID NO:25 beginning at nucleotide 1 and ending at nucleotide 2180, SEQ ID NO:27 beginning at nucleotide 1 and ending at nucleotide 7419, or SEQ ID NO:29 beginning at nucleotide 1 and ending at nucleotide 4061, or SEQ ID NO:31 beginning at nucleotide 1 and ending at nucleotide 4646, or complements thereof, that is 20 or more nucleotides in length will be unique. Those skilled in the art are well versed in methods for selecting such sequences, typically on the basis of the ability of the unique

fragment to selectively distinguish the sequence of interest from other sequences in the human genome of the fragment to those on known databases typically is all that is necessary, although *in vitro* confirmatory hybridization and sequencing analysis may be performed.

As mentioned above, the invention embraces antisense oligonucleotides that selectively bind to a nucleic acid molecule encoding a SOC/CRAC polypeptide, to decrease SOC/CRAC calcium channel activity. When using antisense preparations of the invention, slow intravenous administration is preferred.

As used herein, the term "antisense oligonucleotide" or "antisense" describes an oligonucleotide that is an oligoribonucleotide, oligodeoxyribonucleotide, modified oligoribonucleotide, or modified oligodeoxyribonucleotide which hybridizes under physiological conditions to DNA comprising a particular gene or to an mRNA transcript of that gene and, thereby, inhibits the transcription of that gene and/or the translation of that mRNA. The antisense molecules are designed so as to interfere with transcription or translation of a target gene upon hybridization with the target gene or transcript. Those skilled in the art will recognize that the exact length of the antisense oligonucleotide and its degree of complementarity with its target will depend upon the specific target selected, including the sequence of the target and the particular bases which comprise that sequence. It is preferred that the antisense oligonucleotide be constructed and arranged so as to bind selectively with the target under physiological conditions, i.e., to hybridize substantially more to the target sequence than to any other sequence in the target cell under physiological conditions. Based upon SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31, or upon allelic or homologous genomic and/or cDNA sequences, one of skill in the art can easily choose and synthesize any of a number of appropriate antisense molecules for use in accordance with the present invention. In order to be sufficiently selective and potent for inhibition, such antisense oligonucleotides should comprise at least 10 and, more preferably, at least 15 consecutive bases which are complementary to the target, although in certain cases modified oligonucleotides as short as 7 bases in length have been used successfully as antisense oligonucleotides (Wagner et al., *Nat. Med.* 1(11):1116-1118, 1995). Most preferably, the antisense oligonucleotides comprise a complementary sequence of 20-30 bases. Although oligonucleotides may be chosen which are antisense to any region of the gene or mRNA transcripts, in preferred embodiments the antisense oligonucleotides correspond to N-terminal or 5' upstream sites such as translation initiation, transcription initiation or promoter sites. In

addition, 3'-untranslated regions may be targeted by antisense oligonucleotides. Targeting to mRNA splicing sites has also been used in the art but may be less preferred if alternative mRNA splicing occurs. In addition, the antisense is targeted, preferably, to sites in which mRNA secondary structure is not expected (see, e.g., Sainio et al., *Cell Mol. Neurobiol.* 14(5):439-457, 1994) and at which proteins are not expected to bind. Finally, although, SEQ ID No:1 discloses a cDNA sequence, one of ordinary skill in the art may easily derive the genomic DNA corresponding to this sequence. Thus, the present invention also provides for antisense oligonucleotides which are complementary to the genomic DNA corresponding to SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31. Similarly, antisense to allelic or homologous SOC/CRAC cDNAs and genomic DNAs are enabled without undue experimentation.

In one set of embodiments, the antisense oligonucleotides of the invention may be composed of "natural" deoxyribonucleotides, ribonucleotides, or any combination thereof. That is, the 5' end of one native nucleotide and the 3' end of another native nucleotide may be covalently linked, as in natural systems, via a phosphodiester internucleoside linkage. These oligonucleotides may be prepared by art recognized methods which may be carried out manually or by an automated synthesizer. They also may be produced recombinantly by vectors.

In preferred embodiments, however, the antisense oligonucleotides of the invention also may include "modified" oligonucleotides. That is, the oligonucleotides may be modified in a number of ways which do not prevent them from hybridizing to their target but which enhance their stability or targeting or which otherwise enhance their therapeutic effectiveness.

The term "modified oligonucleotide" as used herein describes an oligonucleotide in which (1) at least two of its nucleotides are covalently linked via a synthetic internucleoside linkage (i.e., a linkage other than a phosphodiester linkage between the 5' end of one nucleotide and the 3' end of another nucleotide) and/or (2) a chemical group not normally associated with nucleic acids has been covalently attached to the oligonucleotide. Preferred synthetic internucleoside linkages are phosphorothioates, alkylphosphonates, phosphorodithioates, phosphate esters, alkylphosphonothioates, phosphoramidates, carbamates, carbonates, phosphate triesters, acetamides, carboxymethyl esters and peptides.

The term "modified oligonucleotide" also encompasses oligonucleotides with a covalently modified base and/or sugar. For example, modified oligonucleotides include

oligonucleotides having backbone sugars which are covalently attached to low molecular weight organic groups other than a hydroxyl group at the 3' position and other than a phosphate group at the 5' position. Thus modified oligonucleotides may include a 2'-O-alkylated ribose group. In addition, modified oligonucleotides may include sugars such as arabinose instead of ribose. The present invention, thus, contemplates pharmaceutical preparations containing modified antisense molecules that are complementary to and hybridizable with, under physiological conditions, nucleic acids encoding SOC/CRAC polypeptides, together with pharmaceutically acceptable carriers. Antisense oligonucleotides may be administered as part of a pharmaceutical composition. Such a pharmaceutical composition may include the antisense oligonucleotides in combination with any standard physiologically and/or pharmaceutically acceptable carriers which are known in the art. The compositions should be sterile and contain a therapeutically effective amount of the antisense oligonucleotides in a unit of weight or volume suitable for administration to a patient. The term "pharmaceutically acceptable" means a non-toxic material that does not interfere with the effectiveness of the biological activity of the active ingredients. The term "physiologically acceptable" refers to a non-toxic material that is compatible with a biological system such as a cell, cell culture, tissue, or organism. The characteristics of the carrier will depend on the route of administration. Physiologically and pharmaceutically acceptable carriers include diluents, fillers, salts, buffers, stabilizers, solubilizers, and other materials which are well known in the art.

The invention also involves expression vectors coding for SOC/CRAC proteins and fragments and variants thereof and host cells containing those expression vectors. Virtually any cells, prokaryotic or eukaryotic, which can be transformed with heterologous DNA or RNA and which can be grown or maintained in culture, may be used in the practice of the invention. Examples include bacterial cells such as E.coli and eukaryotic cells such as mouse, hamster, pig, goat, primate, yeast, xenopous, etc. They may be of a wide variety of tissue types, including mast cells, fibroblasts, oocytes and lymphocytes, and they may be primary cells or cell lines. Specific examples include CHO cells and COS cells. Cell-free transcription systems also may be used in lieu of cells.

As used herein, a "vector" may be any of a number of nucleic acids into which a desired sequence may be inserted by restriction and ligation for transport between different genetic environments or for expression in a host cell. Vectors are typically composed of DNA although RNA vectors are also available. Vectors include, but are not limited to,

plasmids, phagemids and virus genomes. A cloning vector is one which is able to replicate in a host cell, and which is further characterized by one or more endonuclease restriction sites at which the vector may be cut in a determinable fashion and into which a desired DNA sequence may be ligated such that the new recombinant vector retains its ability to replicate in the host cell. In the case of plasmids, replication of the desired sequence may occur many times as the plasmid increases in copy number within the host bacterium or just a single time per host before the host reproduces by mitosis. In the case of phage, replication may occur actively during a lytic phase or passively during a lysogenic phase. An expression vector is one into which a desired DNA sequence may be inserted by restriction and ligation such that it is operably joined to regulatory sequences and may be expressed as an RNA transcript. Vectors may further contain one or more marker sequences suitable for use in the identification of cells which have or have not been transformed or transfected with the vector. Markers include, for example, genes encoding proteins which increase or decrease either resistance or sensitivity to antibiotics or other compounds, genes which encode enzymes whose activities are detectable by standard assays known in the art (e.g., β -galactosidase or alkaline phosphatase), and genes which visibly affect the phenotype of transformed or transfected cells, hosts, colonies or plaques (e.g., green fluorescent protein). Preferred vectors are those capable of autonomous replication and expression of the structural gene products present in the DNA segments to which they are operably joined.

As used herein, a coding sequence and regulatory sequences are said to be "operably" joined when they are covalently linked in such a way as to place the expression or transcription of the coding sequence under the influence or control of the regulatory sequences. If it is desired that the coding sequences be translated into a functional protein, two DNA sequences are said to be operably joined if induction of a promoter in the 5' regulatory sequences results in the transcription of the coding sequence and if the nature of the linkage between the two DNA sequences does not (1) result in the introduction of a frame-shift mutation, (2) interfere with the ability of the promoter region to direct the transcription of the coding sequences, or (3) interfere with the ability of the corresponding RNA transcript to be translated into a protein. Thus, a promoter region would be operably joined to a coding sequence if the promoter region were capable of effecting transcription of that DNA sequence such that the resulting transcript might be translated into the desired protein or polypeptide.

The precise nature of the regulatory sequences needed for gene expression may vary between species or cell types, but shall in general include, as necessary, 5' non-transcribed

and 5' non-translated sequences involved with the initiation of transcription and translation respectively, such as a TATA box, capping sequence, CAAT sequence, and the like. Especially, such 5' non-transcribed regulatory sequences will include a promoter region which includes a promoter sequence for transcriptional control of the operably joined gene. Regulatory sequences may also include enhancer sequences or upstream activator sequences as desired. The vectors of the invention may optionally include 5' leader or signal sequences. The choice and design of an appropriate vector is within the ability and discretion of one of ordinary skill in the art.

According to yet another aspect of the invention, isolated SOC/CRAC polypeptides are provided. Preferably, the isolated SOC/CRAC polypeptides are encoded by the isolated SOC/CRAC nucleic acid molecules disclosed herein. More preferably, the isolated SOC/CRAC polypeptides of the invention are encoded by the nucleic acid molecules having SEQ ID Nos. 1, 3, 5, 7, 23, 25, 27, 29, and 31. In yet other embodiments, the isolated SOC/CRAC polypeptides of the invention have an amino acid sequence selected from the group consisting of SEQ ID Nos. 2, 4, 6, 8, 24, 26, 28, 30 and 32. Preferably, the isolated SOC/CRAC polypeptides are of sufficient length to represent a sequence unique within the human genome. Thus, the preferred embodiments include a sequence of contiguous amino acids which is not identical to a prior art sequence as represented by the sequence group consisting of the contiguous amino acids identified in Table II (SEQ ID NO:10, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19 and GenBank Acc. Nos. AB001535, AA592910, D86107, AF071787, Z77132, Z83117, Z68333, AA708532, AA551759, AA932133, R47363, N31660, NP003298, CAB00861, NP002411, CAA92726, CAB05572).

In certain embodiments, the isolated SOC/CRAC polypeptides are immunogenic and can be used to generate binding polypeptides (e.g., antibodies) for use in diagnostic and therapeutic applications. Such binding polypeptides also are useful for detecting the presence, absence, and/or amounts of a SOC/CRAC nucleic acid or polypeptide in a sample such as a biological fluid or biopsy sample. Preferably, the SOC/CRAC polypeptides that are useful for generating binding polypeptides are unique polypeptides and, therefore, binding of the antibody to a SOC/CRAC polypeptide in a sample is selective for the SOC/CRAC polypeptide.

Expression vectors containing all the necessary elements for expression are commercially available and known to those skilled in the art. See, e.g., Sambrook et al.,

Molecular Cloning: A Laboratory Manual, Second Edition, Cold Spring Harbor Laboratory Press, 1989. Cells are genetically engineered by the introduction into the cells of heterologous DNA (RNA) encoding a SOC/CRAC polypeptide or fragment or variant thereof. The heterologous DNA (RNA) is placed under operable control of transcriptional elements to permit the expression of the heterologous DNA in the host cell.

Preferred systems for mRNA expression in mammalian cells are those such as pRc/CMV (available from Invitrogen, Carlsbad, CA) that contain a selectable marker such as a gene that confers G418 resistance (which facilitates the selection of stably transfected cell lines) and the human cytomegalovirus (CMV) enhancer-promoter sequences. Additionally, suitable for expression in primate or canine cell lines is the pCEP4 vector (Invitrogen, Carlsbad, CA), which contains an Epstein Barr virus (EBV) origin of replication, facilitating the maintenance of plasmid as a multicopy extrachromosomal element. Another expression vector is the pEF-BOS plasmid containing the promoter of polypeptide Elongation Factor 1 α , which stimulates efficiently transcription *in vitro*. The plasmid is described by Mishizuma and Nagata (*Nuc. Acids Res.* 18:5322, 1990), and its use in transfection experiments is disclosed by, for example, Demoulin (*Mol. Cell. Biol.* 16:4710-4716, 1996). Still another preferred expression vector is an adenovirus, described by Stratford-Perricaudet, which is defective for E1 and E3 proteins (*J. Clin. Invest.* 90:626-630, 1992). The use of the adenovirus as an Adeno.P1A recombinant is disclosed by Warnier et al., in intradermal injection in mice for immunization against P1A (*Int. J. Cancer*, 67:303-310, 1996).

The invention also embraces so-called expression kits, which allow the artisan to prepare a desired expression vector or vectors. Such expression kits include at least separate portions of each of the previously discussed coding sequences. Other components may be added, as desired, as long as the previously mentioned sequences, which are required, are included.

It will also be recognized that the invention embraces the use of the above described, SOC/CRAC cDNA sequence containing expression vectors, to transfect host cells and cell lines, by these prokaryotic (e.g., *E. coli*), or eukaryotic (e.g., CHO cells, COS cells, yeast expression systems and recombinant baculovirus expression in insect cells). Especially useful are mammalian cells such as mouse, hamster, pig, goat, primate, etc. They may be of a wide variety of tissue types, and include primary cells and cell lines. Specific examples include dendritic cells, U293 cells, peripheral blood leukocytes, bone marrow stem cells and embryonic stem cells. The invention also permits the construction of SOC/CRAC gene

"knock-outs" in cells and in animals, providing materials for studying certain aspects of SOC/CRAC calcium channel activity.

The invention also provides isolated polypeptides (including whole proteins and partial proteins), encoded by the foregoing SOC/CRAC nucleic acids, and include the polypeptides of SEQ ID NO:2, 4, 6, 8, 24, 26, 28, 30, 32, and unique fragments thereof. Such polypeptides are useful, for example, to regulate calcium transport-mediated cell growth, differentiation and proliferation, to generate antibodies, as components of immunoassays, etc. Polypeptides can be isolated from biological samples including tissue or cell homogenates, and can also be expressed recombinantly in a variety of prokaryotic and eukaryotic expression systems by constructing an expression vector appropriate to the expression system, introducing the expression vector into the expression system, and isolating the recombinantly expressed protein. Short polypeptides, including antigenic peptides (such as are presented by MHC molecules on the surface of a cell for immune recognition) also can be synthesized chemically using well-established methods of peptide synthesis.

A unique fragment of a SOC/CRAC polypeptide, in general, has the features and characteristics of unique fragments as discussed above in connection with nucleic acids. As will be recognized by those skilled in the art, the size of the unique fragment will depend upon factors such as whether the fragment constitutes a portion of a conserved protein domain. Thus, some regions of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, and/or SEQ ID NO:32, will require longer segments to be unique while others will require only short segments, typically between 5 and 12 amino acids (e.g. 5, 6, 7, 8, 9, 10, 11 and 12 amino acids long or more, including each integer up to the full length, >1,000 amino acids long). Virtually any segment of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, and/or SEQ ID NO:32, excluding the ones that share identity with it (the polypeptides identified in Table II - SEQ ID NO:10, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, and GenBank Acc. Nos. AB001535, AA592910, D86107, AF071787, Z77132, Z83117, Z68333, AA708532, AA551759, AA932133, R47363, N31660, NP003298, CAB00861, NP002411, CAA92726, CAB05572) that is 9 or more amino acids in length will be unique.

Unique fragments of a polypeptide preferably are those fragments which retain a distinct functional capability of the polypeptide. Functional capabilities which can be retained in a unique fragment of a polypeptide include Ca^{2+} fluxing, high selectivity, a unitary

conductance below the detection level of the patch clamp method, and/or and are subject to inhibition by high intracellular calcium levels.

One important aspect of a unique fragment is its ability to act as a signature for identifying the polypeptide. Optionally, another aspect of a unique fragment is its ability to provide an immune response in an animal. Those skilled in the art are well versed in methods for selecting unique amino acid sequences, typically on the basis of the ability of the unique fragment to selectively distinguish the sequence of interest from non-family members. A comparison of the sequence of the fragment to those on known databases typically is all that is necessary.

The invention embraces variants of the SOC/CRAC polypeptides described above. As used herein, a "variant" of a SOC/CRAC polypeptide is a polypeptide which contains one or more modifications to the primary amino acid sequence of a SOC/CRAC polypeptide. Modifications which create a SOC/CRAC polypeptide variant are typically made to the nucleic acid which encodes the SOC/CRAC polypeptide, and can include deletions, point mutations, truncations, amino acid substitutions and addition of amino acids or non-amino acid moieties to: 1) reduce or eliminate a calcium channel activity of a SOC/CRAC polypeptide; 2) enhance a property of a SOC/CRAC polypeptide, such as protein stability in an expression system or the stability of protein-protein binding; 3) provide a novel activity or property to a SOC/CRAC polypeptide, such as addition of an antigenic epitope or addition of a detectable moiety; or 4) to provide equivalent or better binding to a SOC/CRAC polypeptide receptor or other molecule. Alternatively, modifications can be made directly to the polypeptide, such as by cleavage, addition of a linker molecule, addition of a detectable moiety, such as biotin, addition of a fatty acid, and the like. Modifications also embrace fusion proteins comprising all or part of the SOC/CRAC amino acid sequence. One of skill in the art will be familiar with methods for predicting the effect on protein conformation of a change in protein sequence, and can thus "design" a variant SOC/CRAC polypeptide according to known methods. One example of such a method is described by Dahiyat and Mayo in *Science* 278:82-87, 1997, whereby proteins can be designed *de novo*. The method can be applied to a known protein to vary only a portion of the polypeptide sequence. By applying the computational methods of Dahiyat and Mayo, specific variants of a SOC/CRAC calcium channel polypeptide can be proposed and tested to determine whether the variant retains a desired conformation.

5 Variants can include SOC/CRAC polypeptides which are modified specifically to alter a feature of the polypeptide unrelated to its physiological activity. For example, cysteine residues can be substituted or deleted to prevent unwanted disulfide linkages. Similarly, certain amino acids can be changed to enhance expression of a SOC/CRAC polypeptide by eliminating proteolysis by proteases in an expression system (e.g., dibasic amino acid residues in yeast expression systems in which KEX2 protease activity is present).

10 Mutations of a nucleic acid which encodes a SOC/CRAC polypeptide preferably preserve the amino acid reading frame of the coding sequence and, preferably, do not create regions in the nucleic acid which are likely to hybridize to form secondary structures, such as hairpins or loops, which can be deleterious to expression of the variant polypeptide.

15 Mutations can be made by selecting an amino acid substitution, or by random mutagenesis of a selected site in a nucleic acid which encodes the polypeptide. Variant polypeptides are then expressed and tested for one or more activities to determine which mutation provides a variant polypeptide with the desired properties. Further mutations can be made to variants (or to non-variant SOC/CRAC polypeptides) which are silent as to the amino acid sequence of the polypeptide, but which provide preferred codons for translation in a particular host. The preferred codons for translation of a nucleic acid in, e.g., *E. coli*, are well known to those of ordinary skill in the art. Still other mutations can be made to the noncoding sequences of a SOC/CRAC gene or cDNA clone to enhance expression of the polypeptide.

20 The skilled artisan will realize that conservative amino acid substitutions may be made in SOC/CRAC polypeptides to provide functionally equivalent variants of the foregoing polypeptides, i.e., the variants retain the functional capabilities of the SOC/CRAC polypeptides. As used herein, a "conservative amino acid substitution" refers to an amino acid substitution which does not alter the relative charge or size characteristics of the protein in which the amino acid substitution is made. Variants can be prepared according to methods for altering polypeptide sequence known to one of ordinary skill in the art such as are found in references which compile such methods, e.g. *Molecular Cloning: A Laboratory Manual*, J. Sambrook, et al., eds., Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989, or *Current Protocols in Molecular Biology*, F.M. Ausubel, et al., eds., John Wiley & Sons, Inc., New York. Exemplary functionally equivalent variants of the SOC/CRAC polypeptides include conservative amino acid substitutions of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, and/or SEQ ID NO:32. Conservative substitutions of amino acids

25

30

include substitutions made amongst amino acids within the following groups: (a) M, I, L, V; (b) F, Y, W; (c) K, R, H; (d) A, G; (e) S, T; (f) Q, N; and (g) E, D.

Thus functionally equivalent variants of SOC/CRAC polypeptides, i.e., variants of SOC/CRAC polypeptides which retain the function of the natural SOC/CRAC polypeptides, are contemplated by the invention. Conservative amino-acid substitutions in the amino acid sequence of SOC/CRAC polypeptides to produce functionally equivalent variants of SOC/CRAC polypeptides typically are made by alteration of a nucleic acid encoding SOC/CRAC polypeptides (e.g., SEQ ID NOs:1, 3, 5, 7, 23, 25, 27, 29, 31). Such substitutions can be made by a variety of methods known to one of ordinary skill in the art. For example, amino acid substitutions may be made by PCR-directed mutation, site-directed mutagenesis according to the method of Kunkel (Kunkel, *Proc. Nat. Acad. Sci. U.S.A.* 82: 488-492, 1985), or by chemical synthesis of a gene encoding a SOC/CRAC polypeptide. The activity of functionally equivalent fragments of SOC/CRAC polypeptides can be tested by cloning the gene encoding the altered SOC/CRAC polypeptide into a bacterial or mammalian expression vector, introducing the vector into an appropriate host cell, expressing the altered SOC/CRAC polypeptide, and testing for a functional capability of the SOC/CRAC polypeptides as disclosed herein (e.g., SOC/CRAC calcium channel activity).

The invention as described herein has a number of uses, some of which are described elsewhere herein. First, the invention permits isolation of SOC/CRAC polypeptides, including the isolation of the complete SOC/CRAC polypeptide. A variety of methodologies well-known to the skilled practitioner can be utilized to obtain isolated SOC/CRAC molecules. The polypeptide may be purified from cells which naturally produce the polypeptide by chromatographic means or immunological recognition. Alternatively, an expression vector may be introduced into cells to cause production of the polypeptide. In another method, mRNA transcripts may be microinjected or otherwise introduced into cells to cause production of the encoded polypeptide. Translation of SOC/CRAC mRNA in cell-free extracts such as the reticulocyte lysate system also may be used to produce SOC/CRAC polypeptides. Those skilled in the art also can readily follow known methods for isolating SOC/CRAC polypeptides. These include, but are not limited to, immunochromatography, HPLC, size-exclusion chromatography, ion-exchange chromatography and immune-affinity chromatography.

The invention also provides, in certain embodiments, "dominant negative" polypeptides derived from SOC/CRAC polypeptides. A dominant negative polypeptide is an

inactive variant of a protein, which, by interacting with the cellular machinery, displaces an active protein from its interaction with the cellular machinery or competes with the active protein, thereby reducing the effect of the active protein. For example, a dominant negative receptor which binds a ligand but does not transmit a signal in response to binding of the ligand can reduce the biological effect of expression of the ligand. Likewise, a dominant negative inactive SOC/CRAC calcium channel which interacts normally with the cell membrane but which does not mediate calcium transport can reduce calcium transport in a cell. Similarly, a dominant negative transcription factor which binds to a promoter site in the control region of a gene but does not increase gene transcription can reduce the effect of a normal transcription factor by occupying promoter binding sites without increasing transcription.

The end result of the expression of a dominant negative polypeptide in a cell is a reduction in function of active proteins. One of ordinary skill in the art can assess the potential for a dominant negative variant of a protein, and using standard mutagenesis techniques to create one or more dominant negative variant polypeptides. See, e.g., U.S. Patent No. 5,580,723 and Sambrook et al., 1989, *Molecular Cloning: A Laboratory Manual*, Second Edition, Cold Spring Harbor Laboratory Press. The skilled artisan then can test the population of mutagenized polypeptides for diminution in a selected and/or for retention of such an activity. Other similar methods for creating and testing dominant negative variants of a protein will be apparent to one of ordinary skill in the art.

According to another aspect, the invention provides a method for isolating a SOC/CRAC molecule having SOC/CRAC calcium channel activity. The method involves contacting a binding molecule that is a SOC/CRAC nucleic acid or a SOC/CRAC binding polypeptide with a sample containing one or more SOC/CRAC molecules under conditions that allow such binding (see earlier discussion) to form a complex, detecting the presence of the complex, isolating the SOC/CRAC molecule from the complex, and determining whether the isolated SOC/CRAC molecule has SOC/CRAC calcium channel activity. Thus, the invention is useful for identifying and isolating full length complementary (cDNA) or genomic nucleic acids encoding SOC/CRAC polypeptides having SOC/CRAC calcium channel activity. Identification and isolation of such nucleic acids and polypeptides may be accomplished by hybridizing/binding, under appropriate conditions well known in the art, libraries and/or restriction enzyme-digested human nucleic acids, with a labeled SOC/CRAC molecular probe. As used herein, a "label" includes molecules that are incorporated into, for

example, a SOC/CRAC molecule (nucleic acid or peptide), that can be directly or indirectly detected. A wide variety of detectable labels are well known in the art that can be used, and include labels that provide direct detection (e.g., radioactivity, luminescence, optical or electron density, etc), or indirect detection (e.g., epitope tag such as the FLAG epitope, enzyme tag such as horseshoe peroxidase, etc.). The label may be bound to a SOC/CRAC binding partner, or incorporated into the structure of the binding partner.

A variety of methods may be used to detect the label, depending on the nature of the label and other assay components. For example, the label may be detected while bound to the solid substrate or subsequent to separation from the solid substrate. Labels may be directly detected through optical or electron density, radioactive emissions, nonradioactive energy transfers, etc. or indirectly detected with antibody conjugates, streptavidin-biotin conjugates, etc. Methods for detecting the labels are well known in the art. Once a library clone or hybridizing fragment is identified in the hybridization/binding reaction, it can be further isolated by employing standard isolation/cloning techniques known to those of skill in the art. See, generally, Sambrook et al., 1989, *Molecular Cloning: A Laboratory Manual*, 2nd Edition, Cold Spring Harbor Laboratory Press. In addition, nucleic acid amplification techniques well known in the art, may also be used to locate splice variants of calcium channel (or calcium channel subunits) with SOC/CRAC calcium channel activity. Size and sequence determinations of the amplification products can reveal splice variants.

The foregoing isolated nucleic acids and polypeptides may then be compared to the nucleic acids and polypeptides of the present invention in order to identify homogeneity or divergence of the sequences, and be further characterized functionally to determine whether they belong to a family of molecules with SOC/CRAC calcium channel activity (for methodology see under the Examples section).

The isolation of the SOC/CRAC cDNA and/or partial sequences thereof also makes it possible for the artisan to diagnose a disorder characterized by an aberrant expression of SOC/CRAC. These methods involve determining expression of the SOC/CRAC gene, and/or SOC/CRAC polypeptides derived therefrom. In the former situation, such determinations can be carried out via any standard nucleic acid determination assay, including the polymerase chain reaction, or assaying with labeled hybridization probes as exemplified below. In the latter situation, such determination can be carried out via any standard immunological assay using, for example, antibodies which bind to the SOC/CRAC protein.

The invention also embraces isolated peptide binding agents which, for example, can be antibodies or fragments of antibodies ("binding polypeptides"), having the ability to selectively bind to SOC/CRAc polypeptides. Antibodies include polyclonal and monoclonal antibodies, prepared according to conventional methodology. In certain embodiments, the invention excludes binding agents (e.g., antibodies) that bind to the polypeptides encoded by the nucleic acids of SEQ ID NOs: 10, 12, 13, 14, 15, 17, and 19.

Significantly, as is well-known in the art, only a small portion of an antibody molecule, the paratope, is involved in the binding of the antibody to its epitope (see, in general, Clark, W.R. (1986) The Experimental Foundations of Modern Immunology Wiley & Sons, Inc., New York; Roitt, I. (1991) Essential Immunology, 7th Ed., Blackwell Scientific Publications, Oxford). The pFc' and Fc regions, for example, are effectors of the complement cascade but are not involved in antigen binding. An antibody from which the pFc' region has been enzymatically cleaved, or which has been produced without the pFc' region, designated an F(ab')₂ fragment, retains both of the antigen binding sites of an intact antibody. Similarly, an antibody from which the Fc region has been enzymatically cleaved, or which has been produced without the Fc region, designated an Fab fragment, retains one of the antigen binding sites of an intact antibody molecule. Proceeding further, Fab fragments consist of a covalently bound antibody light chain and a portion of the antibody heavy chain denoted Fd. The Fd fragments are the major determinant of antibody specificity (a single Fd fragment may be associated with up to ten different light chains without altering antibody specificity) and Fd fragments retain epitope-binding ability in isolation.

Within the antigen-binding portion of an antibody, as is well-known in the art, there are complementarity determining regions (CDRs), which directly interact with the epitope of the antigen, and framework regions (FRs), which maintain the tertiary structure of the paratope (see, in general, Clark, 1986; Roitt, 1991). In both the heavy chain Fd fragment and the light chain of IgG immunoglobulins, there are four framework regions (FR1 through FR4) separated respectively by three complementarity determining regions (CDR1 through CDR3). The CDRs, and in particular the CDR3 regions, and more particularly the heavy chain CDR3, are largely responsible for antibody specificity.

It is now well-established in the art that the non-CDR regions of a mammalian antibody may be replaced with similar regions of conspecific or heterospecific antibodies while retaining the epitopic specificity of the original antibody. This is most clearly manifested in the development and use of "humanized" antibodies in which non-human CDRs

are covalently joined to human FR and/or Fc/pFc' regions to produce a functional antibody. Thus, for example, PCT International Publication Number WO 92/04381 teaches the production and use of humanized murine RSV antibodies in which at least a portion of the murine FR regions have been replaced by FR regions of human origin. Such antibodies, including fragments of intact antibodies with antigen-binding ability, are often referred to as "chimeric" antibodies.

Thus, as will be apparent to one of ordinary skill in the art, the present invention also provides for F(ab')₂, Fab, Fv and Fd fragments; chimeric antibodies in which the Fc and/or FR and/or CDR1 and/or CDR2 and/or light chain CDR3 regions have been replaced by homologous human or non-human sequences; chimeric F(ab')₂ fragment antibodies in which the FR and/or CDR1 and/or CDR2 and/or light chain CDR3 regions have been replaced by homologous human or non-human sequences; chimeric Fab fragment antibodies in which the FR and/or CDR1 and/or CDR2 and/or light chain CDR3 regions have been replaced by homologous human or non-human sequences; and chimeric Fd fragment antibodies in which the FR and/or CDR1 and/or CDR2 regions have been replaced by homologous human or non-human sequences. The present invention also includes so-called single chain antibodies.

Thus, the invention involves binding polypeptides of numerous size and type that bind selectively to SOC/CRAC polypeptides, and complexes containing SOC/CRAC polypeptides. These binding polypeptides also may be derived also from sources other than antibody technology. For example, such polypeptide binding agents can be provided by degenerate peptide libraries which can be readily prepared in solution, in immobilized form, as bacterial flagella peptide display libraries or as phage display libraries. Combinatorial libraries also can be synthesized of peptides containing one or more amino acids. Libraries further can be synthesized of peptides and non-peptide synthetic moieties.

Phage display can be particularly effective in identifying binding peptides useful according to the invention. Briefly, one prepares a phage library (using e.g. m13, fd, or lambda phage), displaying inserts from 4 to about 80 amino acid residues using conventional procedures. The inserts may represent, for example, a completely degenerate or biased array. One then can select phage-bearing inserts which bind to the SOC/CRAC polypeptide or a complex containing a SOC/CRAC polypeptide. This process can be repeated through several cycles of reselection of phage that bind to the SOC/CRAC polypeptide or complex. Repeated rounds lead to enrichment of phage bearing particular sequences. DNA sequence analysis can be conducted to identify the sequences of the expressed polypeptides. The minimal linear

portion of the sequence that binds to the SOC/CRAC polypeptide or complex can be determined. One can repeat the procedure using a biased library containing inserts containing part or all of the minimal linear portion plus one or more additional degenerate residues upstream or downstream thereof. Yeast two-hybrid screening methods also may be used to
5 identify polypeptides that bind to the SOC/CRAC polypeptides. Thus, the SOC/CRAC polypeptides of the invention, or a fragment thereof, or complexes of SOC/CRAC can be used to screen peptide libraries, including phage display libraries, to identify and select peptide binding polypeptides that selectively bind to the SOC/CRAC polypeptides of the invention. Such molecules can be used, as described, for screening assays, for purification protocols, for
10 interfering directly with the functioning of SOC/CRAC and for other purposes that will be apparent to those of ordinary skill in the art.

A SOC/CRAC polypeptide, or a fragment thereof, also can be used to isolate naturally occurring, polypeptide binding partners which may associate with the SOC/CRAC polypeptide in the membrane of a cell. Isolation of binding partners may be performed
15 according to well-known methods. For example, isolated SOC/CRAC polypeptides can be attached to a substrate, and then a solution suspected of containing an SOC/CRAC binding partner may be applied to the substrate. If the binding partner for SOC/CRAC polypeptides is present in the solution, then it will bind to the substrate-bound SOC/CRAC polypeptide. The binding partner then may be isolated. Other proteins which are binding partners for
20 SOC/CRAC, may be isolated by similar methods without undue experimentation.

The invention also provides novel kits which could be used to measure the levels of the nucleic acids of the invention, expression products of the invention or anti-SOC/CRAC antibodies. In the case of nucleic acid detection, pairs of primers for amplifying SOC/CRAC nucleic acids can be included. The preferred kits would include controls such as known
25 amounts of nucleic acid probes, SOC/CRAC epitopes (such as SOC/CRAC expression products) or anti-SOC/CRAC antibodies, as well as instructions or other printed material. In certain embodiments the printed material can characterize risk of developing a disorder that is characterized by aberrant SOC/CRAC polypeptide expression based upon the outcome of the assay. The reagents may be packaged in containers and/or coated on wells in predetermined
30 amounts, and the kits may include standard materials such as labeled immunological reagents (such as labeled anti-IgG antibodies) and the like. One kit is a packaged polystyrene microtiter plate coated with a SOC/CRAC polypeptide and a container containing labeled anti-human IgG antibodies. A well of the plate is contacted with, for example, serum, washed

and then contacted with the anti-IgG antibody. The label is then detected. A kit embodying features of the present invention is comprised of the following major elements: packaging an agent of the invention, a control agent, and instructions. Packaging is a box-like structure for holding a vial (or number of vials) containing an agent of the invention, a vial (or number of vials) containing a control agent, and instructions. Individuals skilled in the art can readily modify packaging to suit individual needs.

Another aspect of the invention is a method for determining the level of SOC/CRAC expression in a subject. As used herein, a subject is a human, non-human primate, cow, horse, pig, sheep, goat, dog, cat or rodent. In all embodiments, human subjects are preferred. Expression is defined either as SOC/CRAC mRNA expression or SOC/CRAC polypeptide expression. Various methods can be used to measure expression. Preferred embodiments of the invention include PCR and Northern blotting for measuring mRNA expression, and monoclonal or polyclonal SOC/CRAC antisera as reagents to measure SOC/CRAC polypeptide expression. In certain embodiments, test samples such as biopsy samples, and biological fluids such as blood, are used as test samples. SOC/CRAC expression in a test sample of a subject is compared to SOC/CRAC expression in control sample to, e.g., assess the presence or absence or stage of a proliferative disorder (e.g., a lymphocyte proliferative disorder) in a subject.

SOC/CRAC polypeptides preferably are produced recombinantly, although such polypeptides may be isolated from biological extracts. Recombinantly produced SOC/CRAC polypeptides include chimeric proteins comprising a fusion of a SOC/CRAC protein with another polypeptide, e.g., a polypeptide capable of providing or enhancing protein-protein binding, sequence specific nucleic acid binding (such as GAL4), enhancing stability of the SOC/CRAC polypeptide under assay conditions, or providing a detectable moiety, such as green fluorescent protein. A polypeptide fused to a SOC/CRAC polypeptide or fragment may also provide means of readily detecting the fusion protein, e.g., by immunological recognition or by fluorescent labeling.

The invention is also useful in the generation of transgenic non-human animals. As used herein, "transgenic non-human animals" includes non-human animals having one or more exogenous nucleic acid molecules incorporated in germ line cells and/or somatic cells. Thus the transgenic animal include "knockout" animals having a homozygous or heterozygous gene disruption by homologous recombination, animals having episomal or chromosomally incorporated expression vectors, etc. Knockout animals can be prepared by

homologous recombination using embryonic stem cells as is well known in the art. The recombination may be facilitated using, for example, the cre/lox system or other recombinase systems known to one of ordinary skill in the art. In certain embodiments, the recombinase system itself is expressed conditionally, for example, in certain tissues or cell types, at certain embryonic or post-embryonic developmental stages, inducibly by the addition of a compound which increases or decreases expression, and the like. In general, the conditional expression vectors used in such systems use a variety of promoters which confer the desired gene expression pattern (e.g., temporal or spatial). Conditional promoters also can be operably linked to SOC/CRAC nucleic acid molecules to increase expression of SOC/CRAC in a regulated or conditional manner. *Trans*-acting negative regulators of SOC/CRAC calcium channel activity or expression also can be operably linked to a conditional promoter as described above. Such *trans*-acting regulators include antisense SOC/CRAC nucleic acids molecules, nucleic acid molecules which encode dominant negative SOC/CRAC molecules, ribozyme molecules specific for SOC/CRAC nucleic acids, and the like. The transgenic non-human animals are useful in experiments directed toward testing biochemical or physiological effects of diagnostics or therapeutics for conditions characterized by increased or decreased SOC/CRAC expression. Other uses will be apparent to one of ordinary skill in the art.

The invention further provides efficient methods of identifying agents or lead compounds for agents active at the level of a SOC/CRAC polypeptide (e.g., a SOC/CRAC polypeptide) or SOC/CRAC fragment dependent cellular function. In particular, such functions include interaction with other polypeptides or fragments thereof, and selective binding to certain molecules (e.g., agonists and antagonists). Generally, the screening methods involve assaying for compounds which interfere with SOC/CRAC calcium channel activity, although compounds which enhance SOC/CRAC calcium channel activity also can be assayed using the screening methods. Such methods are adaptable to automated, high throughput screening of compounds. The target therapeutic indications for pharmacological agents detected by the screening methods are limited only in that the target cellular function be subject to modulation by alteration of the formation of a complex comprising a SOC/CRAC polypeptide or fragment thereof and one or more SOC/CRAC binding targets. Target indications include cellular processes modulated by SOC/CRAC such as Ca^{2+} fluxing, and affected by SOC/CRAC ability to form complexes with other molecules and polypeptides as, for example, may be present in the cell membrane.

A wide variety of assays for pharmacological agents are provided, including, expression assays, labeled *in vitro* protein-protein binding assays, electrophoretic mobility shift assays, immunoassays, cell-based assays such as calcium transport assays, etc. For example, two-hybrid screens are used to rapidly examine the effect of transfected nucleic acids on the intracellular binding of SOC/CRAC or SOC/CRAC fragments to specific intracellular targets (e.g. a tyrosine kinase). The transfected nucleic acids can encode, for example, combinatorial peptide libraries or cDNA libraries. Convenient reagents for such assays, e.g., GAL4 fusion proteins, are known in the art. An exemplary cell-based assay involves transfecting a cell with a nucleic acid encoding a SOC/CRAC polypeptide fused to a GAL4 DNA binding domain and a nucleic acid encoding a reporter gene operably linked to a gene expression regulatory region, such as one or more GAL4 binding sites. Activation of reporter gene transcription occurs when the SOC/CRAC and reporter fusion polypeptides bind such as to enable transcription of the reporter gene. Agents which modulate a SOC/CRAC polypeptide mediated cell function are then detected through a change in the expression of reporter gene. Methods for determining changes in the expression of a reporter gene are known in the art.

In an expression system, for example, a SOC/CRAC polypeptide is attached to a membrane, the membrane preferably separating two fluid environments and being otherwise not permeable to Ca^{2+} . Such separation is preferred so that a change in Ca^{2+} concentration on either side of the membrane is mediated only through the attached SOC/CRAC polypeptide. Preferably, a SOC/CRAC polypeptide is expressed in an intact cell and is present on the cell-membrane (as in physiologic conditions). The cell expressing the SOC/CRAC polypeptide is preferably a eukaryotic cell, and the SOC/CRAC polypeptide is preferably recombinantly expressed, although cells naturally expressing a SOC/CRAC polypeptide may also be used. Synthetic membranes, however, containing SOC/CRAC polypeptides may also be used. See, e.g., K. Kiselyov, et al., Functional interaction between InsP_3 receptors and store-operated Htrp_3 channels, *Nature* 396, 478-82 (1998).

The cell expressing the SOC/CRAC polypeptide is incubated under conditions which, in the absence of the candidate agent, permit calcium flux into the cell and allow detection of a reference calcium concentration. For example, depletion of intracellular calcium stores with thapsigargin or other agents (Putney, J.W. Jr., in Capacitative Calcium Entry, R.G. Landes Co. and Chapman & Hall, 1997) would produce a given level of SOC/CRAC channel activation and a given reference calcium concentration. Detection of a decrease in the

foregoing activities (i.e., a decrease in the intracellular calcium concentration) relative to the reference calcium concentration indicates that the candidate agent is a lead compound for an agent to inhibit SOC/CRAC calcium channel activity. Preferred SOC/CRAC polypeptides include the polypeptides of claim 15.

5 SOC/CRAC fragments used in the methods, when not produced by a transfected nucleic acid are added to an assay mixture as an isolated polypeptide. SOC/CRAC polypeptides preferably are produced recombinantly, although such polypeptides may be isolated from biological extracts or chemically synthesized. Recombinantly produced SOC/CRAC polypeptides include chimeric proteins comprising a fusion of a SOC/CRAC
10 protein with another polypeptide, e.g., a polypeptide capable of providing or enhancing protein-protein binding, sequence specific nucleic acid binding (such as GAL4), enhancing stability of the SOC/CRAC polypeptide under assay conditions, or providing a detectable moiety, such as green fluorescent protein or Flag epitope.

The assay mixture is comprised of a SOC/CRAC polypeptide binding target
15 (candidate agent) capable of interacting with a SOC/CRAC polypeptide. While natural SOC/CRAC binding targets may be used, it is frequently preferred to use portions (e.g., peptides or nucleic acid fragments) or analogs (i.e., agents which mimic the SOC/CRAC binding properties of the natural binding target for purposes of the assay) of the SOC/CRAC binding target so long as the portion or analog provides binding affinity and avidity to the
20 SOC/CRAC polypeptide (or fragment thereof) measurable in the assay.

The assay mixture also comprises a candidate agent (binding target, e.g., agonist/antagonist). Typically, a plurality of assay mixtures are run in parallel with different agent concentrations to obtain a different response to the various concentrations. Typically, one of these concentrations serves as a negative control, i.e., at zero concentration of agent or
25 at a concentration of agent below the limits of assay detection. Candidate agents encompass numerous chemical classes, although typically they are organic compounds. Preferably, the candidate agents are small organic compounds, i.e., those having a molecular weight of more than 50 yet less than about 2500, preferably less than about 1000 and, more preferably, less than about 500. Candidate agents comprise functional chemical groups necessary for
30 structural interactions with polypeptides and/or nucleic acids, and typically include at least an amine, carbonyl, hydroxyl or carboxyl group, preferably at least two of the functional chemical groups and more preferably at least three of the functional chemical groups. The candidate agents can comprise cyclic carbon or heterocyclic structure and/or aromatic or

polyaromatic structures substituted with one or more of the above-identified functional groups. Candidate agents also can be biomolecules such as peptides, saccharides, fatty acids, sterols, isoprenoids, purines, pyrimidines, derivatives or structural analogs of the above, or combinations thereof and the like. Where the agent is a nucleic acid, the agent typically is a DNA or RNA molecule, although modified nucleic acids as defined herein are also contemplated.

Candidate agents are obtained from a wide variety of sources including libraries of synthetic or natural compounds. For example, numerous means are available for random and directed synthesis of a wide variety of organic compounds and biomolecules, including expression of randomized oligonucleotides, synthetic organic combinatorial libraries, phage display libraries of random peptides, and the like. Alternatively, libraries of natural compounds in the form of bacterial, fungal, plant and animal extracts are available or readily produced. Additionally, natural and synthetically produced libraries and compounds can be readily modified through conventional chemical, physical, and biochemical means. Further, known agents may be subjected to directed or random chemical modifications such as acylation, alkylation, esterification, amidification, etc. to produce structural analogs of the agents. Non-SOC/CRAC calcium channel agonists and antagonists, for example, include agents such as dihydropyridines (DHPs), phenylalkylamines, omega conotoxin (omega-CgTx) and pyrazonoylguanidines.

A variety of other reagents also can be included in the mixture. These include reagents such as salts, buffers, neutral proteins (e.g., albumin), detergents, etc. which may be used to facilitate optimal protein-protein, protein-nucleic acid, and/or protein/membrane component binding association. Such a reagent may also reduce non-specific or background interactions of the reaction components. Other reagents that improve the efficiency of the assay such as protease, inhibitors, nuclease inhibitors, antimicrobial agents, and the like may also be used.

The mixture of the foregoing assay materials is incubated under conditions whereby, but for the presence of the candidate agent, the SOC/CRAC polypeptide specifically binds the cellular binding target, a portion thereof or analog thereof. The order of addition of components, incubation temperature, time of incubation, and other perimeters of the assay may be readily determined. Such experimentation merely involves optimization of the assay parameters, not the fundamental composition of the assay. Incubation temperatures typically

are between 4°C and 40°C. Incubation times preferably are minimized to facilitate rapid, high throughput screening, and typically are between 0.1 and 10 hours.

After incubation, the presence or absence of specific binding between the SOC/CRAC polypeptide and one or more binding targets is detected by any convenient method available to the user. For cell free binding type assays, a separation step is often used to separate bound from unbound components. The separation step may be accomplished in a variety of ways. Conveniently, at least one of the components is immobilized on a solid substrate, from which the unbound components may be easily separated. The solid substrate can be made of a wide variety of materials and in a wide variety of shapes, e.g., microtiter plate, microbead, dipstick, resin particle, etc. The substrate preferably is chosen to maximum signal to noise ratios, primarily to minimize background binding, as well as for ease of separation and cost.

Separation may be effected for example, by removing a bead or dipstick from a reservoir, emptying or diluting a reservoir such as a microtiter plate well, rinsing a bead, particle, chromatographic column or filter with a wash solution or solvent. The separation step preferably includes multiple rinses or washes. For example, when the solid substrate is a microtiter plate, the wells may be washed several times with a washing solution, which typically includes those components of the incubation mixture that do not participate in specific bindings such as salts, buffer, detergent, non-specific protein, etc.. Where the solid substrate is a magnetic bead, the beads may be washed one or more times with a washing solution and isolated using a magnet.

Detection may be effected in any convenient way for cell-based assays such as two- or three-hybrid screens. The transcript resulting from a reporter gene transcription assay of SOC/CRAC polypeptide interacting with a target molecule typically encodes a directly or indirectly detectable product, e.g., β -galactosidase activity, luciferase activity, and the like. For cell-free binding assays, one of the components usually comprises, or is coupled to, a detectable label. A wide variety of labels can be used, such as those that provide direct detection (e.g., radioactivity, luminescence, optical or electron density, etc.) or indirect detection (e.g., epitope tag such as the FLAG epitope, enzyme tag such as horseradish peroxidase, etc.). The label may be bound to a SOC/CRAC binding partner, or incorporated into the structure of the binding partner.

A variety of methods may be used to detect the label, depending on the nature of the label and other assay components. For example, the label may be detected while bound to the solid substrate or subsequent to separation from the solid substrate. Labels may be directly

detected through optical or electron density, radioactive emissions, nonradiative energy transfers, etc. or indirectly detected with antibody conjugates, streptavidin-biotin conjugates, etc. Methods for detecting the labels are well known in the art.

Of particular importance in any of the foregoing assays and binding studies is the use of a specific sequence motif identified in the SOC-2/CRAC-1 polypeptide sequence as a kinase catalytic domain. According to the invention, amino acids 999-1180 of the SOC-2/CRAC-1 polypeptide (SEQ ID NO:24) (or a fragment thereof), show a localized homology with the catalytic domains of eukaryotic elongation factor-2 kinase (eEF-2 kinase, GenBank Acc. no. U93850) and *Dictyostelium* myocin heavy chain kinase A (MHCK A, GenBank Acc. no. U16856), as disclosed in Ryazanov AG, et al., *Proc Natl Acad Sci U S A*, 1997, 94(10):4884-4889. Therefore, according to the invention, a method for identifying agents useful in the modulation of SOC/CRAC polypeptide kinase activity is provided. The method involves contacting a SOC/CRAC polypeptide with kinase activity, that includes, for example, amino acids 999-1180 of the SOC-2/CRAC-1 polypeptide (SEQ ID NO:24) with a candidate agent suspected of modulating SOC/CRAC kinase activity, under conditions sufficient to allow the candidate agent to interact with the SOC/CRAC polypeptide and modulate its kinase activity; detecting a kinase activity associated with the SOC/CRAC polypeptide in the presence of the candidate agent; and comparing the kinase activity in the previous step with a control kinase activity of a SOC/CRAC polypeptide in the absence of the candidate agent to determine whether the candidate agent modulates (increases or decreases) SOC/CRAC kinase activity. Other controls for kinase activity can also be performed at the same time, for example, by utilizing eEF-2 kinase and/or *Dictyostelium* MHC Kinase A, in a similar manner to the SOC/CRAC member. Methods for performing such kinase activity assays are well known in the art.

The invention thus provides SOC/CRAC-specific binding agents, methods of identifying and making such agents, and their use in diagnosis, therapy and pharmaceutical development. For example, SOC/CRAC-specific agents are useful in a variety of diagnostic and therapeutic applications, especially where disease or disease prognosis is associated with altered SOC/CRAC and SOC/CRAC calcium channel fluxing characteristics. Novel SOC/CRAC-specific binding agents include SOC/CRAC-specific antibodies and other natural intracellular and extracellular binding agents identified with assays such as two hybrid screens, and non-natural intracellular and extracellular binding agents identified in screens of chemical libraries and the like.

In general, the specificity of SOC/CRAC binding to a specific molecule is determined by binding equilibrium constants. Targets which are capable of selectively binding a SOC/CRAC polypeptide preferably have binding equilibrium constants of at least about 10^7 M^{-1} , more preferably at least about 10^8 M^{-1} , and most preferably at least about 10^9 M^{-1} . The wide variety of cell based and cell free assays may be used to demonstrate SOC/CRAC-specific binding. Cell based assays include one, two and three hybrid screens, assays in which SOC/CRAC-mediated transcription is inhibited or increased, etc. Cell free assays include SOC/CRAC-protein binding assays, immunoassays, etc. Other assays useful for screening agents which bind SOC/CRAC polypeptides include fluorescence resonance energy transfer (FRET), and electrophoretic mobility shift analysis (EMSA).

Various techniques may be employed for introducing nucleic acids of the invention into cells, depending on whether the nucleic acids are introduced *in vitro* or *in vivo* in a host. Such techniques include transfection of nucleic acid- $CaPO_4$ precipitates, transfection of nucleic acids associated with DEAE, transfection with a retrovirus including the nucleic acid of interest, liposome mediated transfection, and the like. For certain uses, it is preferred to target the nucleic acid to particular cells. In such instances, a vehicle used for delivering a nucleic acid of the invention into a cell (e.g., a retrovirus, or other virus; a liposome) can have a targeting molecule attached thereto. For example, a molecule such as an antibody specific for a surface membrane protein on the target cell or a ligand for a receptor on the target cell can be bound to or incorporated within the nucleic acid delivery vehicle. For example, where liposomes are employed to deliver the nucleic acids of the invention, proteins which bind to a surface membrane protein associated with endocytosis may be incorporated into the liposome formulation for targeting and/or to facilitate uptake. Such proteins include capsid proteins or fragments thereof tropic for a particular cell type, antibodies for proteins which undergo internalization in cycling, proteins that target intracellular localization and enhance intracellular half life, and the like. Polymeric delivery systems also have been used successfully to deliver nucleic acids into cells, as is known by those skilled in the art. Such systems even permit oral delivery of nucleic acids.

Other delivery systems can include time-release, delayed release or sustained release delivery systems. Such systems can avoid repeated administrations of the anti-inflammatory agent, increasing convenience to the subject and the physician. Many types of release delivery systems are available and known to those of ordinary skill in the art. They include polymer base systems such as poly(lactide-glycolide), copolyoxalates, polycaprolactones,

polyesteramides, polyorthoesters, polyhydroxybutyric acid, and polyanhydrides. Microcapsules of the foregoing polymers containing drugs are described in, for example, U.S. Patent 5,075,109. Delivery systems also include non-polymer systems that are: lipids including sterols such as cholesterol, cholesterol esters and fatty acids or neutral fats such as mono- di- and tri-glycerides; hydrogel release systems; sylastic systems; peptide based systems; wax coatings; compressed tablets using conventional binders and excipients; partially fused implants; and the like. Specific examples include, but are not limited to: (a) erosional systems in which an agent of the invention is contained in a form within a matrix such as those described in U.S. Patent Nos. 4,452,775, 4,675,189, and 5,736,152, and (b) diffusional systems in which an active component permeates at a controlled rate from a polymer such as described in U.S. Patent Nos. 3,854,480, 5,133,974 and 5,407,686. In addition, pump-based hardware delivery systems can be used, some of which are adapted for implantation.

Use of a long-term sustained release implant may be particularly suitable for treatment of chronic conditions. Long-term release, as used herein, means that the implant is constructed and arranged to deliver therapeutic levels of the active ingredient for at least 30 days, and preferably 60 days. Long-term sustained release implants are well-known to those of ordinary skill in the art and include some of the release systems described above.

The invention also contemplates gene therapy. The procedure for performing *ex vivo* gene therapy is outlined in U.S. Patent 5,399,346 and in exhibits submitted in the file history of that patent, all of which are publicly available documents. In general, it involves introduction *in vitro* of a functional copy of a gene into a cell(s) of a subject which contains a defective copy of the gene, and returning the genetically engineered cell(s) to the subject. The functional copy of the gene is under operable control of regulatory elements which permit expression of the gene in the genetically engineered cell(s). Numerous transfection and transduction techniques as well as appropriate expression vectors are well known to those of ordinary skill in the art, some of which are described in PCT application WO95/00654. *In vivo* gene therapy using vectors such as adenovirus, retroviruses, herpes virus, and targeted liposomes also is contemplated according to the invention. See, e.g., U.S. Patent Nos. 5,670,488, entitled "Adenovirus Vector for Gene Therapy", issued to Gregory et al., and 5,672,344, entitled "Viral-Mediated Gene Transfer System", issued to Kelley et al.

The invention will be more fully understood by reference to the following examples. These examples, however, are merely intended to illustrate the embodiments of the invention and are not to be construed to limit the scope of the invention.

Examples

5 As an initial approach to identifying SOC/CRAC channels, we considered publicly available data and hypothesized that the following characteristics are likely to be exhibited by SOC/CRAC calcium channels: i) SOC/CRAC calcium channels would be integral membrane proteins related (probably distantly) to one of the known calcium channel families (e.g. voltage gated, ligand gated, Trp), and therefore should have a pore region formed by a tetramer of 6-7 transmembrane (TM) regions; ii) high calcium selectivity was likely to come at the price of complexity, and therefore these were likely to be large proteins; iii) the high calcium selectivity of this type of channel was likely to be useful and, therefore, highly conserved; and iv) these channels should be expressed in one or more types of lymphocytes, since ICRAC is best defined in those cell types. Since the full genome of the nematode *C. elegans* is nearing completion, and IP3-dependent calcium signals have recently been shown to be required for one or more aspects of *C. elegans* development, we took the set of proteins encoded by this genome (at the time this search was initiated WORMPEP14 was the available predicted protein set) and began searching for proteins which fit the criteria above. This search began by proceeding in alphabetical order through WORMPEP14 and arbitrarily excluding all proteins below approximately 1000 amino acids in size, followed by focusing on remaining proteins with clear TM spanning regions similar to those of other calcium channels. We stopped this screen on encountering a protein designated C05C12.3, a predicted protein of 1816 amino acids (SEQ ID NO:13). C05C12.3 was notable because its central pore region had some sequence similarity to but was clearly distinct from members of the Trp family of calcium channels, and the hydrophobicity plot of this region showed a characteristically wide spacing between the fifth and sixth TM regions for the amino acid residues which are thought to line the channel pore region and mediate the calcium selectivity of the channels. In addition, it lacked any ankyrin repeats in the region amino-terminal to its pore region, further distinguishing it from other Trp family proteins.

30 We then used C05C12.3 for BLAST alignment screening of the rest of the *C. elegans* genome and also mammalian databases for homologous proteins, revealing two other *C. elegans* homologues (SEQ ID NO:14 and SEQ ID NO:15), and also a recently cloned mammalian protein named melastatin-1 (MLSN-1/SOC-1, SEQ ID NOs:9 and 10, and

GenBank Acc. No. AF071787). Using these sequences, we subsequently performed an exhaustive screening of publicly accessible EST databases in search of lymphocyte homologues, but were unsuccessful in detecting any homologous transcripts in any lymphocyte lines. Since MLSN-1 (SEQ ID NOs:9 and 10) was expressed exclusively in melanocytes and retina by Northern blot hybridization and by EST database searching, there was no evidence that this type of channel was expressed in the type of cell in which ICRAC-like currents were best defined. Subsequent BLAST searches picked up mouse EST sequence AI098310 (SEQ ID NO:22) from a monocyte cell line. The I.M.A.G.E. consortium clone containing the above-identified EST was then purchased from ATCC (clone ID. 1312756, Manassas, VA) and was further characterized. Using other portions of this sequence in EST searches, we subsequently picked up similar sequences in human B-cells (SEQ ID NOs:20 and 21), and other cell types as well (SEQ ID NOs: 11, 12, 16, 17, 18, and 19). Most of these sequences were subsequently identified to be part of the 3'-UTR or of the carboxy terminal region of the proteins, which are not readily identifiable as Trp channels, providing an explanation for the art's inability to detect any type of Trp related transcripts in lymphocytes. Partial sequences from the 5' and/or 3' ends of the above identified clones were then used to screen leukocyte and kidney cDNA libraries to extend the original sequences more toward the 5' and/or 3' ends.

In view of the foregoing, it was concluded that channels of this type were expressed in many types of lymphocytes, and therefore were members of a new family of SOC/CRAC calcium channels.

Experimental Procedures

Screening of the cDNA libraries

Leukocyte and kidney cDNA libraries from Life Technologies (Gaithersburg, MD) were screened using the Gene Trapper II methodology (Life Technologies) according to manufacturer's recommendation, using the inserts of I.M.A.G.E. clone ID nos. 1312756 and 1076485 from ATCC (Manassas, VA), under stringent hybridization conditions. Using standard methodology (*Molecular Cloning: A Laboratory Manual*, J. Sambrook, et al., eds., Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989, or *Current Protocols in Molecular Biology*, F.M. Ausubel, et al., eds., John Wiley & Sons, Inc., New York), individual cDNA clones were subjected to 3-4 rounds of amplification and purification under the same hybridization conditions.

After excision from the vector and subcloning of inserts into the plasmid forms, several clones were sequenced by the Beth Israel Deaconess Medical Center's Automated

Sequencing Facility. Molecular biological techniques such as restriction enzyme treatment, subcloning, DNA extraction, bacterial culture and purification of DNA fragments were performed according to methods well known in the art. Computer analyses of protein and DNA sequences was done using "Assemblylign" (Oxford Molecular, Campbell, CA). Multiple alignments of the SOC/CRAC family members were produced using the CLUSTAL facility of the MacVector program. Restriction endonucleases, expression vectors, and modifying enzymes were purchased from commercial sources (Gibco-BRL). Sequencing vectors for DNA were purchased from Stratagene (La Jolla, CA).

Once the first members of what appeared to be a novel family of calcium channel receptors were identified and characterized, additional BLAST alignments were performed with the newly characterized nucleic acid sequences. An initial match was with genomic DNA fragment NH0332L11 (Genbank Acc. No. AC005538). Using this genomic sequence, promoters were designed and a number of cDNA libraries was surveyed by PCR. A prostate specific message was identified and characterized, leading to the isolation and characterization of SOC-4/CRAC-3 (SEQ ID NOs: 31 and 32).

Functional Assays

Transient Expression of SOC/CRAC

In our initial transient expression experiments, we expressed or expect to express a SOC/CRAC molecule transiently in RBL-2H3 mast cells, Jurkat T cells, and A20 B-lymphocytes using both electroporation and vaccinia virus-driven expression, and measured the calcium influx produced by depletion of intracellular calcium stores with thapsigargin. Each of the foregoing techniques is well known to those of ordinary skill in the art and can be performed using various methods (see, e.g., Current Methods in Molecular Biology, eds. Ausubal, F.M., et al. 1987, Green Publishers and Wiley Interscience, N.Y., N.Y.). Exemplary methods are described herein.

Depletion of intracellular calcium stores is accomplished by treating the cells with 1 micromolar thapsigargin; alternative agents which function to deplete intracellular stores are described in by Putney, J.W. Jr., in Capacitative Calcium Entry, R.G. Landes Co. and Chapman & Hall, 1997 and include, for example, ionomycin, cyclopiazonic acid, and DBHQ.

Calcium influx is determined by measuring cytoplasmic calcium as indicated using the fura-2 fluorescent calcium indicator (see, e.g., G. Grynkiewicz, M. Poenie, R. Y. Tsien, A new generation of Ca²⁺ indicators with greatly improved fluorescence properties, J. Biol

Chem 260, 3440-50 (1985), and M. Poenie, R. Tsien, Fura-2: a powerful new tool for measuring and imaging $[Ca^{2+}]_i$ in single cells, Prog Clin Biol Res 210, 53-6 (1986)).

Patch Clamp Analysis and Determining Selectivity of SOC/CRAC

Patch clamp analysis of cells injected with SOC/CRAC cRNA is performed by using the general patch technique as described in Neher, E., "Ion channels for communication between and within cells", Science, 1992; 256:498-502. Specific techniques for applying the patch clamp analysis to RBL cells are described in Hoth, M., and Penner, R., "Depletion of intracellular calcium stores activates a calcium current in mast cells", Nature, 1992; 355:3535-355. Additional protocols for applying the patch clamp technique to other cell types are described in Putney, J.W. Jr., in Capacitative Calcium Entry, R.G. Landes Co. and Chapman & Hall, 1997

An exemplary protocol for patch clamp analysis of SOC/CRAC molecule expressed in RBL-2H3 mast cells using a recombinant vaccinia virus is as follows. The currents elicited by store depletion are determined using the whole cell configuration (Neher, E., Science, 1992; 256:498-502). Currents in SOC/CRAC expressing cells are compared to currents in control cells expressing an irrelevant protein or a classic Trp family calcium channel known as VR1 (M. J. Caterina, et al., The capsaicin receptor: a heat-activated ion channel in the pain pathway [see comments], Nature 389, 816-24 (1997)) in order to assess the contribution of SOC/CRAC expression. In addition, the magnitude of whole cell currents in the presence of extracellular calcium (10 mM), barium (10 mM), or magnesium (10 mM) are compared to determine the relative permeability of the channels to each of these ions (Hoth, M., and Penner, R., Nature, 1992; 355:3535-355) and, thereby, determine the ionic selectivity.

Pharmacologic Behavior of SOC/CRAC

For analysis of the pharmacologic behavior of a SOC/CRAC molecule, a SOC/CRAC molecule is expressed in RBL-2H3 mast cells using a recombinant vaccinia virus, and the degree of calcium influx elicited by store depletion is monitored using a bulk spectrofluorimeter or a fluorescence microscope and the calcium sensitive dye fura-2 (G. Grynkiewicz, M. Poenie, R. Y. Tsien, A new generation of Ca^{2+} indicators with greatly improved fluorescence properties, J Biol Chem 260, 3440-50 (1985) and M. Poenie, R. Tsien, Fura-2: a powerful new tool for measuring and imaging $[Ca^{2+}]_i$ in single cells, Prog Clin Biol Res 210, 53-6 (1986)). The level of cytoplasmic calcium in SOC/CRAC expressing cells is compared to the level achieved in control cells expressing an irrelevant protein or a classic Trp. family calcium channels known as VR1 (M. J. Caterina, et al., The

capsaicin receptor: a heat-activated ion channel in the pain pathway [see comments], Nature 389, 816-24 (1997)). These cells then are pre-incubated with the desired pharmacologic reagent, and again the response to store depletion is monitored. Comparison of the effect of depleting stores in SOC/CRAC expressing cells relative to controls in the presence or absence of the pharmacologic reagent is used to assess the ability of that reagent to modulate SOC/CRAC activity. Sphingosine is an exemplary molecule that can be used as pharmacologic reagents for pharmacologic characterization of SOC/CRAC calcium channels. See, e.g., Mathes, C., et al., Calcium release activated calcium current as a direct target for sphingosine, J Biol Chem 273(39):25020-25030 (1998). Other non-specific calcium channel inhibitors that can be used for this purpose include SKR96365 (Calbiochem) and Lanthanum.

Bulk Calcium Assays

Bulk calcium assays can be performed in a PTI Deltascan bulk spectrofluorometer using fura-2 as described in Scharenberg AM, et al., EMBO J, 1995, 14(14):3385-94.

Gene Targeting

The method (and reagents) described by Buerstedde JM et al, (Cell, 1991, Oct 4;67(1):179-88), was used to generate "knockouts" in cells. Briefly, part of the chicken SOC-2/CRAC-1 genomic sequence coding for the transmembrane region was cloned utilizing the human sequence as the probe in a chicken library screen. Chicken SOC-2/CRAC-1 clones were isolated and characterized using standard methodology. The putative exon and domain arrangement of the chicken SOC-2/CRAC-1, is depicted in Figure 1. The exons coding for TM5 (pore region) and TM6, were replaced with promoter/antibiotic cassettes (see Figure1). These targeting vectors were then used to target (and replace) the endogenous gene in DT-40 cells (chicken B lymphocyte cells).

Results

Example 1: Transient Expression of SOC/CRAC

In the above-identified cell lines and using both of the foregoing expression techniques, SOC/CRAC expression enhances thapsigargin-dependent influx. In addition, SOC/CRAC expression also enhances the amount of intracellular calcium stores. That this effect is likely due to SOC/CRAC acting as a plasma membrane calcium channel can be confirmed by producing an in-frame carboxy-terminal translational fusion with green fluorescent protein followed by confocal microscopy, revealing that SOC/CRAC is expressed predominantly as a plasma membrane calcium channel.

Example 2: Patch Clamp Analysis

The biophysical characteristics of SOC/CRAC enhanced currents when expressed in *Xenopus* oocytes are determined. SOC/CRAC cRNA injection is able to enhance thapsigargin-dependent whole cell currents. In addition, SOC/CRAC does not alter the reversal potential of these currents and the determination of the P_{Ca}/P_{Na} ratio shows that SOC/CRAC channels are highly calcium selective.

Example 3: *Pharmacologic Behavior of SOC/CRAC*

The pharmacologic behavior of SOC/CRAC is evaluated as described above. SOC/CRAC-enhanced influx is inhibited by sphingosine in a manner that is substantially the same as that of endogenous thapsigargin-dependent calcium influx.

Example 4: *Gene targeting*

Transfection of DT-40 cells with the foregoing targeting vectors, selection for antibiotic resistance, and screening, is collectively referred to, herein, as a round of targeting. For the first round of targeting SOC-2/CRAC-1, 18/24 clones with homologous recombination of the targeting construct into one of the endogenous SOC-2/CRAC-1 alleles were obtained. On the second round of targeting (in order to target the second allele and therefore generate a homozygous SOC-2/CRAC-1 mutant cell), 0/48 clones were obtained. These results indicate that a "null" SOC-2/CRAC-1 mutation is detrimental to DT-40 cells, and that SOC-2/CRAC-1 is required for cell viability.

Table I. Nucleotide Sequences with homologies to SOC/CRAC nucleic acids

Sequences with SEQ ID NOs and GenBank accession numbers:
SEQ ID NO:9, AB001535, AI226731, H18835, AA419592, AA261842, AA419407, AA592910, D86107, AI098310, AF071787, Z77132, Z83117, Z68333, AA708532, AA551759, AA932133, R47363, N31660, AC005538, AA654650, AA370110, AA313170, AA493512, AI670079, AI671853.

Table II. Amino Acid Sequences with homologies to SOC/CRAC polypeptides

Sequences with SEQ ID NOs and GenBank accession numbers:
SEQ ID NO:10, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, AB001535, AA592910, D86107, AF071787, Z77132, Z83117, Z68333, AA708532, AA551759, AA932133, R47363, N31660, NP003298, CAB00861, NP002411, CAA92726, CAB05572.

All references, patents, and patent documents disclosed herein are incorporated by reference herein in their entirety.

What is claimed is presented below and is followed by a Sequence Listing. We claim:

Claims

1. An isolated nucleic acid molecule, comprising:

(a) nucleic acid molecules which hybridize under stringent conditions to a nucleic acid molecule selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31, and which code for a SOC/CRAC polypeptide;

(b) deletions, additions and substitutions of (a) which code for a respective SOC/CRAC polypeptide;

(c) nucleic acid molecules that differ from the nucleic acid molecules of (a) or (b) in codon sequence due to the degeneracy of the genetic code, and

(d) complements of (a), (b) or (c).

2. The isolated nucleic acid molecule of claim 1, wherein the isolated nucleic acid molecule comprises SEQ ID NO:1.

3. The isolated nucleic acid molecule of claim 1, wherein the isolated nucleic acid molecule comprises SEQ ID NO:27.

4. The isolated nucleic acid molecule of claim 1, wherein the isolated nucleic acid molecule comprises SEQ ID NO:29.

5. The isolated nucleic acid molecule of claim 1, wherein the isolated nucleic acid molecule comprises SEQ ID NO:31.

6. An isolated nucleic acid molecule selected from the group consisting of

(a) a unique fragment of a nucleic acid molecule selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:29, and SEQ ID NO:31,

(b) complements of (a),

provided that the unique fragment includes a sequence of contiguous nucleotides which is not identical to any sequence selected from a sequence group consisting of

(1) sequences having the SEQ. ID NOS. or GenBank accession numbers of Table I,

(2) complements of (1), and

(3) fragments of (1) and (2).

7. The isolated nucleic acid molecule of claim 6, wherein the sequence of contiguous nucleotides is selected from the group consisting of:

- (1) at least two contiguous nucleotides nonidentical to the sequence group,
- (2) at least three contiguous nucleotides nonidentical to the sequence group,
- 5 (3) at least four contiguous nucleotides nonidentical to the sequence group,
- (4) at least five contiguous nucleotides nonidentical to the sequence group,
- (5) at least six contiguous nucleotides nonidentical to the sequence group,
- (6) at least seven contiguous nucleotides nonidentical to the sequence group.

10 8. The isolated nucleic acid molecule of claim 6, wherein the unique fragment has a size selected from the group consisting of at least: 8 nucleotides, 10 nucleotides, 12 nucleotides, 14 nucleotides, 16 nucleotides, 18 nucleotides, 20, nucleotides, 22 nucleotides, 24 nucleotides, 26 nucleotides, 28 nucleotides, 30 nucleotides, 50 nucleotides, 75 nucleotides, 100 nucleotides, and 200 nucleotides.

15 9. The isolated nucleic acid molecule of claim 6, wherein the molecule encodes a polypeptide which is immunogenic.

10. An expression vector comprising the isolated nucleic acid molecule of claims 1, 2, 3, 4, 5, 6, 7, 8, or 9 operably linked to a promoter.

11. A host cell transformed or transfected with the expression vector of claim 10.

20 12. An isolated polypeptide encoded by the isolated nucleic acid molecule according to anyone of claims 1 or 6, wherein the polypeptide comprises a SOC/CRAC polypeptide or a unique fragment thereof.

13. The isolated polypeptide of claim 12, wherein the isolated polypeptide is encoded by the isolated nucleic acid molecule of claim 2, 3, 4, or 5.

25 14. The isolated polypeptide of claim 13, wherein the isolated polypeptide comprises a polypeptide having the sequence of amino acids selected from the group consisting of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, and SEQ ID NO:32.

15. An isolated polypeptide encoded by the isolated nucleic acid molecule of claim 1, 2, 3, 4, or 5, wherein the polypeptide, or unique fragment thereof is immunogenic.
16. An isolated binding polypeptide which binds selectively to a polypeptide encoded by the isolated nucleic acid molecule of claim 1, 2, 3, 4, or 5.
- 5 17. The isolated binding polypeptide of claim 16, wherein the isolated binding polypeptide binds to a polypeptide having the sequence of amino acids selected from the group consisting of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, and SEQ ID NO:32.
- 10 18. The isolated binding polypeptide of claim 17, wherein the isolated binding polypeptide is an antibody or an antibody fragment selected from the group consisting of a Fab fragment, a F(ab)₂ fragment or a fragment including a CDR3 region selective for the polypeptide.
- 15 19. An isolated polypeptide, comprising a unique fragment of the polypeptide of claim 12 of sufficient length to represent a sequence unique within the human genome, provided that the fragment excludes a sequence of contiguous amino acids identified in Table II.
20. A method for isolating a SOC/CRAC molecule having SOC/CRAC calcium channel activity, comprising:
- a) contacting a binding molecule that is a SOC/CRAC nucleic acid or a SOC/CRAC binding polypeptide with a sample containing one or more SOC/CRAC molecules, under conditions sufficient to form a complex of the SOC/CRAC nucleic acid or the SOC/CRAC binding polypeptide and the SOC/CRAC molecule;
 - b) detecting the presence of the complex;
 - c) isolating the SOC/CRAC molecule from the complex; and
 - d) determining whether the isolated SOC/CRAC molecule has SOC/CRAC calcium channel activity.
- 25 21. The method of claim 20, wherein the binding molecule is a SOC/CRAC nucleic acid.
22. The method of claim 20, wherein the binding molecule is a SOC/CRAC binding polypeptide.

23. The method of claim 21, wherein the SOC/CRAC nucleic acid comprises at least 14 nucleotides from any contiguous portion of a sequence of nucleotides selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31.

5 24. A method for identifying agents useful in the modulation of SOC/CRAC calcium channel activity, comprising:

a) contacting a SOC/CRAC polypeptide with a candidate agent suspected of modulating SOC/CRAC calcium channel activity, under conditions sufficient to allow the SOC/CRAC polypeptide to interact selectively with the candidate agent;

10 b) detecting a Ca^{2+} concentration associated with SOC/CRAC calcium channel activity of the SOC/CRAC polypeptide in the presence of the candidate agent; and

c) comparing the Ca^{2+} concentration of step (b) with a control Ca^{2+} concentration of a SOC/CRAC polypeptide in the absence of the candidate agent to determine whether the candidate agent modulates SOC/CRAC calcium channel activity.

15 25. A method for determining the level of SOC/CRAC expression in a subject, comprising:

a) measuring the expression of SOC/CRAC in a test sample obtained from the subject, and

20 b) comparing the measured expression of SOC/CRAC in the test sample to the expression of the SOC/CRAC polypeptide in a control to determine the level of SOC/CRAC expression in the subject.

25 26. The method of claim 25, wherein the expression of SOC/CRAC in (b) is SOC/CRAC mRNA expression.

27. The method of claim 25, wherein the expression of SOC/CRAC in (b) is SOC/CRAC polypeptide expression.

28. The method of claim 25, wherein the test sample is tissue.

29. The method of claim 25, wherein the test sample is a biological fluid.

30. The method of claim 26, wherein SOC/CRAC mRNA expression is measured using the Polymerase Chain Reaction (PCR).

31. The method of claim 26, wherein SOC/CRAC mRNA expression is measured using a method selected from the group consisting of northern blotting, monoclonal antisera to SOC/CRAC and polyclonal antisera to SOC/CRAC.

32. A kit, comprising a package containing:

an agent that selectively binds to the isolated nucleic acid of claim 1 or an expression product thereof, and

a control for comparing to a measured value of binding of said agent to said isolated nucleic acid of claim 1 or expression product thereof.

33. The kit of claim 32, wherein the control comprises an epitope of the expression product of the nucleic acid of claim 1.

34. A pharmaceutical composition comprising:

a pharmaceutically effective amount of an agent comprising of an isolated nucleic acid molecule of claim 1 or an expression product thereof, and

a pharmaceutically acceptable carrier.

35. The pharmaceutical composition of claim 34, wherein the agent is an expression product of the isolated nucleic acid molecule of claim 1.

36. A method for identifying agents useful in the modulation of a SOC/CRAC polypeptide kinase activity, comprising:


a) contacting a SOC/CRAC polypeptide with kinase activity with a candidate agent suspected of modulating SOC/CRAC kinase activity, under conditions sufficient to allow the candidate agent to interact with the SOC/CRAC polypeptide and modulate its kinase activity;

b) detecting a kinase activity associated with the SOC/CRAC polypeptide in the presence of the candidate agent; and

c) comparing the kinase activity of step (b) with a control kinase activity of a SOC/CRAC polypeptide in the absence of the candidate agent to determine whether the candidate agent modulates SOC/CRAC kinase activity.

37. The method of claim 36, wherein the SOC/CRAC polypeptide comprises amino acids 999-1180 of the sequence represented as SEQ ID NO:24, or a fragment thereof that retains the kinase activity.

FIGURE 1.



-1-

SEQUENCE LISTING

<110> Beth Israel Deaconess Medical Center, Inc.
Scharenberg, Andrew

<120> CHARACTERIZATION OF A CALCIUM CHANNEL FAMILY

<130> B0662/7026WO/ERP/KA

<150> U.S. 60/114,220

<151> 1998-12-30

<150> U.S. 60/120,018

<151> 1999-01-29

<150> U.S. 60/140,415

<151> 1999-06-22

<160> 32

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 1212

<212> DNA

<213> Homo Sapiens

<400> 1

```
gcacgaggca aattttttgt tagtacacca tctcagccaa gttgcaaaag ccacttggaa      60
actggaacca aagatcaaga aactgtttgc tctaaagcta cagaaggaga taatacagaa      120
tttgagcat ttgtaggaca cagagatagc atggatttac agaggtttaa agaaacatca      180
aacaagataa aaatactatc caataacaat acttctgaaa acactttgaa acgagtgagt      240
tctcttgctg gatttactga ctgtcacaga acttccattc ctgttcattc aaaacaagaa      300
aaaatcagta gaaggccatc taccgaagac actcatgaag tagattccaa agcagcttta      360
ataccggttt gtagatttca actaaacaga tatatattat taaatacatt aaactttttt      420
agataagatc tacaagtgg tgatatttgg gactatatca aaaattcaaa aaaatttttc      480
ttaagaaaac tgaacttagc atagtagcag ttacagaaaa gtttcttaca gtgaatagtc      540
aggaatttta aagaaaaatt tatgcagaat aaaggcagga atctcttttt gtttgaattg      600
aagctaatta tatgaactca tttccagcta actgcgataa tgattgattt tgcaaattcc      660
ctttaaaagc acacactgac aagacaaaaa gctcaggaag aggcagaaaa attactcctt      720
tataatcaag tattatatat aagtcagtgc tcataatttt gctcaagaaa atattgactt      780
acattcatat atatctgttc tggcatagag agattatgtt gttaaaatca tgttattgaa      840
aaaagttatt tcagtgggga aagaggttag ttaacaaaga gattcacagt aacaaatcct      900
cctttctgga gggactcttc ctgaccctga gctgcacaac tttgcaacaa attaaagcct      960
aaccgaagat gacctcaca tggcaattta gaactcatgg gagtcaactt acataaacgg      1020
tatttgattt ctgataagat agtgaatta ttggttatag atgacaaaat aagtatgttt      1080
aaagtgatga tggacataaa aaagttttta atataaaaac tgagaaaaga aggagatact      1140
attcaaaaag actggcaaat ttgaaaaact agaaataaaa aaaaaaaaaa aaatgagcg      1200
gccgcaagct tt                                     1212
```

<210> 2

<211> 141

<212> PRT

<213> Homo Sapiens

<400> 2

```
Ala Arg Gly Lys Phe Phe Val Ser Thr Pro Ser Gln Pro Ser Cys Lys
 1           5           10          15
Ser His Leu Glu Thr Gly Thr Lys Asp Gln Glu Thr Val Cys Ser Lys
          20          25          30
```


-2-

Ala Thr Glu Gly Asp Asn Thr Glu Phe Gly Ala Phe Val Gly His Arg
 35 40 45
 Asp Ser Met Asp Leu Gln Arg Phe Lys Glu Thr Ser Asn Lys Ile Lys
 50 55 60
 Ile Leu Ser Asn Asn Asn Thr Ser Glu Asn Thr Leu Lys Arg Val Ser
 65 70 75 80
 Ser Leu Ala Gly Phe Thr Asp Cys His Arg Thr Ser Ile Pro Val His
 85 90 95
 Ser Lys Gln Glu Lys Ile Ser Arg Arg Pro Ser Thr Glu Asp Thr His
 100 105 110
 Glu Val Asp Ser Lys Ala Ala Leu Ile Pro Val Cys Arg Phe Gln Leu
 115 120 125
 Asn Arg Tyr Ile Leu Leu Asn Thr Leu Asn Phe Phe Arg
 130 135 140

<210> 3
 <211> 739
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> unsure
 <222> (5)...(5)
 <223> UNKNOWN

 <221> unsure
 <222> (21)...(22)
 <223> UNKNOWN

<221> unsure
 <222> (29)...(29)
 <223> UNKNOWN

<400> 3
 tcgantaggg gtcttccacc nncatactng gatgatgggt ggtgaagtct atgcatacga 60
 aattgatgtg tgtgcaaacg attctgttat cctcacaatc tgtggtcctg ggacgtgggt 120
 gactccattt cttcaagcag tctacctctt tgwacagtat atcattatgg ttaatcttct 180
 tattgcattt ytcaacaatg tgtatttaca agtgaaggca atttccaata ttgyatggaa 240
 gtaccagcgt tatcatttta ttatggctta tcatgagaaa ccagttctgc ctccctccact 300
 tatcattctt agccatatag tttctctggt ttgctgcata tgtaagagaa gaaagaaaga 360
 taagacttcc gatggaccaaa aacttttctt aacagaagaa gatcaaaaaga aacttcatga 420
 ttttgaagag cagtgtgttg aaatgtattt caatgaaaaa gatgacaaat ttcattctgg 480
 gagtgaagag agaattcgtg tcacttttga aagagtggaa cagatgtgca ttcagattaa 540
 agaagttgga gatccgtgtc aactacataa aaagatcatt acaatcatta gatttctcaa 600
 ttggccattt gcaagatctt tcagccctga cggtagatac attaaaaaca ctcaactggcc 660
 aaaagcgtcg gaagctagca aagttcataa tgaaatcaca cgagaactga gcatttccaa 720
 acacttggct caaaacctt 739

<210> 4
 <211> 235
 <212> PRT
 <213> Homo Sapiens

<220>
 <221> UNSURE
 <222> (41)...(41)
 <223> UNKNOWN

<221> UNSURE
 <222> (54)...(54)

-3-

<223> UNKNOWN

<221> UNSURE

<222> (68)...(68)

<223> UNKNOWN

<400> 4

Met	Met	Val	Gly	Glu	Val	Tyr	Ala	Tyr	Glu	Ile	Asp	Val	Cys	Ala	Asn
1				5					10					15	
Asp	Ser	Val	Ile	Pro	Gln	Ile	Cys	Gly	Pro	Gly	Thr	Trp	Leu	Thr	Pro
		20						25					30		
Phe	Leu	Gln	Ala	Val	Tyr	Leu	Phe	Xaa	Gln	Tyr	Ile	Ile	Met	Val	Asn
		35						40				45			
Leu	Leu	Ile	Ala	Phe	Xaa	Asn	Asn	Val	Tyr	Leu	Gln	Val	Lys	Ala	Ile
	50					55					60				
Ser	Asn	Ile	Xaa	Trp	Lys	Tyr	Gln	Arg	Tyr	His	Phe	Ile	Met	Ala	Tyr
65					70					75					80
His	Glu	Lys	Pro	Val	Leu	Pro	Pro	Pro	Leu	Ile	Ile	Leu	Ser	His	Ile
				85					90					95	
Val	Ser	Leu	Phe	Cys	Cys	Ile	Cys	Lys	Arg	Arg	Lys	Lys	Asp	Lys	Thr
		100						105					110		
Ser	Asp	Gly	Pro	Lys	Leu	Phe	Leu	Thr	Glu	Glu	Asp	Gln	Lys	Lys	Leu
		115					120					125			
His	Asp	Phe	Glu	Glu	Gln	Cys	Val	Glu	Met	Tyr	Phe	Asn	Glu	Lys	Asp
	130					135					140				
Asp	Lys	Phe	His	Ser	Gly	Ser	Glu	Glu	Arg	Ile	Arg	Val	Thr	Phe	Glu
145					150					155					160
Arg	Val	Glu	Gln	Met	Cys	Ile	Gln	Ile	Lys	Glu	Val	Gly	Asp	Pro	Cys
			165						170					175	
Gln	Leu	His	Lys	Lys	Ile	Ile	Thr	Ile	Ile	Arg	Phe	Ser	Asn	Trp	Pro
		180						185					190		
Phe	Ala	Arg	Ser	Phe	Ser	Pro	Asp	Gly	Arg	Tyr	Ile	Lys	Asn	Thr	His
		195					200					205			
Trp	Pro	Lys	Ala	Ser	Glu	Ala	Ser	Lys	Val	His	Asn	Glu	Ile	Thr	Arg
	210					215					220				
Glu	Leu	Ser	Ile	Ser	Lys	His	Leu	Ala	Gln	Asn					
225					230					235					

<210> 5

<211> 1579

<212> DNA

<213> Homo Sapiens

<220>

<221> unsure

<222> (368)...(368)

<223> g or c

<221> unsure

<222> (372)...(372)

<223> g or c

<221> unsure

<222> (374)...(374)

<223> g or a

<221> unsure

<222> (375)...(375)

<223> g or c

-4-

<221> unsure
 <222> (387)... (387)

<221> unsure
 <222> (482)... (482)

<400> 5

```

acgtcgccctg caggtaccgg tccggaattc ccgggtcgac ccacgcgtcc ggcattggtgt      60
tgtaaatata cttagctcct ctcttcctca aggtgatctt gaaagtaata atcctttttca      120
ttgtaaatatt ttaatgaaag atgacaaaga tccccagtgt aatatatttg gtcaagactt      180
acctgcagta cccagagaa aagaatttaa tttccagag gctgggttct cttctggtgc      240
cttattccca agtgctgttt cccctccaga actgcgcag agactacatg gggtagaact      300
cttaaaaaata ttaataaaaa atcaaaaatt aggcagttca tctactagca taccacatct      360
gtcatccsca csarscaaat tttttgntag tacaccatct cagccaagtt gcaaaagcca      420
cttggaact ggaaccaaag atcaagaaac tgtttgctct aaagctacag aaggagataa      480
tncagaattt gggagcattt taggacacag agatagcatg gatttacaga ggtttaaaga      540
aacatcaaac aagataaaaa tactatccaa taacaatact tctgaaaaca ctttgaaacg      600
agtgagttct cttgctggat ttactgactg tcacagaact tccattcctg ttcatcaca      660
acaagaaaaa atcagtagaa ggccatctac cgaagacact catgaagtag attccaaagc      720
agctttaata ccggtttgta gatttcaact aaacagatat atattattaa atacattaaa      780
cttttttaga taagatctac aaagtgggtga tatttgggac tatatcaaaa attcaaaaaa      840
atttttctta agaaaactga ctttagcata gtagcagtta cagaaaagtt tcttacagtg      900
aatagtcagg aattttaaag aaaaatttat gcagaataaa ggcaggaatc tctttttggt      960
tgaattgaag ctaattatat gaactcattt ccagctaact gcgataatga ttgattttgc     1020
aaattccctt taaaagcaca cactgacaag acaaaaagct caggaaaagg cagaaaaatt     1080
actcctttat aatcaagtat tatatataag tcagtgtcct taattttgct caagaaaaata     1140
ttgacttaca ttcatatata tctgttctgg catagagaga ttatgttgtt aaaatcatgt     1200
tattgaaaaa agttatttca gtggggaaag aggttagtta acaaagagat tcacagtaac     1260
aaatcctcct ttctggaggg actcttcctg accctgagct gcacaacttt gcaacaaatt     1320
aaagcctaac cgaagatgac ctacacaatg caatttagaa ctcatgggag tcaacttaca     1380
taaacggtat ttgatttctg ataagatagt ggaattattg gttatagatg acaaaaataag     1440
tatgtttaaa gtgatgatgg acataaaaaa gttttaaata taaaacatga gaaaagaagg     1500
agatactatt caaaaagact ggcaaatttg aaaaactaga aataaaaaaa aaaaaaaaaa     1560
atgagcggcc gcaagcttt                                     1579
  
```

<210> 6
 <211> 243
 <212> PRT
 <213> Homo Sapiens

<220>
 <221> UNSURE
 <222> (103)... (105)
 <223> UNKNOWN

<221> UNSURE
 <222> (109)... (109)
 <223> UNKNOWN

<221> UNSURE
 <222> (141)... (141)
 <223> UNKNOWN

<400> 6

```

Val Asn Thr Leu Ser Ser Ser Leu Pro Gln Gly Asp Leu Glu Ser Asn
  1           5           10           15
Asn Pro Phe His Cys Asn Ile Leu Met Lys Asp Asp Lys Asp Pro Gln
      20           25           30
Cys Asn Ile Phe Gly Gln Asp Leu Pro Ala Val Pro Gln Arg Lys Glu
      35           40           45
  
```

-5-

Phe Asn Phe Pro Glu Ala Gly Ser Ser Ser Gly Ala Leu Phe Pro Ser
 50 55 60
 Ala Val Ser Pro Pro Glu Leu Arg Gln Arg Leu His Gly Val Glu Leu
 65 70 75 80
 Leu Lys Ile Phe Asn Lys Asn Gln Lys Leu Gly Ser Ser Ser Thr Ser
 85 90 95
 Ile Pro His Leu Ser Ser Xaa Xaa Xaa Lys Phe Phe Xaa Ser Thr Pro
 100 105 110
 Ser Gln Pro Ser Cys Lys Ser His Leu Glu Thr Gly Thr Lys Asp Gln
 115 120 125
 Glu Thr Val Cys Ser Lys Ala Thr Glu Gly Asp Asn Xaa Glu Phe Gly
 130 135 140
 Ala Phe Val Gly His Arg Asp Ser Met Asp Leu Gln Arg Phe Lys Glu
 145 150 155 160
 Thr Ser Asn Lys Ile Lys Ile Leu Ser Asn Asn Asn Thr Ser Glu Asn
 165 170 175
 Thr Leu Lys Arg Val Ser Ser Leu Ala Gly Phe Thr Asp Cys His Arg
 180 185 190
 Thr Ser Ile Pro Val His Ser Lys Gln Glu Lys Ile Ser Arg Arg Pro
 195 200 205
 Ser Thr Glu Asp Thr His Glu Val Asp Ser Lys Ala Ala Leu Ile Pro
 210 215 220
 Val Cys Arg Phe Gln Leu Asn Arg Tyr Ile Leu Leu Asn Thr Leu Asn
 225 230 235 240
 Phe Phe Arg

<210> 7
 <211> 3532
 <212> DNA
 <213> Mus Musculus

<220>
 <221> unsure
 <222> (2420)...(2420)
 <223> unknown

<221> unsure
 <222> (2434)...(2434)
 <223> unknown

<221> unsure
 <222> (2461)...(2461)
 <223> unknown

<221> unsure
 <222> (2466)...(2466)
 <223> unknown

<221> unsure
 <222> (2470)...(2470)
 <223> unknown

<400> 7

attatggctt	atcatgaaaa	accagtcctg	cctcctcctc	ttatcctcct	cagccatata	60
gtttcactgt	tttgcctgtg	atgcaaaaaga	agaaagaaag	ataagacttc	cgatgggcca	120
aaacttttct	taacagaaga	agatcaaaaag	aaactccatg	attttgaaga	gcagtgtgtt	180
gagatgtact	ttgatgagaa	agatgacaaa	ttcaattctg	ggagtgaaga	gagaatccgg	240
gtcacttttg	aaagagtggg	gcagatgagc	attcagatta	aagaagttgg	agatcgtgtc	300
aactacataa	aaagatcatt	acagtcctta	gattctcaaa	ttggtcatct	gcaagatctc	360

-6-

tcagccctaa	cagtagatac	attgaaaaca	cttacagccc	agaaagcttc	agaagctagt	420
aaagtgcaca	atgagatcac	acgagaattg	agtatttcca	aacacttggc	tcagaatctt	480
attgatgatg	ttcctgtaag	acctttgtgg	gaagaaccta	gtgctgtaaa	cacactgagt	540
tcctctcttc	ctcaaggtga	tcgggaaagt	aataatcctt	ttctttgtaa	tatttttatg	600
aaagatgaaa	aagaccccca	atataatctg	tttggacaag	atttgcccgt	gataccccag	660
agaaaagaat	tcaacattcc	agaggctggt	tcctcctgtg	gtgccttatt	cccaagtgtc	720
gtttctcccc	cagaattacg	acagagacga	catggggtag	aaatgttaaa	aatatttaat	780
aaaaatcaaa	aattaggcag	ttcacctaata	agttcaccac	atatgtcctc	cccaccaacc	840
aaattttctg	tgagtacccc	atcccagcca	agttgcaaaa	gtcacttgga	atccacaacc	900
aaagatcaag	aacccatttt	ctataaagct	gcagaagggg	ataacataga	atttggagca	960
tttgtgggac	acagagatag	tatggactta	cagaggttta	aagaaacatc	aaacaaaata	1020
agagaactgt	tatctaatag	tactcctgaa	aacactctga	aacatgtggg	tgctgctgga	1080
tatagtgaat	gttgaagac	ttctacttct	cttcactcgg	tgcaagcaga	aagctgtagt	1140
agaagagcgt	cgacggaaga	ctctccagaa	gtcgattcta	aagcagcttt	gttaccggat	1200
tggttacgag	atagaccatc	aaacagagaa	atgccatctg	aaggaggaaac	attaaatggt	1260
cttgctttctc	catttaagcc	cgttttggat	acaaattact	attattcagc	tgtggaaaga	1320
aataacctga	tgaggttgte	acagagtatt	cccttcgttc	ctgtacctcc	acgaggcgag	1380
cctgtcacag	tgtaccgtct	ggaggagagt	tctcccagta	tactgaataa	cagcatgtct	1440
tcatggtctc	agctaggcct	ctgtgccaaa	attgagtttt	taagtaaaga	ggaatggaa	1500
ggtggtttac	gaagagcagt	caaagtgtcg	tgtacctggt	cagagcacga	tatcctgaag	1560
tcagggcacg	tctatatcat	taagtcattt	cttctctagg	tgataaacac	atgggtcaagc	1620
attttataag	aagatacggg	tctacatctc	tgtctcagag	aaatacaaca	acagagagca	1680
gcacaaaagc	tcacatttgc	ctttaatcag	atgaaaccca	aatccatacc	atattctcca	1740
aggttccttg	aagttttcct	gttgtactgc	cattcagcag	ggcagtggtt	tgctgtagaa	1800
gagtgcacga	ctggtgaatt	tagaaaatac	aacaacaata	atgggtgatga	aatcattcct	1860
acaaaatactc	tagaagagat	catgctagcc	tttagccact	ggacctatga	atataccaga	1920
ggggagttac	tggtacttga	cttacaagga	gtgggagaaa	acttgactga	cccactctga	1980
ataaaagctg	aagaaaaaag	atcctgtgac	atgggtttttg	gccctgccaa	tctaggagaa	2040
gatgcaataa	aaaacttcaa	ctgacaaaca	tcactgttaa	ttcttgctgt	cgaaagctta	2100
aacttcccag	atttgaagag	gaatgactac	acgcccttga	taaaattata	tttctcagg	2160
atgagtcacg	agatttgaat	cttcaatctg	gaaattccac	caaagaatca	gaagcaacaa	2220
attctgttcg	tctgatgtta	tagtgctgag	tcattgggtt	ttgcctacac	ttcacaaaag	2280
tgtaaactgtc	agttttcctt	tcgggggaat	tgatgatata	ggaagatgtg	tgcaaaatga	2340
gcttgctggc	cccacacata	gtctagaggt	aatgtttctca	ttgaaaaacg	cctggagggtg	2400
gaggctgcag	atgccagtgn	aaagtgtcag	ctgncagaga	gtcagtgtc	tcgggctggt	2460
naaggncggg	acccttgctg	ctgagagtgg	tggttctctt	cacctgggtc	aggaccatta	2520
accaaagtca	agtccttcaga	tttgattggc	tgctcagtc	cagcccatte	agctaaggaa	2580
actaaattgc	gcagcttttt	aaatggctga	agtccttctc	agtttggtct	ctatgataat	2640
gatgttagct	ctcaactagg	tgtttgtggc	caaggagaaa	ctactcctta	caattttgct	2700
tcacaggcat	gttacaagc	ctgcactgaa	aaccgtttgt	cttccctctc	tccctccctc	2760
ttttccctgt	agtattgagg	atcaaaccca	gggcctcatg	aagaccattt	tctaagagac	2820
attttattta	agaatcaact	atagagtcta	tgtttatgga	tacagccagt	ttttgttaa	2880
caaaacctga	attgtgcaaa	agggtttttt	aacatttatc	aatgttaagt	aaaagaaagc	2940
catgataaat	aagaattaac	tcactgttca	atgggtgttt	cctgtgagga	aggttacagt	3000
tgtaacagcc	tgcaagtgca	tacatctcca	aagatttaca	gacttagtgt	atcaaatcag	3060
agtgcatgt	gagctctcac	attgaaaatt	ctataggaat	gtgtcaatgt	gaattctatt	3120
tctggtactt	aagaaatcag	ttgttggtat	atccttatac	agtataggga	gatcacata	3180
caactttatg	ccaataaaat	ctaacttaat	tgcccagata	tttttgcata	tttagcaaca	3240
agaaaagctt	atcatttgac	tcaagtttta	tgctttctct	ttcttttcat	ttcctaggta	3300
ctaattttta	tttttatttg	gaaggagcag	tgtaaagctt	acttgatttc	aatagtgtat	3360
ctcatagata	cagacaaggc	cgagagata	agctgttaaa	tagtgtttta	tgttgatgtg	3420
gagagaaaag	tgtattactt	aaaaatacta	taccatatac	gttttgtata	tcattaaatc	3480
tttaaaagaa	attaaattta	ttcttgttta	aaaaaaaaaa	aaaaaaaaaa	aa	3532

<210> 8

<211> 475

<212> PRT

<213> Mus Musculus

<400> 8

-7-

Ile Met Ala Tyr His Glu Lys Pro Val Leu Pro Pro Pro Leu Ile Ile
 1 5 10 15
 Leu Ser His Ile Val Ser Leu Phe Cys Cys Val Cys Lys Arg Arg Lys
 20 25 30
 Lys Asp Lys Thr Ser Asp Gly Pro Lys Leu Phe Leu Thr Glu Glu Asp
 35 40 45
 Gln Lys Lys Leu His Asp Phe Glu Glu Gln Cys Val Glu Met Tyr Phe
 50 55 60
 Asp Glu Lys Asp Asp Lys Phe Asn Ser Gly Ser Glu Glu Arg Ile Arg
 65 70 75 80
 Val Thr Phe Glu Arg Val Glu Gln Met Ser Ile Gln Ile Lys Glu Val
 85 90 95
 Gly Asp Arg Val Asn Tyr Ile Lys Arg Ser Leu Gln Ser Leu Asp Ser
 100 105 110
 Gln Ile Gly His Leu Gln Asp Leu Ser Ala Leu Thr Val Asp Thr Leu
 115 120 125
 Lys Thr Leu Thr Ala Gln Lys Ala Ser Glu Ala Ser Lys Val His Asn
 130 135 140
 Glu Ile Thr Arg Glu Leu Ser Ile Ser Lys His Leu Ala Gln Asn Leu
 145 150 155 160
 Ile Asp Asp Val Pro Val Arg Pro Leu Trp Glu Glu Pro Ser Ala Val
 165 170 175
 Asn Thr Leu Ser Ser Ser Leu Pro Gln Gly Asp Arg Glu Ser Asn Asn
 180 185 190
 Pro Phe Leu Cys Asn Ile Phe Met Lys Asp Glu Lys Asp Pro Gln Tyr
 195 200 205
 Asn Leu Phe Gly Gln Asp Leu Pro Val Ile Pro Gln Arg Lys Glu Phe
 210 215 220
 Asn Ile Pro Glu Ala Gly Ser Ser Cys Gly Ala Leu Phe Pro Ser Ala
 225 230 235 240
 Val Ser Pro Pro Glu Leu Arg Gln Arg Arg His Gly Val Glu Met Leu
 245 250 255
 Lys Ile Phe Asn Lys Asn Gln Lys Leu Gly Ser Ser Pro Asn Ser Ser
 260 265 270
 Pro His Met Ser Ser Pro Pro Thr Lys Phe Ser Val Ser Thr Pro Ser
 275 280 285
 Gln Pro Ser Cys Lys Ser His Leu Glu Ser Thr Thr Lys Asp Gln Glu
 290 295 300
 Pro Ile Phe Tyr Lys Ala Ala Glu Gly Asp Asn Ile Glu Phe Gly Ala
 305 310 315 320
 Phe Val Gly His Arg Asp Ser Met Asp Leu Gln Arg Phe Lys Glu Thr
 325 330 335
 Ser Asn Lys Ile Arg Glu Leu Leu Ser Asn Asp Thr Pro Glu Asn Thr
 340 345 350
 Leu Lys His Val Gly Ala Ala Gly Tyr Ser Glu Cys Cys Lys Thr Ser
 355 360 365
 Thr Ser Leu His Ser Val Gln Ala Glu Ser Cys Ser Arg Arg Ala Ser
 370 375 380
 Thr Glu Asp Ser Pro Glu Val Asp Ser Lys Ala Ala Leu Leu Pro Asp
 385 390 395 400
 Trp Leu Arg Asp Arg Pro Ser Asn Arg Glu Met Pro Ser Glu Gly Gly
 405 410 415
 Thr Leu Asn Gly Leu Ala Ser Pro Phe Lys Pro Val Leu Asp Thr Asn
 420 425 430
 Tyr Tyr Tyr Ser Ala Val Glu Arg Asn Asn Leu Met Arg Leu Ser Gln
 435 440 445
 Ser Ile Pro Phe Val Pro Val Pro Pro Arg Gly Glu Pro Val Thr Val
 450 455 460
 Tyr Pro Ser Gly Gly Arg Val Leu Pro Val Tyr
 465 470 475

<210> 9
 <211> 5433
 <212> DNA
 <213> Mus Musculus

<220>
 <221> unsure
 <222> (5094)... (5094)
 <223> unknown

<400> 9

```

ggctgaaaga gcctgagctg tgcctctcca ttccactgct gtggcagggt cagaaatctt      60
ggatagagaa aaccttttgc aaacgggaat gtatctttgt aattcctagc acgaaagact      120
ctaacaggtg ttgctgtggc cagttcacca accagcatat cccccctctg ccaagtgcga      180
caccagcaaa aaatgaagag gaaagcaaac aggtggagac tcagcctgag aaatggtctg      240
ttgccaagca caccagagc tacccaacag attcctatgg agttcttgaa ttccagggtg      300
gcggatatcc caataaagcc atgtatatcc gtgtatccta tgacaccaag ccagactcac      360
tgctccatct catggtgaaa gattggcagc tggaaactccc caagctctta atatctgtgc      420
atggaggcct ccagaacttt gagatgcagc ccaagctgaa acaagtcttt gggaaaggcc      480
tgatcaaggc tgctatgacc accggggcct ggatcttcac cgggggtgtc agcacagggt      540
ttatcagcca cgtaggggat gccttgaaag accactcctc caagtccaga ggccgggttt      600
gtgctatagg aattgctcca tggggcatcg tggagaataa ggaagacctg gttggaaagg      660
atgtaacaag agtgaccag accatgtcca accctctaag taagctctct gtgctcaaca      720
actccacac ccacttcate ctggctgaca atggcaccct gggcaagtat ggcgccgagg      780
tgaagctgcg aaggctgctg gaaaagcaca tctccctcca gaagatcaac acaagactgg      840
ggcagggcgt gccctcgtg ggtctcgtgg tggagggggg ccctaactgt gtgtccatcg      900
tcttggaata cctgcaagaa gagcctccca tccctgtggt gatttgtgat ggcagcggag      960
gtgctcggga catcctgtcc ttgctgcaca agtactgtga agaaggcgga ataataaatg     1020
agtccctcag ggagcagctt ctagttaacca ttcagaaaac atttaattat aataaggcac     1080
aatcacatca gctgtttgca attataatgg agtgcataaa gaagaaagaa ctgcgtactg     1140
tgttcagaat ggttcttgag ggccagcagg acatcgagat ggcaatttta actgccctgc     1200
tgaaaggaac aaacgtatct gtcacagatc agctgagctt ggcactggct tggaaaccgcg     1260
tggacatagc acgaagccag atctttgtct ttgggcccga ctggacgccc ctgggaagcc     1320
tggcaccccc gacggacagc aaagccacgg agaaggagaa gaagccacc atggccacca     1380
ccaaggggag aagaggaaaa gggaaaaggc agaagaaaag gaaagtgaag gaggaagtgg     1440
aggaagaaac tgacccccgg aagatagagc tgctgaactg ggtgaatgct ttggagcaag     1500
cgatgctaga tgctttagtc ttagatcgtg tcgactttgt gaagctcctg attgaaaacg     1560
gagtgaacat gcaacacttt ctgaccattc cgaggctgga ggagctctat aacacaagac     1620
tgggtccacc aaacacactt catctgctgg tgagggatgt gaaaaagagc aaccttcgcg     1680
ctgattacca catcagcctc atagacatcg ggctcgtgct ggagtacctc atgggaggag     1740
cctaccgctg caactacact cggaaaaact ttccgaccct ttacaacaac ttgtttggac     1800
caaagaggcc taaagctctt aaacttctgg gaattggaaga tgatgagcct ccagctaaag     1860
ggaagaaaaa aaaaaaaaag aaaaaggagg aagagatcga cattgatgtg gacgacctg     1920
ccgtgagtcg gttccagtat cccttccacg agctgatggt gtgggcagtg ctgatgaaac     1980
gccagaaaat ggcagtgttc ctctggcagc gagggggaaga gagcatggcc aaggccctgg     2040
tggcctgcaa gctctacaag gccatggccc acgagtcctc cgagagtgat ctggtggatg     2100
acatctccca ggacttgat aacaattcca aagacttcgg ccagcttgct ttggagttaa     2160
tagaccagtc ctataagcat gacgagcaga tcgctatgaa actcctgacc tacgagctga     2220
aaaactggag caactcgacc tgctcaaac tggccgtggc agccaaacac cgggacttca     2280
ttgctcacac ctgcagccag atgctgctga ccgatatgtg gatgggaaga ctgcggatgc     2340
ggaagaaccc cggcctgaag gttatcatgg ggattcttct acccccacc atcttgtttt     2400
tggaatttcg cacatatgat gatttctcgt atcaaacatc caaggaaaac gaggatggca     2460
aagaaaaaga agaggaaaat acgatgcaa atgcagatgc tggctcaaga aagggggatg     2520
aggagaacga gcataaaaaa cagagaagta ttccatcggg aacaaagatc tgtgaattct     2580
ataacgcgcc cattgtcaag ttctggtttt acacaatate atacttgggc tacctgctgc     2640
tgtttaacta cgtcatcctg gtgcggatgg atggctggcc gtccctccag gagtggatgc     2700
tcattctcta catcgtgagc ctggcgttag agaagatacg agagatcctc atgtcagaac     2760
caggcaaaact cagccagaaa atcaaagttt ggcttcagga gtactggaac atcacagatc     2820
tcgtggccat ttccacattc atgattggag caattcttcg cctacagaac cagccctaca     2880

```

-9-

```

tgggctatgg ccgggtgata tactgtgtgg atatcatctt ctggtacatc cgtgtcctgg 2940
acatcttttg tgtcaacaag tatctggggc catacgtgat gatgattgga aagatgatga 3000
tcgacatgct gtactttgtg gtcacatgac tggctgtgct catgagtctt ggagtagccc 3060
gtcaagccat tctgcatcca gaggagaagc cctcttgga actggcccga aacatcttct 3120
acatgcccta ctggatgata tatggagagg tgtttgcaga ccagatagac ctctacgcca 3180
tggaaattaa tctctcttgt ggtgagaacc tatatgatga ggagggcaag cggcttcctc 3240
cctgtatccc cggcgectgg ctactccag cactcatggc gtgctatcta ctggtcgcca 3300
acatectgct ggtgaacctg ctgattgctg tgttcaacaa tactttcttt gaagtaaaat 3360
caatatccaa ccagggtgtg aagttccagc gatatcagct gattatgaca ttcatgaca 3420
ggccagtcct gccccaccg atgatcattt taagccacat ctacatcatc attatgcgtc 3480
tcagcggccg ctgcaggaaa aagagagaag gggaccaaga ggaacgggat cgtggattga 3540
agctcttctc tagcgacgag gagctaaaga ggctgcata gttcaggag cagtgcgtgc 3600
aggagcactt ccgggagaag gaggatgagc agcagtcgtc cagcgacgag cgcacccggg 3660
tcactttctg aagagttgaa aatatgtcaa tgaggttggg agaaatcaat gaaagagaaa 3720
cttttatgaa aacttccctg cagactgttg accttcgact tgctcagcta gaagaattat 3780
ctaacagaat ggtgaatgct ctgaaaatc ttgcgggaat cgacaggtct gacctgatcc 3840
aggcacggtc ccgggcttct tctgaatgtg aggcaacgta tcttctccgg caaagcagca 3900
tcaatagcgc tgatggctac agcttgatc gatatcattt taacggagaa gagttattat 3960
ttgaggatac atctctctcc acgtcaccag ggacaggagt caggaaaaaa acctgttctc 4020
tccgtataaa ggaagagaag gacgtgaaaa cgcacctagt cccagaatgt cagaacagtc 4080
ttcacctttc actgggcaca agcacatcag caacccaga tggcagtcac ctgacgtag 4140
atgacttaaa gaacgctgaa gactcaaaat taggtccaga tattgggatt tcaaaggaaag 4200
atgatgaaag acagacagac tctaaaaaag aagaaactat ttccccaagt ttaataaaaa 4260
cagatgtgat acatggacag gacaaatcag atgttcaaaa cactcagcta acagtggaaa 4320
cgacaaatat agaaggcact atttctatc ccctggaaga aacaaaaatt acacgctatt 4380
tccccgatga aacgatcaat gcttgtaaaa caatgaagtc cagaagcttc gtctattccc 4440
ggggaagaaa gctggtcgtt ggggttaacc aggatgtaga gtacagttca atcacggacc 4500
agcaattgac gacggaatgg caatgccaag ttcaaaagat cagcgctct catagcacag 4560
atattcctta cattgtgtcg gaagctgcag tgcaagctga gcaaaaagag cagtttgtag 4620
atatgcaaga tgaacaccat gtcgctgaag caattcctcg aatccctcgc ttgtccctaa 4680
ccattactga cagaaatggg atggaaaact tactgtctgt gaagccagat caaacttttg 4740
gattcccatc tctcaggtca aaaagtttac atggacatcc taggaatgtg aaatccattc 4800
agggaaagtt agacagatct ggacatgcca gtagtgaag cagcttagta attgtgtctg 4860
gaatgacagc agaagaaaaa aaggttaaga aagagaaagc ttccacagaa actgaatgct 4920
agctgttttt gttcttttaa ttttttttt taacagtcag aaaccacta atgggtgtca 4980
tcttggccca tcttaaacac atmtccaatt tcttaaaaac attttccctt aaaaaatttt 5040
ggaaattcag acttgattta caatttaatg cactaaaagt agtattttgt tagnatatgt 5100
tagtaggctt agttttttca gttgcagtag tatcaaatga aagtgatgat actgtaacga 5160
agataaattg gctaatacgt atacaagatt atacaatctc tttattactg agggccacca 5220
aatagcctag gaagtgcctt cgagcactga agtcaccatt aggtcactca agaagtaagc 5280
aactagctgg gcacagtggc tcatgcctgt aatcctagca ctttgggagg ccaaggcaga 5340
aagatagctt gagtccagga gtttgagacc agcctgggca acatagtgat accccatctc 5400
ttaaaaaaaaa aaaaaaaaaa ctgccctcgt gcc 5433

```

<210> 10

<211> 1533

<212> PRT

<213> Mus Musculus

<400> 10

```

Met Tyr Ile Arg Val Ser Tyr Asp Thr Lys Pro Asp Ser Leu Leu His
 1             5             10             15
Leu Met Val Lys Asp Trp Gln Leu Glu Leu Pro Lys Leu Ile Ser
      20             25             30
Val His Gly Gly Leu Gln Asn Phe Glu Met Gln Pro Lys Leu Lys Gln
      35             40             45
Val Phe Gly Lys Gly Leu Ile Lys Ala Ala Met Thr Thr Gly Ala Trp
      50             55             60

```


-10-

Ile	Phe	Thr	Gly	Gly	Val	Ser	Thr	Gly	Val	Ile	Ser	His	Val	Gly	Asp	65	70	75	80
Ala	Leu	Lys	Asp	His	Ser	Ser	Lys	Ser	Arg	Gly	Arg	Val	Cys	Ala	Ile	85	90	95	
Gly	Ile	Ala	Pro	Trp	Gly	Ile	Val	Glu	Asn	Lys	Glu	Asp	Leu	Val	Gly	100	105	110	
Lys	Asp	Val	Thr	Arg	Val	Tyr	Gln	Thr	Met	Ser	Asn	Pro	Leu	Ser	Lys	115	120	125	
Leu	Ser	Val	Leu	Asn	Asn	Ser	His	Thr	His	Phe	Ile	Leu	Ala	Asp	Asn	130	135	140	
Gly	Thr	Leu	Gly	Lys	Tyr	Gly	Ala	Glu	Val	Lys	Leu	Arg	Arg	Leu	Leu	145	150	155	160
Glu	Lys	His	Ile	Ser	Leu	Gln	Lys	Ile	Asn	Thr	Arg	Leu	Gly	Gln	Gly	165	170	175	
Val	Pro	Leu	Val	Gly	Leu	Val	Val	Glu	Gly	Gly	Pro	Asn	Val	Val	Ser	180	185	190	
Ile	Val	Leu	Glu	Tyr	Leu	Gln	Glu	Glu	Pro	Pro	Ile	Pro	Val	Val	Ile	195	200	205	
Cys	Asp	Gly	Ser	Gly	Arg	Ala	Ser	Asp	Ile	Leu	Ser	Phe	Ala	His	Lys	210	215	220	
Tyr	Cys	Glu	Glu	Gly	Gly	Ile	Ile	Asn	Glu	Ser	Leu	Arg	Glu	Gln	Leu	225	230	235	240
Leu	Val	Thr	Ile	Gln	Lys	Thr	Phe	Asn	Tyr	Asn	Lys	Ala	Gln	Ser	His	245	250	255	
Gln	Leu	Phe	Ala	Ile	Ile	Met	Glu	Cys	Met	Lys	Lys	Lys	Glu	Leu	Val	260	265	270	
Thr	Val	Phe	Arg	Met	Gly	Ser	Glu	Gly	Gln	Gln	Asp	Ile	Glu	Met	Ala	275	280	285	
Ile	Leu	Thr	Ala	Leu	Leu	Lys	Gly	Thr	Asn	Val	Ser	Ala	Pro	Asp	Gln	290	295	300	
Leu	Ser	Leu	Ala	Leu	Ala	Trp	Asn	Arg	Val	Asp	Ile	Ala	Arg	Ser	Gln	305	310	315	320
Ile	Phe	Val	Phe	Gly	Pro	His	Trp	Thr	Pro	Leu	Gly	Ser	Leu	Ala	Pro	325	330	335	
Pro	Thr	Asp	Ser	Lys	Ala	Thr	Glu	Lys	Glu	Lys	Lys	Pro	Pro	Met	Ala	340	345	350	
Thr	Thr	Lys	Gly	Gly	Arg	Gly	Lys	Gly	Lys	Gly	Lys	Lys	Lys	Gly	Lys	355	360	365	
Val	Lys	Glu	Glu	Val	Glu	Glu	Glu	Thr	Asp	Pro	Arg	Lys	Ile	Glu	Leu	370	375	380	
Leu	Asn	Trp	Val	Asn	Ala	Leu	Glu	Gln	Ala	Met	Leu	Asp	Ala	Leu	Val	385	390	395	400
Leu	Asp	Arg	Val	Asp	Phe	Val	Lys	Leu	Leu	Ile	Glu	Asn	Gly	Val	Asn	405	410	415	
Met	Gln	His	Phe	Leu	Thr	Ile	Pro	Arg	Leu	Glu	Glu	Leu	Tyr	Asn	Thr	420	425	430	
Arg	Leu	Gly	Pro	Pro	Asn	Thr	Leu	His	Leu	Leu	Val	Arg	Asp	Val	Lys	435	440	445	
Lys	Ser	Asn	Leu	Pro	Pro	Asp	Tyr	His	Ile	Ser	Leu	Ile	Asp	Ile	Gly	450	455	460	
Leu	Val	Leu	Glu	Tyr	Leu	Met	Gly	Gly	Ala	Tyr	Arg	Cys	Asn	Tyr	Thr	465	470	475	480
Arg	Lys	Asn	Phe	Arg	Thr	Leu	Tyr	Asn	Asn	Leu	Phe	Gly	Pro	Lys	Arg	485	490	495	
Pro	Lys	Ala	Leu	Lys	Leu	Leu	Gly	Met	Glu	Asp	Asp	Glu	Pro	Pro	Ala	500	505	510	
Lys	Gly	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Glu	Glu	Glu	Ile	Asp	Ile	515	520	525	
Asp	Val	Asp	Asp	Pro	Ala	Val	Ser	Arg	Phe	Gln	Tyr	Pro	Phe	His	Glu	530	535	540	

-11-

Leu Met Val Trp Ala Val Leu Met Lys Arg Gln Lys Met Ala Val Phe
 545 550 555 560
 Leu Trp Gln Arg Gly Glu Glu Ser Met Ala Lys Ala Leu Val Ala Cys
 565 570 575
 Lys Leu Tyr Lys Ala Met Ala His Glu Ser Ser Glu Ser Asp Leu Val
 580 585 590
 Asp Asp Ile Ser Gln Asp Leu Asp Asn Asn Ser Lys Asp Phe Gly Gln
 595 600 605
 Leu Ala Leu Glu Leu Leu Asp Gln Ser Tyr Lys His Asp Glu Gln Ile
 610 615 620
 Ala Met Lys Leu Leu Thr Tyr Glu Leu Lys Asn Trp Ser Asn Ser Thr
 625 630 635 640
 Cys Leu Lys Leu Ala Val Ala Ala Lys His Arg Asp Phe Ile Ala His
 645 650 655
 Thr Cys Ser Gln Met Leu Leu Thr Asp Met Trp Met Gly Arg Leu Arg
 660 665 670
 Met Arg Lys Asn Pro Gly Leu Lys Val Ile Met Gly Ile Leu Leu Pro
 675 680 685
 Pro Thr Ile Leu Phe Leu Glu Phe Arg Thr Tyr Asp Asp Phe Ser Tyr
 690 695 700
 Gln Thr Ser Lys Glu Asn Glu Asp Gly Lys Glu Lys Glu Glu Glu Asn
 705 710 715 720
 Thr Asp Ala Asn Ala Asp Ala Gly Ser Arg Lys Gly Asp Glu Glu Asn
 725 730 735
 Glu His Lys Lys Gln Arg Ser Ile Pro Ile Gly Thr Lys Ile Cys Glu
 740 745 750
 Phe Tyr Asn Ala Pro Ile Val Lys Phe Trp Phe Tyr Thr Ile Ser Tyr
 755 760 765
 Leu Gly Tyr Leu Leu Leu Phe Asn Tyr Val Ile Leu Val Arg Met Asp
 770 775 780
 Gly Trp Pro Ser Leu Gln Glu Trp Ile Val Ile Ser Tyr Ile Val Ser
 785 790 795 800
 Leu Ala Leu Glu Lys Ile Arg Glu Ile Leu Met Ser Glu Pro Gly Lys
 805 810 815
 Leu Ser Gln Lys Ile Lys Val Trp Leu Gln Glu Tyr Trp Asn Ile Thr
 820 825 830
 Asp Leu Val Ala Ile Ser Thr Phe Met Ile Gly Ala Ile Leu Arg Leu
 835 840 845
 Gln Asn Gln Pro Tyr Met Gly Tyr Gly Arg Val Ile Tyr Cys Val Asp
 850 855 860
 Ile Ile Phe Trp Tyr Ile Arg Val Leu Asp Ile Phe Gly Val Asn Lys
 865 870 875 880
 Tyr Leu Gly Pro Tyr Val Met Met Ile Gly Lys Met Met Ile Asp Met
 885 890 895
 Leu Tyr Phe Val Val Ile Met Leu Val Val Leu Met Ser Phe Gly Val
 900 905 910
 Ala Arg Gln Ala Ile Leu His Pro Glu Glu Lys Pro Ser Trp Lys Leu
 915 920 925
 Ala Arg Asn Ile Phe Tyr Met Pro Tyr Trp Met Ile Tyr Gly Glu Val
 930 935 940
 Phe Ala Asp Gln Ile Asp Leu Tyr Ala Met Glu Ile Asn Pro Pro Cys
 945 950 955 960
 Gly Glu Asn Leu Tyr Asp Glu Glu Gly Lys Arg Leu Pro Pro Cys Ile
 965 970 975
 Pro Gly Ala Trp Leu Thr Pro Ala Leu Met Ala Cys Tyr Leu Leu Val
 980 985 990
 Ala Asn Ile Leu Leu Val Asn Leu Leu Ile Ala Val Phe Asn Asn Thr
 995 1000 1005
 Phe Phe Glu Val Lys Ser Ile Ser Asn Gln Val Trp Lys Phe Gln Arg
 1010 1015 1020

-12-

Tyr Gln Leu Ile Met Thr Phe His Asp Arg Pro Val Leu Pro Pro Pro
 1025 1030 1035 104
 Met Ile Ile Leu Ser His Ile Tyr Ile Ile Ile Met Arg Leu Ser Gly
 1045 1050 1055
 Arg Cys Arg Lys Lys Arg Glu Gly Asp Gln Glu Glu Arg Asp Arg Gly
 1060 1065 1070
 Leu Lys Leu Phe Leu Ser Asp Glu Glu Leu Lys Arg Leu His Glu Phe
 1075 1080 1085
 Glu Glu Gln Cys Val Gln Glu His Phe Arg Glu Lys Glu Asp Glu Gln
 1090 1095 1100
 Gln Ser Ser Ser Asp Glu Arg Ile Arg Val Thr Ser Glu Arg Val Glu
 1105 1110 1115 112
 Asn Met Ser Met Arg Leu Glu Glu Ile Asn Glu Arg Glu Thr Phe Met
 1125 1130 1135
 Lys Thr Ser Leu Gln Thr Val Asp Leu Arg Leu Ala Gln Leu Glu Glu
 1140 1145 1150
 Leu Ser Asn Arg Met Val Asn Ala Leu Glu Asn Leu Ala Gly Ile Asp
 1155 1160 1165
 Arg Ser Asp Leu Ile Gln Ala Arg Ser Arg Ala Ser Ser Glu Cys Glu
 1170 1175 1180
 Ala Thr Tyr Leu Leu Arg Gln Ser Ser Ile Asn Ser Ala Asp Gly Tyr
 1185 1190 1195 120
 Ser Leu Tyr Arg Tyr His Phe Asn Gly Glu Glu Leu Leu Phe Glu Asp
 1205 1210 1215
 Thr Ser Leu Ser Thr Ser Pro Gly Thr Gly Val Arg Lys Lys Thr Cys
 1220 1225 1230
 Ser Phe Arg Ile Lys Glu Glu Lys Asp Val Lys Thr His Leu Val Pro
 1235 1240 1245
 Glu Cys Gln Asn Ser Leu His Leu Ser Leu Gly Thr Ser Thr Ser Ala
 1250 1255 1260
 Thr Pro Asp Gly Ser His Leu Ala Val Asp Asp Leu Lys Asn Ala Glu
 1265 1270 1275 128
 Glu Ser Lys Leu Gly Pro Asp Ile Gly Ile Ser Lys Glu Asp Asp Glu
 1285 1290 1295
 Arg Gln Thr Asp Ser Lys Lys Glu Glu Thr Ile Ser Pro Ser Leu Asn
 1300 1305 1310
 Lys Thr Asp Val Ile His Gly Gln Asp Lys Ser Asp Val Gln Asn Thr
 1315 1320 1325
 Gln Leu Thr Val Glu Thr Thr Asn Ile Glu Gly Thr Ile Ser Tyr Pro
 1330 1335 1340
 Leu Glu Glu Thr Lys Ile Thr Arg Tyr Phe Pro Asp Glu Thr Ile Asn
 1345 1350 1355 136
 Ala Cys Lys Thr Met Lys Ser Arg Ser Phe Val Tyr Ser Arg Gly Arg
 1365 1370 1375
 Lys Leu Val Gly Gly Val Asn Gln Asp Val Glu Tyr Ser Ser Ile Thr
 1380 1385 1390
 Asp Gln Gln Leu Thr Thr Glu Trp Gln Cys Gln Val Gln Lys Ile Thr
 1395 1400 1405
 Arg Ser His Ser Thr Asp Ile Pro Tyr Ile Val Ser Glu Ala Ala Val
 1410 1415 1420
 Gln Ala Glu Gln Lys Glu Gln Phe Ala Asp Met Gln Asp Glu His His
 1425 1430 1435 144
 Val Ala Glu Ala Ile Pro Arg Ile Pro Arg Leu Ser Leu Thr Ile Thr
 1445 1450 1455
 Asp Arg Asn Gly Met Glu Asn Leu Leu Ser Val Lys Pro Asp Gln Thr
 1460 1465 1470
 Leu Gly Phe Pro Ser Leu Arg Ser Lys Ser Leu His Gly His Pro Arg
 1475 1480 1485
 Asn Val Lys Ser Ile Gln Gly Lys Leu Asp Arg Ser Gly His Ala Ser
 1490 1495 1500

-13-

Ser Val Ser Ser Leu Val Ile Val Ser Gly Met Thr Ala Glu Glu Lys
 1505 1510 1515 152
 Lys Val Lys Lys Glu Lys Ala Ser Thr Glu Thr Glu Cys
 1525 1530

<210> 11

<211> 6220

<212> DNA

<213> Homo Sapiens

<400> 11

tgtgcagaat	tgtacagttg	cgaaacccatg	tgcgtggcag	ctgggtgctgg	cggtggagac	60
ttccctgtgc	ggtgtcagtg	gcattctgcac	ccgtggggga	gggagctctt	tctctggccc	120
tgcagtcacc	tgaggttggt	accattatga	acggccgctg	ggacccccgc	atgtgcatgt	180
actccccag	agtgtccggg	ggccccagcc	aagggaacaca	tctcacgcag	ctgggaacat	240
gtgcaggctg	atgaagagaa	ccggaatgagg	gcttcacatg	aggaagcatg	tggccaggtc	300
ctctcagaac	atcagcctca	tcttctgtgc	tctgatctat	ttcaccaacc	accccatgtg	360
tctctagaac	cccagtgtag	cgagctggag	agaggactgt	cctgagggca	gcaggcctgg	420
ttgcagctgg	cgtgggggtc	tcagaatgga	gccctcagcc	ctgaggaaaag	ctggctcgga	480
gcaggaggag	ggctttgagg	ggctgcccag	aagggtcact	gacctgggga	tgggtctccaa	540
tctccggcgc	agcaacagca	gcctcttcaa	gagctggagg	ctacagtgcc	ccttcggcaa	600
caatgacaag	caagaaagcc	tcagttcgtg	gattctgaa	aacatcaaga	agaaagaatg	660
cgtgtatttt	gtgaaaagtt	ccaaactgtc	tgtatgctgg	aagggtggtg	gtcagtggtg	720
ctacacgcac	gagcagcact	tggaggaggc	taccaagccc	cacaccttcc	agggcacaca	780
gtgggaccca	aagaaacatg	tccaggagat	gccaaccgat	gcctttggcg	acatcgtctt	840
cacgggcctg	agccagaagg	tgaaaaagta	cgtccgagtc	tcccaggaca	cgccctccag	900
cgtgatctac	cacctcatga	cccagcactg	ggggctggac	gtccccaatc	tcttgatctc	960
ggtgaccggg	ggggccaaga	acttcaacat	gaagccgcgg	ctgaagagca	ttttccgcag	1020
aggcctggtc	aaggtggctc	agaccacagg	ggcctggatc	atcacagggg	ggtccccacac	1080
cggcgtcatg	aagcaggtag	gcgaggcggg	cggggacttc	agcctgagca	gcagctacaa	1140
ggaaggcgag	ctcatcacca	tggagtcgc	cacctggggc	actgtccacc	gccgcgaggg	1200
cctgatccat	cccacgggca	gcttccccgc	cgagtacata	ctggatgagg	atggccaagg	1260
gaacctgacc	tgcctagaca	gcaaccactc	tcacttcatc	ctcgtggacg	acgggaccca	1320
cggccagtag	ggggtggaga	ttcctctgag	gaccaggctg	gagaagttca	tatcggagca	1380
gaccaaggaa	agaggaggtg	tggccatcaa	gatccccatc	gtgtgcgtgg	tgctggaggg	1440
cggccccggc	acgttgca	ccatcgacaa	cgccaccacc	aacggcacc	cctgtgtggt	1500
tgtggagggc	tgggcccgcg	tggccgacgt	cattgccccg	gtggccaacc	tgctgtctc	1560
ggacatcact	atctccctga	tccagcagaa	actgagcgtg	ttcttccagg	agatgtttga	1620
gaccttcacg	gaaagcagga	ttgtcagatg	gacaaaaaag	atccaagata	ttgtccggag	1680
gcggcagctg	ctgactgtct	tccgggaagg	caaggatggt	cagcaggacg	tggatgtggc	1740
catcttgacg	gccttgctga	aagcctcacg	gagccaagac	cactttggcc	acgagaactg	1800
ggaccaccag	ctgaaactgg	cagtggcatg	gaatcgctg	gacattgccc	gcagtggat	1860
cttcattgat	gagtggcagt	ggaagccttc	agatctgcac	cccacgatga	cagctgcact	1920
catctccaac	aagcctgagt	ttgtgaagct	cttcttgaa	aacgggggtg	agctgaagga	1980
gtttgtcacc	tgggacacct	tgtctacct	gtacgagaac	ctggaccctt	cctgcctgtt	2040
ccacagcaag	ctgcaaaaag	tgtgtgtgga	ggatcccag	cgcccggtt	gcgcgcccg	2100
ggcgccccgc	ctgcagatgc	accacgtggc	ccagggtgctg	cgggagctgc	tgggggactt	2160
cacgcagccg	ctttatcccc	ggccccggca	caacgaccgg	ctgcggtccc	tgctgcccg	2220
tccccacgtc	aagctcaacg	tgcaggaggt	gagcctccgg	tccctctaca	agcgttcttc	2280
aggccatgtg	accttcacca	tggaccccat	ccgtgacctt	ctcatttggg	ccattgtcca	2340
gaaccgtcgg	gagctggcag	gaatcatctg	ggctcagagc	caggactgca	tcgcagcggc	2400
cttgccctgc	agcaagatcc	tgaaggaact	gtccaaggag	gaggaggaca	cggacagctc	2460
ggaggagatg	ctggcgctgg	cggaggagta	tgagcacaga	gccatcgggg	tcttcaccga	2520
gtgctaccgg	aaggacgaag	agagagccca	gaaactgctc	acccgcgtgt	ccgaggcctg	2580
ggggaagacc	acctgcctgc	agctcgccct	ggaggccaag	gacatgaagt	ttgtgtctca	2640
cgggggcatc	caggccttcc	tgaccaaggt	gtggtggggc	cagctctccg	tggacaatgg	2700
gctgtggcgt	gtgacctgt	gcattgctggc	cttcccgcgtg	ctcctcaccg	gcctcatctc	2760
cttcaggagg	aagaggctgc	aggatgtggg	caccccgcg	gccgcgcgcc	gtgcctctct	2820
caccgcaccc	gtggtggtct	tccacctgaa	catcctctcc	tacttcgcct	tctctgcct	2880
gttcgcctac	gtgctcatgg	tggacttcca	gcctgtgccc	tcctggtgcg	agtgtgccat	2940

-14-

ctacctctgg	cttttctct	tgggtgcgga	ggagatgcgg	cagctcttct	atgacctga	3000
cgagtgcggg	ctgatgaaga	aggcagcctt	gtacttcagt	gacttctgga	ataagctgga	3060
cgtcggcgca	atcttgctct	tcgtggcagg	gctgacctgc	aggctcatcc	cggcgacgct	3120
gtaccccggg	cgcgctcatcc	tctctctgga	cttcatcctg	ttctgcctcc	ggctcatgca	3180
catttttacc	atcagtaaga	cgctggggcc	caagatcatc	attgtgaagc	ggatgatgaa	3240
ggacgtcttc	ttcttctct	tctgtctggc	tgtgtgggtg	gtgtccttcg	gggtggccaa	3300
gcaggccatc	ctcatccaca	acgagcgccg	ggtggactgg	ctgttccgag	ggcgctcta	3360
ccactcctac	ctcaccatct	tcgggcagat	cccgggctac	atcgacggtg	tgaacttcaa	3420
cccgagcac	tgcagcccca	atggcaccga	cccctacaag	cctaagtgcc	ccgagagcga	3480
cgcgacgcag	cagaggccgg	ccttccttga	gtggctgacg	gtcctcctac	tctgcctcta	3540
cctgctcttc	accaacatcc	tgtgtctcaa	cctcctcatc	gccatgttca	actacacctt	3600
ccagcaggtg	caggagcaca	cggaccagat	ttggaagttc	cagcgccatg	acctgatcga	3660
ggagtaccac	ggccgccccg	ccgcgccgcc	ccccttcate	ctcctcagcc	acctgcagct	3720
cttcatcaag	agggtgggtc	tgaagactcc	ggccaagagg	cacaagcagc	tcaagaacaa	3780
gctggagaag	aacgaggagg	cggccctgct	atcctgggag	atctacctga	aggagaacta	3840
cctccagaac	cgacagtctc	agcaaaagca	gcggcccgag	cagaagatcg	aggacatcag	3900
caataaggtt	gacgccatgg	tggacctgct	ggacctggac	ccactgaaga	ggtcgggctc	3960
catggagcag	aggttggcct	ccctggaggga	gcaggtggcc	cagacagccc	gagccctgca	4020
ctggatcgtg	aggacgctgc	gggccagcgg	cttcagctcg	gaggcgagcg	tccccactct	4080
ggcctcccag	aaggcccgcg	aggagccgga	tgtgtgagccg	ggaggcagga	agaagacgga	4140
ggagccgggg	gacagctacc	acgtgaatgc	ccggcacctc	ctctacccca	actgccttgt	4200
cacgcgcttc	ccgctgcccc	acgagaaggt	gccctgggag	acggagtctc	tgatctatga	4260
cccacccttt	tacacggcag	agaggaaagga	cgcgcccgcc	atggacccca	tgggagacac	4320
cctggagcca	ctgtccacga	tccagtacaa	cgtggtggat	ggcctgaggg	accgcccagg	4380
cttccacggg	ccgtacacag	tgcaggccgg	gttgcccttg	aaccccatgg	gccgcacagg	4440
actgcgtggg	cgcgggagcc	tcagctgctt	cggacccaac	cacacgctgt	accccatggt	4500
cacgcggtgg	aggcggaacg	aggatggagc	catctgcagg	aagagcataa	agaagatgct	4560
ggaagtgcctg	gtggtgaagc	tccctctctc	cgagcactgg	gccctgcctg	ggggtctccg	4620
ggagccaggg	gagatgctac	ctcggaagct	gaagcggatc	ctccggcagg	agcactggcc	4680
gtcttttgaa	aacttgctga	agtgcggcat	ggaggtgtac	aaaggctaca	tggatgacct	4740
gaggaacacg	gacaatgcct	ggatcgagac	ggtggccgtc	agcgtccact	tccaggacca	4800
gaatgacgtg	gagctgaaca	ggctgaactc	taacctgcac	gcctgcgact	cgggggcctc	4860
catccgatgg	caggtggtgg	acaggcgcat	cccactctat	gcgaaccaca	agaccctcct	4920
ccagaaggga	gccgtgagtg	tcggggctca	ctactgactg	tgccctcagg	ctggggcggt	4980
ccagtccata	cactgtcccc	ccagaaaacca	gggcttctct	ctcctgagcc	tggccaggac	5040
tcaggctggt	cctgggccct	gcacatgatg	gggtttggtg	gacccagtgc	ccctcacggc	5100
tgcgcaagt	ctgctgcaga	tgacctcatg	aactggaagg	ggtcaagggtg	acccgggagg	5160
agagctcaag	acagggcaca	ggctactcag	agctgagggg	cccctgggac	ccttggccat	5220
caggcgaggg	gctgggcctg	tgcagctggg	cccttggcca	gagtcactc	ccttctctggc	5280
tgtgtcacc	cgagcagctc	atccaccatg	gaggtcattg	gcctgaggca	agttcccccg	5340
agagtcggga	tccccgtgg	ccccctcagg	cctatgtctg	tgagggaagg	gccctgccac	5400
tctccccaag	agggtctcca	tgtttcgagg	tgcctcaaca	tggagccttg	cctggcctgg	5460
gtaggggga	ctgtctgaac	tcctgactgt	caggataaac	tccgtggggg	tacaggagcc	5520
cagacaaagc	ccaggcctgt	caagagacgc	agagggcccc	tgccagggtt	ggccccaggg	5580
accctgggac	gaggctgcag	aagctctccc	tccctactcc	ctgggagcca	cgtgctggcc	5640
atgtggccag	ggacggcatg	agcaggaggc	ggggacgtgg	gggccttctg	gtttggtgtc	5700
aacagctcac	aggagcgtga	accatgaggg	ccctcaggag	gggaacgtgg	taaaacccaa	5760
gacattaaat	ctgccatctc	aggcctggct	ggctcttctg	tgtttccac	aaataaagtt	5820
cctgacacgt	ccagggccag	gggctgtgtg	acggctgcct	gaagttctcc	tcgatcccc	5880
ggtgagcttc	ctgcagcctg	tggatgtcct	gcagcccctc	agccctaccc	ccaagtctct	5940
cctctgaccc	atcagctccc	tgtcttcatt	ttcctaaacc	tgggctccag	catcgtcccc	6000
aagcccacca	ggccaggatg	caggcatcca	catgccctcc	tccttggctt	ccccgcgtg	6060
gtggtgccaa	tgtgccctgg	cacccctgca	gaggtcccg	atggagcctg	gggctgcctg	6120
gccactgagc	actggccgag	gtgatgccca	cccttccctg	gacaggcctc	tgtcttccac	6180
ctgacccaaa	gctctctagc	caccccttg	tccccagtat			6220

<210> 12

<211> 1503

-15-

<212> PRT

<213> Homo Sapiens

<400> 12

```

Met Glu Pro Ser Ala Leu Arg Lys Ala Gly Ser Glu Gln Glu Gly
 1          5          10          15
Phe Glu Gly Leu Pro Arg Arg Val Thr Asp Leu Gly Met Val Ser Asn
 20          25          30
Leu Arg Arg Ser Asn Ser Ser Leu Phe Lys Ser Trp Arg Leu Gln Cys
 35          40          45
Pro Phe Gly Asn Asn Asp Lys Gln Glu Ser Leu Ser Ser Trp Ile Pro
 50          55          60
Glu Asn Ile Lys Lys Lys Glu Cys Val Tyr Phe Val Glu Ser Ser Lys
 65          70          75          80
Leu Ser Asp Ala Gly Lys Val Val Cys Gln Cys Gly Tyr Thr His Glu
 85          90          95
Gln His Leu Glu Glu Ala Thr Lys Pro His Thr Phe Gln Gly Thr Gln
 100          105          110
Trp Asp Pro Lys Lys His Val Gln Glu Met Pro Thr Asp Ala Phe Gly
 115          120          125
Asp Ile Val Phe Thr Gly Leu Ser Gln Lys Val Lys Lys Tyr Val Arg
 130          135          140
Val Ser Gln Asp Thr Pro Ser Ser Val Ile Tyr His Leu Met Thr Gln
 145          150          155          160
His Trp Gly Leu Asp Val Pro Asn Leu Leu Ile Ser Val Thr Gly Gly
 165          170          175
Ala Lys Asn Phe Asn Met Lys Pro Arg Leu Lys Ser Ile Phe Arg Arg
 180          185          190
Gly Leu Val Lys Val Ala Gln Thr Thr Gly Ala Trp Ile Ile Thr Gly
 195          200          205
Gly Ser His Thr Gly Val Met Lys Gln Val Gly Glu Ala Val Arg Asp
 210          215          220
Phe Ser Leu Ser Ser Ser Tyr Lys Glu Gly Glu Leu Ile Thr Ile Gly
 225          230          235          240
Val Ala Thr Trp Gly Thr Val His Arg Arg Glu Gly Leu Ile His Pro
 245          250          255
Thr Gly Ser Phe Pro Ala Glu Tyr Ile Leu Asp Glu Asp Gly Gln Gly
 260          265          270
Asn Leu Thr Cys Leu Asp Ser Asn His Ser His Phe Ile Leu Val Asp
 275          280          285
Asp Gly Thr His Gly Gln Tyr Gly Val Glu Ile Pro Leu Arg Thr Arg
 290          295          300
Leu Glu Lys Phe Ile Ser Glu Gln Thr Lys Glu Arg Gly Gly Val Ala
 305          310          315          320
Ile Lys Ile Pro Ile Val Cys Val Val Leu Glu Gly Gly Pro Gly Thr
 325          330          335
Leu His Thr Ile Asp Asn Ala Thr Thr Asn Gly Thr Pro Cys Val Val
 340          345          350
Val Glu Gly Ser Gly Arg Val Ala Asp Val Ile Ala Gln Val Ala Asn
 355          360          365
Leu Pro Val Ser Asp Ile Thr Ile Ser Leu Ile Gln Gln Lys Leu Ser
 370          375          380
Val Phe Phe Gln Glu Met Phe Glu Thr Phe Thr Glu Ser Arg Ile Val
 385          390          395          400
Glu Trp Thr Lys Lys Ile Gln Asp Ile Val Arg Arg Arg Gln Leu Leu
 405          410          415
Thr Val Phe Arg Glu Gly Lys Asp Gly Gln Gln Asp Val Asp Val Ala
 420          425          430
Ile Leu Gln Ala Leu Leu Lys Ala Ser Arg Ser Gln Asp His Phe Gly
 435          440          445

```

-16-

His	Glu	Asn	Trp	Asp	His	Gln	Leu	Lys	Leu	Ala	Val	Ala	Trp	Asn	Arg
450					455					460					
Val	Asp	Ile	Ala	Arg	Ser	Glu	Ile	Phe	Met	Asp	Glu	Trp	Gln	Trp	Lys
465					470					475					480
Pro	Ser	Asp	Leu	His	Pro	Thr	Met	Thr	Ala	Ala	Leu	Ile	Ser	Asn	Lys
				485					490						495
Pro	Glu	Phe	Val	Lys	Leu	Phe	Leu	Glu	Asn	Gly	Val	Gln	Leu	Lys	Glu
			500					505					510		
Phe	Val	Thr	Trp	Asp	Thr	Leu	Leu	Tyr	Leu	Tyr	Glu	Asn	Leu	Asp	Pro
			515				520					525			
Ser	Cys	Leu	Phe	His	Ser	Lys	Leu	Gln	Lys	Val	Leu	Val	Glu	Asp	Pro
						535					540				
Glu	Arg	Pro	Ala	Cys	Ala	Pro	Ala	Ala	Pro	Arg	Leu	Gln	Met	His	His
545					550					555					560
Val	Ala	Gln	Val	Leu	Arg	Glu	Leu	Leu	Gly	Asp	Phe	Thr	Gln	Pro	Leu
				565					570						575
Tyr	Pro	Arg	Pro	Arg	His	Asn	Asp	Arg	Leu	Arg	Leu	Leu	Leu	Pro	Val
			580					585						590	
Pro	His	Val	Lys	Leu	Asn	Val	Gln	Gly	Val	Ser	Leu	Arg	Ser	Leu	Tyr
			595				600					605			
Lys	Arg	Ser	Ser	Gly	His	Val	Thr	Phe	Thr	Met	Asp	Pro	Ile	Arg	Asp
						615					620				
Leu	Leu	Ile	Trp	Ala	Ile	Val	Gln	Asn	Arg	Arg	Glu	Leu	Ala	Gly	Ile
625					630					635					640
Ile	Trp	Ala	Gln	Ser	Gln	Asp	Cys	Ile	Ala	Ala	Ala	Leu	Ala	Cys	Ser
				645					650						655
Lys	Ile	Leu	Lys	Glu	Leu	Ser	Lys	Glu	Glu	Glu	Asp	Thr	Asp	Ser	Ser
			660					665					670		
Glu	Glu	Met	Leu	Ala	Leu	Ala	Glu	Glu	Tyr	Glu	His	Arg	Ala	Ile	Gly
			675				680					685			
Val	Phe	Thr	Glu	Cys	Tyr	Arg	Lys	Asp	Glu	Glu	Arg	Ala	Gln	Lys	Leu
			690				695				700				
Leu	Thr	Arg	Val	Ser	Glu	Ala	Trp	Gly	Lys	Thr	Thr	Cys	Leu	Gln	Leu
705					710					715					720
Ala	Leu	Glu	Ala	Lys	Asp	Met	Lys	Phe	Val	Ser	His	Gly	Gly	Ile	Gln
				725					730						735
Ala	Phe	Leu	Thr	Lys	Val	Trp	Trp	Gly	Gln	Leu	Ser	Val	Asp	Asn	Gly
			740					745					750		
Leu	Trp	Arg	Val	Thr	Leu	Cys	Met	Leu	Ala	Phe	Pro	Leu	Leu	Leu	Thr
			755				760					765			
Gly	Leu	Ile	Ser	Phe	Arg	Glu	Lys	Arg	Leu	Gln	Asp	Val	Gly	Thr	Pro
			770				775				780				
Ala	Ala	Arg	Ala	Arg	Ala	Phe	Phe	Thr	Ala	Pro	Val	Val	Val	Phe	His
785					790					795					800
Leu	Asn	Ile	Leu	Ser	Tyr	Phe	Ala	Phe	Leu	Cys	Leu	Phe	Ala	Tyr	Val
				805					810						815
Leu	Met	Val	Asp	Phe	Gln	Pro	Val	Pro	Ser	Trp	Cys	Glu	Cys	Ala	Ile
			820					825					830		
Tyr	Leu	Trp	Leu	Phe	Ser	Leu	Val	Cys	Glu	Glu	Met	Arg	Gln	Leu	Phe
			835				840					845			
Tyr	Asp	Pro	Asp	Glu	Cys	Gly	Leu	Met	Lys	Lys	Ala	Ala	Leu	Tyr	Phe
			850			855					860				
Ser	Asp	Phe	Trp	Asn	Lys	Leu	Asp	Val	Gly	Ala	Ile	Leu	Leu	Phe	Val
865					870					875					880
Ala	Gly	Leu	Thr	Cys	Arg	Leu	Ile	Pro	Ala	Thr	Leu	Tyr	Pro	Gly	Arg
				885					890						895
Val	Ile	Leu	Ser	Leu	Asp	Phe	Ile	Leu	Phe	Cys	Leu	Arg	Leu	Met	His
			900					905					910		
Ile	Phe	Thr	Ile	Ser	Lys	Thr	Leu	Gly	Pro	Lys	Ile	Ile	Ile	Val	Lys
			915				920						925		

-17-

Arg Met Met Lys Asp Val Phe Phe Phe Leu Phe Leu Leu Ala Val Trp
 930 935 940
 Val Val Ser Phe Gly Val Ala Lys Gln Ala Ile Leu Ile His Asn Glu
 945 950 955 960
 Arg Arg Val Asp Trp Leu Phe Arg Gly Ala Val Tyr His Ser Tyr Leu
 965 970 975
 Thr Ile Phe Gly Gln Ile Pro Gly Tyr Ile Asp Gly Val Asn Phe Asn
 980 985 990
 Pro Glu His Cys Ser Pro Asn Gly Thr Asp Pro Tyr Lys Pro Lys Cys
 995 1000 1005
 Pro Glu Ser Asp Ala Thr Gln Gln Arg Pro Ala Phe Pro Glu Trp Leu
 1010 1015 1020
 Thr Val Leu Leu Leu Cys Leu Tyr Leu Leu Phe Thr Asn Ile Leu Leu
 1025 1030 1035 104
 Leu Asn Leu Leu Ile Ala Met Phe Asn Tyr Thr Phe Gln Gln Val Gln
 1045 1050 1055
 Glu His Thr Asp Gln Ile Trp Lys Phe Gln Arg His Asp Leu Ile Glu
 1060 1065 1070
 Glu Tyr His Gly Arg Pro Ala Ala Pro Pro Pro Phe Ile Leu Leu Ser
 1075 1080 1085
 His Leu Gln Leu Phe Ile Lys Arg Val Val Leu Lys Thr Pro Ala Lys
 1090 1095 1100
 Arg His Lys Gln Leu Lys Asn Lys Leu Glu Lys Asn Glu Glu Ala Ala
 1105 1110 1115 112
 Leu Leu Ser Trp Glu Ile Tyr Leu Lys Glu Asn Tyr Leu Gln Asn Arg
 1125 1130 1135
 Gln Phe Gln Gln Lys Gln Arg Pro Glu Gln Lys Ile Glu Asp Ile Ser
 1140 1145 1150
 Asn Lys Val Asp Ala Met Val Asp Leu Leu Asp Leu Asp Pro Leu Lys
 1155 1160 1165
 Arg Ser Gly Ser Met Glu Gln Arg Leu Ala Ser Leu Glu Glu Gln Val
 1170 1175 1180
 Ala Gln Thr Ala Arg Ala Leu His Trp Ile Val Arg Thr Leu Arg Ala
 1185 1190 1195 120
 Ser Gly Phe Ser Ser Glu Ala Asp Val Pro Thr Leu Ala Ser Gln Lys
 1205 1210 1215
 Ala Ala Glu Glu Pro Asp Ala Glu Pro Gly Gly Arg Lys Lys Thr Glu
 1220 1225 1230
 Glu Pro Gly Asp Ser Tyr His Val Asn Ala Arg His Leu Leu Tyr Pro
 1235 1240 1245
 Asn Cys Pro Val Thr Arg Phe Pro Val Pro Asn Glu Lys Val Pro Trp
 1250 1255 1260
 Glu Thr Glu Phe Leu Ile Tyr Asp Pro Pro Phe Tyr Thr Ala Glu Arg
 1265 1270 1275 128
 Lys Asp Ala Ala Ala Met Asp Pro Met Gly Asp Thr Leu Glu Pro Leu
 1285 1290 1295
 Ser Thr Ile Gln Tyr Asn Val Val Asp Gly Leu Arg Asp Arg Arg Ser
 1300 1305 1310
 Phe His Gly Pro Tyr Thr Val Gln Ala Gly Leu Pro Leu Asn Pro Met
 1315 1320 1325
 Gly Arg Thr Gly Leu Arg Gly Arg Gly Ser Leu Ser Cys Phe Gly Pro
 1330 1335 1340
 Asn His Thr Leu Tyr Pro Met Val Thr Arg Trp Arg Arg Asn Glu Asp
 1345 1350 1355 136
 Gly Ala Ile Cys Arg Lys Ser Ile Lys Lys Met Leu Glu Val Leu Val
 1365 1370 1375
 Val Lys Leu Pro Leu Ser Glu His Trp Ala Leu Pro Gly Gly Ser Arg
 1380 1385 1390
 Glu Pro Gly Glu Met Leu Pro Arg Lys Leu Lys Arg Ile Leu Arg Gln
 1395 1400 1405

-18-

Glu His Trp Pro Ser Phe Glu Asn Leu Leu Lys Cys Gly Met Glu Val
 1410 1415 1420
 Tyr Lys Gly Tyr Met Asp Asp Pro Arg Asn Thr Asp Asn Ala Trp Ile
 1425 1430 1435 144
 Glu Thr Val Ala Val Ser Val His Phe Gln Asp Gln Asn Asp Val Glu
 1445 1450 1455
 Leu Asn Arg Leu Asn Ser Asn Leu His Ala Cys Asp Ser Gly Ala Ser
 1460 1465 1470
 Ile Arg Trp Gln Val Val Asp Arg Arg Ile Pro Leu Tyr Ala Asn His
 1475 1480 1485
 Lys Thr Leu Leu Gln Lys Ala Ala Ala Glu Phe Gly Ala His Tyr
 1490 1495 1500

<210> 13
 <211> 1816
 <212> PRT
 <213> C. Elegans

<400> 13
 Met Ile Thr Asp Lys Asn Leu Phe Ser Arg Leu Leu Ile Lys Lys Asn
 1 5 10 15
 Pro Ile Arg Met His Ser Pro Ser Phe Ser Phe Ser Leu Ile Thr Ser
 20 25 30
 Leu Phe Phe Thr Gln Phe Phe Met Phe Gln Leu Ser Ser Met Ala Tyr
 35 40 45
 Phe Phe Leu Thr Leu Ile Ala Gly Val Thr His Phe Tyr Phe Pro Glu
 50 55 60
 Lys Leu Leu Gly Lys Ser Glu Asn Leu Asp His Arg Tyr Gln Ser Ser
 65 70 75 80
 Glu Gln Lys Val Leu Ile Glu Trp Thr Glu Asn Lys Ala Val Ala Glu
 85 90 95
 Ser Leu Arg Ala Asn Ser Val Thr Val Glu Glu Asn Glu Ser Glu Arg
 100 105 110
 Glu Thr Glu Thr Gln Thr Lys Arg Arg Arg Lys Lys Gln Arg Ser Thr
 115 120 125
 Ser Ser Asp Lys Ala Pro Leu Asn Ser Ala Pro Arg His Val Gln Lys
 130 135 140
 Phe Asp Trp Lys Asp Met Leu His Leu Ala Asp Ile Ser Gly Arg Lys
 145 150 155 160
 Arg Gly Asn Ser Thr Thr Ser His Ser Gly His Ala Thr Arg Ala Gly
 165 170 175
 Ser Leu Lys Gly Lys Asn Trp Ile Glu Cys Arg Leu Lys Met Arg Gln
 180 185 190
 Cys Ser Tyr Phe Val Pro Ser Gln Arg Phe Ser Glu Arg Cys Gly Cys
 195 200 205
 Gly Lys Glu Arg Ser Lys His Thr Glu Glu Val Leu Glu Arg Ser Gln
 210 215 220
 Asn Lys Asn His Pro Leu Asn His Leu Thr Leu Pro Gly Ile His Glu
 225 230 235 240
 Val Asp Thr Thr Asp Ala Asp Ala Asp Asn Glu Val Asn Leu Thr
 245 250 255
 Pro Gly Arg Trp Ser Ile Gln Ser His Thr Glu Ile Val Pro Thr Asp
 260 265 270
 Ala Tyr Gly Asn Ile Val Phe Glu Gly Thr Ala His His Ala Gln Tyr
 275 280 285
 Ala Arg Ile Ser Phe Asp Ser Asp Pro Arg Asp Ile Val His Leu Met
 290 295 300
 Met Lys Val Trp Lys Leu Lys Pro Pro Lys Leu Ile Ile Thr Ile Asn
 305 310 315 320
 Gly Gly Leu Thr Lys Phe Asp Leu Gln Pro Lys Leu Ala Arg Thr Phe

[illegible]

-20-

				805					810					815	
Asn	Met	Asp	Phe	Thr	Phe	Arg	Tyr	Pro	Tyr	Ser	Asp	Leu	Met	Ile	Trp
			820					825					830		
Ala	Val	Leu	Thr	Lys	Arg	Gln	Lys	Met	Ala	Lys	Leu	Met	Trp	Thr	His
		835					840					845			
Gly	Glu	Glu	Gly	Met	Ala	Lys	Ala	Leu	Val	Ala	Ser	Arg	Leu	Tyr	Val
	850					855					860				
Ser	Leu	Ala	Lys	Thr	Ala	Ser	Leu	Ala	Thr	Gly	Glu	Ile	Gly	Met	Ser
865					870					875					880
Gln	Asp	Phe	Thr	Glu	Phe	Ser	Asp	Glu	Phe	Ser	Glu	Leu	Ala	Val	Glu
			885						890					895	
Val	Leu	Glu	Tyr	Cys	Thr	Lys	His	Gly	Arg	Asp	Gln	Thr	Leu	Arg	Leu
	900							905					910		
Leu	Thr	Cys	Glu	Leu	Ala	Asn	Trp	Gly	Asp	Glu	Thr	Cys	Leu	Ser	Leu
	915						920					925			
Ala	Ala	Asn	Asn	Gly	His	Arg	Lys	Phe	Leu	Ala	His	Pro	Cys	Cys	Gln
	930					935					940				
Met	Leu	Leu	Ser	Asp	Leu	Trp	Gln	Gly	Gly	Leu	Leu	Met	Lys	Asn	Asn
945				950						955					960
Gln	Asn	Ser	Lys	Val	Leu	Thr	Cys	Leu	Ala	Ala	Pro	Pro	Leu	Ile	Phe
			965						970					975	
Leu	Leu	Gly	Phe	Lys	Thr	Lys	Glu	Gln	Leu	Met	Leu	Gln	Pro	Lys	Thr
		980						985					990		
Ala	Ala	Glu	His	Asp	Glu	Glu	Met	Ser	Asp	Ser	Glu	Met	Asn	Ser	Ala
	995						1000					1005			
Glu	Asp	Thr	Asp	Thr	Ser	Ser	Asp	Ser	Ser	Ser	Asp	Ser	Asp	Asp	Ser
	1010					1015						1020			
Asp	Glu	Glu	Asp	Ala	Lys	Leu	Arg	Ala	Gln	Ser	Leu	Ser	Ala	Asp	Gln
1025					1030						1035				104
Pro	Leu	Ser	Ile	His	Arg	Leu	Val	Arg	Asp	Lys	Leu	Asn	Phe	Ser	Glu
			1045						1050					1055	
Lys	Lys	Lys	Pro	Asp	Met	Gly	Ile	Ser	Arg	Ile	Val	Val	Ala	Pro	Pro
		1060						1065					1070		
Ile	Val	Thr	Gly	Arg	Asn	Arg	Ala	Arg	Thr	Met	Ser	Ile	Lys	Lys	Ser
	1075						1080					1085			
Lys	Lys	Asn	Val	Ile	Lys	Pro	Pro	Ala	Cys	Leu	Lys	Ile	Glu	Thr	Ser
	1090					1095					1100				
Asp	Asp	Asp	Glu	Gln	Glu	Gln	Lys	Lys	Ala	Thr	Glu	Met	Cys	Lys	Ser
1105				1110						1115					112
Thr	Phe	Phe	Asp	Phe	Phe	Phe	Asp	Phe	Pro	Tyr	Ile	Asn	Arg	Thr	Gly
			1125						1130					1135	
Lys	Arg	Gly	Ser	Val	Ala	Val	Ala	Met	Asn	His	Asp	Asp	Met	Tyr	Ile
		1140						1145				1150			
Asp	Pro	Ser	Glu	Glu	Leu	Asp	Thr	Gln	Thr	Arg	Gln	Lys	Ser	Ser	Arg
	1155						1160					1165			
Glu	Phe	Ser	Ser	Ser	Arg	Asn	Val	Thr	Val	Gln	Val	Tyr	Thr	Gln	Arg
	1170					1175					1180				
Pro	Leu	Ser	Trp	Lys	Lys	Lys	Ile	Met	Glu	Phe	Tyr	Lys	Ala	Pro	Ile
1185				1190						1195					120
Thr	Thr	Tyr	Trp	Leu	Trp	Phe	Phe	Ala	Phe	Ile	Trp	Phe	Leu	Ile	Leu
			1205						1210					1215	
Leu	Thr	Tyr	Asn	Leu	Leu	Val	Lys	Thr	Gln	Arg	Ile	Ala	Ser	Trp	Ser
	1220							1225				1230			
Glu	Trp	Tyr	Val	Phe	Ala	Tyr	Ile	Phe	Val	Trp	Thr	Leu	Glu	Ile	Gly
	1235						1240					1245			
Arg	Lys	Val	Val	Ser	Thr	Ile	Met	Met	Asp	Thr	Ser	Lys	Pro	Val	Leu
	1250					1255					1260				
Lys	Gln	Leu	Arg	Val	Phe	Phe	Phe	Gln	Tyr	Arg	Asn	Gly	Leu	Leu	Ala
1265				1270						1275					128
Phe	Gly	Leu	Leu	Thr	Tyr	Leu	Ile	Ala	Tyr	Phe	Ile	Arg	Leu	Ser	Pro

[illegible]

-22-

	1765		1770		1775
Glu Asp Asp Phe Tyr Ala Asp Ser		Pro Val Pro Met Pro Met Thr Pro			
	1780		1785		1790
Val Gln Pro Ala Asp Gly Ser Phe		Phe Gly Glu Asn Asp Ser Arg Tyr			
	1795		1800		1805
Gln Arg Asp Asp Ser Asp Tyr Glu					
	1810		1815		

<210> 14
 <211> 1387
 <212> PRT
 <213> C. Elegans

<400> 14

Met Arg Lys Ser Arg Arg Val Arg Lys	Leu Val Arg His Ala Ser Leu
1	15
Ile Glu Asn Ile Arg His Arg Thr Ser	Ser Phe Leu Arg Leu Leu Asn
	20
Ala Pro Arg Asn Ser Met Cys Asn Ala	Asn Thr Val His Ser Ile Ser
	35
Ser Phe Arg Ser Asp His Leu Ser Arg	Lys Ser Thr His Lys Phe Leu
	50
Asp Asn Pro Asn Leu Phe Ala Ile Glu	Leu Thr Glu Lys Leu Ser Pro
	65
Pro Trp Ile Glu Asn Thr Phe Glu Lys	Arg Glu Cys Ile Arg Phe Ala
	80
	85
Ala Leu Pro Lys Asp Pro Glu Arg Cys	Gly Cys Gly Arg Pro Leu Ser
	100
Ala His Thr Pro Ala Ser Thr Phe Ser	Thr Leu Pro Val His Leu
	115
Leu Glu Lys Glu Gln Gln Thr Trp Thr	Ile Ala Asn Asn Thr Gln Thr
	130
Ser Thr Thr Asp Ala Phe Gly Thr Ile	Val Phe Gln Gly Gly Ala His
	145
Ala His Lys Ala Gln Tyr Val Arg Leu	Ser Tyr Asp Ser Glu Pro Leu
	160
	165
Asp Val Met Tyr Leu Met Glu Lys Val	Trp Gly Leu Glu Ala Pro Arg
	180
Leu Val Ile Thr Val His Gly Gly Met	Ser Asn Phe Glu Leu Glu Glu
	195
Arg Leu Gly Arg Leu Phe Arg Lys Gly	Met Leu Lys Ala Ala Gln Thr
	210
Thr Gly Ala Trp Ile Ile Thr Ser Gly	Leu Asp Ser Gly Val Val Arg
	225
His Val Ala Lys Ala Leu Asp Glu Ala	Gly Ile Ser Ala Arg Met Arg
	240
	245
Ser Gln Ile Val Thr Ile Gly Ile Ala	Pro Trp Gly Val Ile Lys Arg
	260
Lys Glu Arg Leu Ile Arg Gln Asn Glu	His Val Tyr Tyr Asp Val His
	275
Ser Leu Ser Val Asn Ala Asn Val Gly	Ile Leu Asn Asp Arg His Ser
	290
Tyr Phe Leu Leu Ala Asp Asn Gly Thr	Val Gly Arg Phe Gly Ala Asp
	305
Leu His Leu Arg Gln Asn Leu Glu Asn	His Ile Ala Thr Phe Gly Cys
	320
	325
Asn Gly Arg Lys Val Pro Val Val Cys	Thr Leu Leu Glu Gly Gly Ile
	340
Ser Ser Ile Asn Ala Ile His Asp Tyr	Val Thr Met Lys Pro Asp Ile
	355
	360
	365

-23-

Pro Ala Ile Val Cys Asp Gly Ser Gly Arg Ala Ala Asp Ile Ile Ser
 370 375 380
 Phe Ala Ala Arg Tyr Ile Asn Ser Asp Gly Thr Phe Ala Ala Glu Val
 385 390 395 400
 Gly Glu Lys Leu Arg Asn Leu Ile Lys Met Val Phe Pro Glu Thr Asp
 405 410 415
 Gln Glu Glu Met Phe Arg Lys Ile Thr Glu Cys Val Ile Arg Asp Asp
 420 425 430
 Leu Leu Arg Ile Phe Arg Tyr Gly Gln Glu Glu Glu Glu Asp Val Asp
 435 440 445
 Phe Val Ile Leu Ser Thr Val Leu Gln Lys Gln Asn Leu Pro Pro Asp
 450 455 460
 Glu Gln Leu Ala Leu Thr Leu Ser Trp Asn Arg Val Asp Leu Ala Lys
 465 470 475 480
 Ser Cys Leu Phe Ser Asn Gly Arg Lys Trp Ser Ser Asp Val Leu Glu
 485 490 495
 Lys Ala Met Asn Asp Ala Leu Tyr Trp Asp Arg Val Asp Phe Val Glu
 500 505 510
 Cys Leu Leu Glu Asn Gly Val Ser Met Lys Asn Phe Leu Ser Ile Asn
 515 520 525
 Arg Leu Glu Asn Leu Tyr Asn Met Asp Asp Ile Asn Ser Ala His Ser
 530 535 540
 Val Arg Asn Trp Met Glu Asn Phe Asp Ser Met Asp Pro His Thr Tyr
 545 550 555 560
 Leu Thr Ile Pro Met Ile Gly Gln Val Val Glu Lys Leu Met Gly Asn
 565 570 575
 Ala Phe Gln Leu Tyr Tyr Thr Ser Arg Ser Phe Lys Gly Lys Tyr Asp
 580 585 590
 Arg Tyr Lys Arg Ile Asn Gln Ser Ser Tyr Phe His Arg Lys Arg Lys
 595 600 605
 Ile Val Gln Lys Glu Leu Phe Lys Lys Lys Ser Asp Asp Gln Ile Asn
 610 615 620
 Asp Asn Glu Glu Glu Asp Phe Ser Phe Ala Tyr Pro Phe Asn Asp Leu
 625 630 635 640
 Leu Ile Trp Ala Val Leu Thr Ser Arg His Gly Met Ala Glu Cys Met
 645 650 655
 Trp Val His Gly Glu Asp Ala Met Ala Lys Cys Leu Leu Ala Ile Arg
 660 665 670
 Leu Tyr Lys Ala Thr Ala Lys Ile Ala Glu Asp Glu Tyr Leu Asp Val
 675 680 685
 Glu Glu Ala Lys Arg Leu Phe Asp Asn Ala Val Lys Cys Arg Glu Asp
 690 695 700
 Ala Ile Glu Leu Leu Asp Gln Cys Tyr Arg Ala Asp His Asp Arg Thr
 705 710 715 720
 Leu Arg Leu Leu Arg Met Glu Leu Pro His Trp Gly Asn Asn Asn Cys
 725 730 735
 Leu Ser Leu Ala Val Leu Ala Asn Thr Lys Thr Phe Leu Ala His Pro
 740 745 750
 Cys Cys Gln Ile Leu Leu Ala Glu Leu Trp His Gly Ser Leu Lys Val
 755 760 765
 Arg Ser Gly Ser Asn Val Arg Val Leu Thr Ala Leu Ile Cys Pro Pro
 770 775 780
 Ala Ile Leu Phe Met Ala Tyr Lys Pro Lys His Ser Lys Thr Ala Arg
 785 790 795 800
 Leu Leu Ser Glu Glu Thr Pro Glu Gln Leu Pro Tyr Pro Arg Glu Ser
 805 810 815
 Ile Thr Ser Thr Thr Ser Asn Arg Tyr Arg Tyr Ser Lys Gly Pro Glu
 820 825 830
 Glu Gln Lys Glu Thr Leu Leu Glu Lys Gly Ser Tyr Thr Lys Lys Val
 835 840 845

-24-

Thr Ile Ile Ser Ser Arg Lys Asn Ser Gly Val Ala Ser Val Tyr Gly
 850 855 860
 Ser Ala Ser Ser Met Met Phe Lys Arg Glu Pro Gln Leu Asn Lys Phe
 865 870 875 880
 Glu Arg Phe Arg Ala Phe Tyr Ser Ser Pro Ile Thr Lys Phe Trp Ser
 885 890 895
 Trp Cys Ile Ala Phe Leu Ile Phe Leu Thr Thr Gln Thr Cys Ile Leu
 900 905 910
 Leu Leu Glu Thr Ser Leu Lys Pro Ser Lys Tyr Glu Trp Ile Thr Phe
 915 920 925
 Ile Tyr Thr Val Thr Leu Ser Val Glu His Ile Arg Lys Leu Met Thr
 930 935 940
 Ser Glu Gly Ser Arg Ile Asn Glu Lys Val Lys Val Phe Tyr Ala Lys
 945 950 955 960
 Trp Tyr Asn Ile Trp Thr Ser Ala Ala Leu Leu Phe Phe Leu Val Gly
 965 970 975
 Tyr Gly Phe Arg Leu Val Pro Met Tyr Arg His Ser Trp Gly Arg Val
 980 985 990
 Leu Leu Ser Phe Ser Asn Val Leu Phe Tyr Met Lys Ile Phe Glu Tyr
 995 1000 1005
 Leu Ser Val His Pro Leu Leu Gly Pro Tyr Ile Gln Met Ala Ala Lys
 1010 1015 1020
 Met Val Trp Ser Met Cys Tyr Ile Cys Val Leu Leu Leu Val Pro Leu
 1025 1030 1035 104
 Met Ala Phe Gly Val Asn Arg Gln Ala Leu Thr Glu Pro Asn Val Lys
 1045 1050 1055
 Asp Trp His Trp Leu Leu Val Arg Asn Ile Phe Tyr Lys Pro Tyr Phe
 1060 1065 1070
 Met Leu Tyr Gly Glu Val Tyr Ala Gly Glu Ile Asp Thr Cys Gly Asp
 1075 1080 1085
 Glu Gly Ile Arg Cys Phe Pro Gly Tyr Phe Ile Pro Pro Leu Leu Met
 1090 1095 1100
 Val Ile Phe Leu Leu Val Ala Asn Ile Leu Leu Leu Asn Leu Leu Ile
 1105 1110 1115 112
 Ala Ile Phe Asn Asn Ile Tyr Asn Asp Ser Ile Glu Lys Ser Lys Glu
 1125 1130 1135
 Ile Trp Leu Phe Gln Arg Tyr Gln Gln Leu Met Glu Tyr His Asp Ser
 1140 1145 1150
 Pro Phe Leu Pro Pro Pro Phe Ser Ile Phe Ala His Val Tyr His Phe
 1155 1160 1165
 Ile Asp Tyr Leu Tyr Asn Leu Arg Arg Pro Asp Thr Lys Arg Phe Arg
 1170 1175 1180
 Ser Glu His Ser Ile Lys Leu Ser Val Thr Glu Asp Glu Met Lys Arg
 1185 1190 1195 120
 Ile Gln Asp Phe Glu Glu Asp Cys Ile Asp Thr Leu Thr Arg Ile Arg
 1205 1210 1215
 Lys Leu Lys Leu Asn Thr Lys Glu Pro Leu Ser Val Thr Asp Leu Thr
 1220 1225 1230
 Glu Leu Thr Cys Gln Arg Val His Asp Leu Met Gln Glu Asn Phe Leu
 1235 1240 1245
 Leu Lys Ser Arg Val Tyr Asp Ile Glu Thr Lys Ile Asp His Ile Ser
 1250 1255 1260
 Asn Ser Ser Asp Glu Val Val Gln Ile Leu Lys Asn Lys Lys Leu Ser
 1265 1270 1275 128
 Gln Asn Phe Ala Ala Ser Ser Leu Ser Leu Pro Asp Thr Ser Ile Glu
 1285 1290 1295
 Val Pro Lys Ile Thr Lys Thr Leu Ile Asp Cys His Leu Ser Pro Val
 1300 1305 1310
 Ser Ile Glu Asp Arg Leu Ala Thr Arg Ser Pro Leu Leu Ala Asn Leu
 1315 1320 1325

-25-

Gln Arg Asp His Thr Leu Arg Lys Leu Pro Thr Trp Glu Thr Ser Thr
 1330 1335 1340
 Ala Ser Thr Ser Ser Phe Glu Phe Val Phe Tyr Phe Thr Arg His Glu
 1345 1350 1355 136
 Gly Asn Glu Asn Lys Tyr Glu Phe Lys Lys Leu Glu Lys Gly Gly Phe
 1365 1370 1375
 Trp Arg Asn Asn Tyr Val Ile Ser Trp Arg Leu
 1380 1385

<210> 15

<211> 1868

<212> PRT

<213> C. Elegans

<400> 15

Met Asn Leu Cys Tyr Arg Arg His Arg Tyr Ala Ser Ser Pro Glu Val
 1 5 10 15
 Trp Cys Thr Met Glu Ser Asp Glu Leu Gly Val Thr Arg Tyr Leu Gln
 20 25 30
 Ser Lys Gly Gly Asp Gln Val Pro Thr Ser Thr Thr Gly Gly
 35 40 45
 Ala Gly Gly Asp Gly Asn Ala Val Pro Thr Thr Ser Gln Ala Gln Ala
 50 55 60
 Gln Thr Phe Asn Ser Gly Arg Gln Thr Thr Gly Met Ser Ser Gly Asp
 65 70 75 80
 Arg Leu Asn Glu Asp Val Ser Ala Thr Ala Asn Ser Ala Gln Leu Val
 85 90 95
 Leu Pro Thr Pro Leu Phe Asn Gln Met Arg Phe Thr Glu Ser Asn Met
 100 105 110
 Ser Leu Asn Arg His Asn Trp Val Arg Glu Thr Phe Thr Arg Arg Glu
 115 120 125
 Cys Ser Arg Phe Ile Ala Ser Ser Arg Asp Leu His Lys Cys Gly Cys
 130 135 140
 Gly Arg Thr Arg Asp Ala His Arg Asn Ile Pro Glu Leu Thr Ser Glu
 145 150 155 160
 Phe Leu Arg Gln Lys Arg Ser Val Ala Ala Leu Glu Gln Gln Arg Ser
 165 170 175
 Ile Ser Asn Val Asn Asp Asp Ile Asn Thr Gln Asn Met Tyr Thr Lys
 180 185 190
 Arg Gly Ala Asn Glu Lys Trp Ser Leu Arg Lys His Thr Val Ser Leu
 195 200 205
 Ala Thr Asn Ala Phe Gly Gln Val Glu Phe Gln Gly Gly Pro His Pro
 210 215 220
 Tyr Lys Ala Gln Tyr Val Arg Val Asn Phe Asp Thr Glu Pro Ala Tyr
 225 230 235 240
 Ile Met Ser Leu Phe Glu His Val Trp Gln Ile Ser Pro Pro Arg Leu
 245 250 255
 Ile Ile Thr Val His Gly Gly Thr Ser Asn Phe Asp Leu Gln Pro Lys
 260 265 270
 Leu Ala Arg Val Phe Arg Lys Gly Leu Leu Lys Ala Ala Ser Thr Thr
 275 280 285
 Gly Ala Trp Ile Ile Thr Ser Gly Cys Asp Thr Gly Val Val Lys His
 290 295 300
 Val Ala Ala Ala Leu Glu Gly Ala Gln Ser Ala Gln Arg Asn Lys Ile
 305 310 315 320
 Val Cys Ile Gly Ile Ala Pro Trp Gly Leu Lys Lys Arg Glu Asp
 325 330 335
 Phe Ile Gly Gln Asp Lys Thr Val Pro Tyr Tyr Pro Ser Ser Ser Lys
 340 345 350
 Gly Arg Phe Thr Gly Leu Asn Asn Arg His Ser Tyr Phe Leu Leu Val

355	360	365
Asp Asn Gly Thr Val Gly Arg Tyr Gly Ala Glu Val Ile Leu Arg Lys		
370	375	380
Arg Leu Glu Met Tyr Ile Ser Gln Lys Gln Lys Ile Phe Gly Gly Thr		
385	390	395
Arg Ser Val Pro Val Val Cys Val Val Leu Glu Gly Gly Ser Cys Thr		
405	410	415
Ile Arg Ser Val Leu Asp Tyr Val Thr Asn Val Pro Arg Val Pro Val		
420	425	430
Val Val Cys Asp Gly Ser Gly Arg Ala Ala Asp Leu Leu Ala Phe Ala		
435	440	445
His Gln Asn Val Thr Glu Asp Gly Leu Leu Pro Asp Asp Ile Arg Arg		
450	455	460
Gln Val Leu Leu Leu Val Glu Thr Thr Phe Gly Cys Ser Glu Ala Ala		
465	470	475
Ala His Arg Leu Leu His Glu Leu Thr Val Cys Ala Gln His Lys Asn		
485	490	495
Leu Leu Thr Ile Phe Arg Leu Gly Glu Gln Gly Glu His Asp Val Asp		
500	505	510
His Ala Ile Leu Thr Ala Leu Leu Lys Gly Gln Asn Leu Ser Ala Ala		
515	520	525
Asp Gln Leu Ala Leu Ala Leu Ala Trp Asn Arg Val Asp Ile Ala Arg		
530	535	540
Ser Asp Val Phe Ala Met Gly His Glu Trp Pro Gln Ala Ala Leu His		
545	550	555
Asn Ala Met Met Glu Ala Leu Ile His Asp Arg Val Asp Phe Val Arg		
565	570	575
Leu Leu Leu Glu Gln Gly Ile Asn Met Gln Lys Phe Leu Thr Ile Ser		
580	585	590
Arg Leu Asp Glu Leu Tyr Asn Thr Asp Lys Gly Pro Pro Asn Thr Leu		
595	600	605
Phe Tyr Ile Val Arg Asp Val Val Arg Val Arg Gln Gly Tyr Arg Phe		
610	615	620
Lys Leu Pro Asp Ile Gly Leu Val Ile Glu Lys Leu Met Gly Asn Ser		
625	630	635
Tyr Gln Cys Ser Tyr Thr Thr Ser Glu Phe Arg Asp Lys Tyr Lys Gln		
645	650	655
Arg Met Lys Arg Val Lys His Ala Gln Lys Lys Ala Met Gly Val Phe		
660	665	670
Ser Ser Arg Pro Ser Arg Thr Gly Ser Gly Ile Ala Ser Arg Gln Ser		
675	680	685
Thr Glu Gly Met Gly Gly Val Gly Gly Gly Ser Ser Val Ala Gly Val		
690	695	700
Phe Gly Asn Ser Phe Gly Asn Gln Asp Pro Pro Leu Asp Pro His Val		
705	710	715
Asn Arg Ser Ala Leu Ser Gly Ser Arg Ala Leu Ser Asn His Ile Leu		
725	730	735
Trp Arg Ser Ala Phe Arg Gly Asn Phe Pro Ala Asn Pro Met Arg Pro		
740	745	750
Pro Asn Leu Gly Asp Ser Arg Asp Cys Gly Ser Glu Phe Asp Glu Glu		
755	760	765
Leu Ser Leu Thr Ser Ala Ser Asp Gly Ser Gln Thr Glu Pro Asp Phe		
770	775	780
Arg Tyr Pro Tyr Ser Glu Leu Met Ile Trp Ala Val Leu Thr Lys Arg		
785	790	795
Gln Asp Met Ala Met Cys Met Trp Gln His Gly Glu Glu Ala Met Ala		
805	810	815
Lys Ala Leu Val Ala Cys Arg Leu Tyr Lys Ser Leu Ala Thr Glu Ala		
820	825	830
Ala Glu Asp Tyr Leu Glu Val Glu Ile Cys Glu Glu Leu Lys Lys Tyr		

-27-

835	84C	845
Ala Glu Glu Phe Arg Ile Leu Ser Leu Glu Leu Leu Asp His Cys Tyr		
850	855	860
His Val Asp Asp Ala Gln Thr Leu Gln Leu Leu Thr Tyr Glu Leu Ser		
865	870	875
Asn Trp Ser Asn Glu Thr Cys Leu Ala Leu Ala Val Ile Val Asn Asn		
	885	890
Lys His Phe Leu Ala His Pro Cys Cys Gln Ile Leu Leu Ala Asp Leu		
	900	905
Trp His Gly Gly Leu Arg Met Arg Thr His Ser Asn Ile Lys Val Val		
	915	920
Leu Gly Leu Ile Cys Pro Pro Phe Ile Gln Met Leu Glu Phe Lys Thr		
	930	935
Arg Glu Glu Leu Leu Asn Gln Pro Gln Thr Ala Ala Glu His Gln Asn		
945	950	955
Asp Met Asn Tyr Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser		
	965	970
Ser Ser Ser Ser Ser Asp Ser Ser Ser Phe Glu Asp Asp Asp Asp Glu		
	980	985
Asn Asn Ala His Asn His Asp Gln Lys Arg Thr Arg Lys Thr Ser Gln		
	995	1000
Gly Ser Ala Gln Ser Leu Asn Ile Thr Ser Leu Phe His Ser Arg Arg		
	1010	1015
Arg Lys Ala Lys Lys Asn Glu Lys Cys Asp Arg Glu Thr Asp Ala Ser		
1025	1030	1035
Ala Cys Glu Ala Gly Asn Arg Gln Ile Gln Asn Gly Gly Leu Thr Ala		
	1045	1050
Glu Tyr Gly Thr Phe Gly Glu Ser Asn Gly Val Ser Pro Pro Pro Pro		
	1060	1065
Tyr Met Arg Ala Asn Ser Arg Ser Arg Tyr Asn Asn Arg Ser Asp Met		
	1075	1080
Ser Lys Thr Ser Ser Val Ile Phe Gly Ser Asp Pro Asn Leu Ser Lys		
	1090	1095
Leu Gln Lys Ser Asn Ile Thr Ser Thr Asp Arg Pro Asn Pro Met Glu		
1105	1110	1115
Gln Phe Gln Gly Thr Arg Lys Ile Lys Met Arg Arg Arg Phe Tyr Glu		
	1125	1130
Phe Tyr Ser Ala Pro Ile Ser Thr Phe Trp Ser Trp Thr Ile Ser Phe		
	1140	1145
Ile Leu Phe Ile Thr Phe Phe Thr Tyr Thr Leu Leu Val Lys Thr Pro		
	1155	1160
Pro Arg Pro Thr Val Ile Glu Tyr Ile Leu Ile Ala Tyr Val Ala Ala		
	1170	1175
Phe Gly Leu Glu Gln Val Arg Lys Ile Ile Met Ser Asp Ala Lys Pro		
1185	1190	1195
Phe Tyr Glu Lys Ile Arg Thr Tyr Val Cys Ser Phe Trp Asn Cys Val		
	1205	1210
Thr Ile Leu Ala Ile Ile Phe Tyr Ile Val Gly Phe Phe Met Arg Cys		
	1220	1225
Phe Gly Ser Val Ala Tyr Gly Arg Val Ile Leu Ala Cys Asp Ser Val		
	1235	1240
Leu Trp Thr Met Lys Leu Leu Asp Tyr Met Ser Val His Pro Lys Leu		
	1250	1255
Gly Pro Tyr Val Thr Met Ala Gly Lys Met Ile Gln Asn Met Ser Tyr		
1265	1270	1275
Ile Ile Val Met Leu Val Val Thr Leu Leu Ser Phe Gly Leu Ala Arg		
	1285	1290
Gln Ser Ile Thr Tyr Pro Asp Glu Thr Trp His Trp Ile Leu Val Arg		
	1300	1305
Asn Ile Phe Leu Lys Pro Tyr Phe Met Leu Tyr Gly Glu Val Tyr Ala		

-28-

1315	1320	1325
Asp Glu Ile Asp Thr Cys Gly Asp Glu Ala Trp Asp Gln His Leu Glu		
1330	1335	1340
Asn Gly Gly Pro Val Ile Leu Gly Asn Gly Thr Thr Gly Leu Ser Cys		
1345	1350	1355
Val Pro Gly Tyr Trp Ile Pro Pro Leu Leu Met Thr Phe Phe Leu Leu		
1365	1370	1375
Ile Ala Asn Ile Leu Leu Met Ser Met Leu Ile Ala Ile Phe Asn His		
1380	1385	1390
Ile Phe Asp Ala Thr Asp Glu Met Ser Gln Gln Ile Trp Leu Phe Gln		
1395	1400	1405
Arg Tyr Lys Gln Val Met Glu Tyr Glu Ser Thr Pro Phe Leu Pro Pro		
1410	1415	1420
Pro Leu Thr Pro Leu Tyr His Gly Val Leu Ile Leu Gln Phe Val Arg		
1425	1430	1435
Thr Arg Leu Ser Cys Ser Lys Ser Gln Glu Arg Asn Pro Ile Leu Leu		
1445	1450	1455
Leu Lys Ile Ala Glu Leu Phe Leu Asp Asn Asp Gln Ile Glu Lys Leu		
1460	1465	1470
His Asp Phe Glu Glu Asp Cys Met Glu Asp Leu Ala Arg Gln Lys Leu		
1475	1480	1485
Asn Glu Lys Asn Thr Ser Asn Glu Gln Arg Ile Leu Arg Ala Asp Ile		
1490	1495	1500
Arg Thr Asp Gln Ile Leu Asn Arg Leu Ile Asp Leu Gln Ala Lys Glu		
1505	1510	1515
Ser Met Gly Arg Asp Val Ile Asn Asp Val Glu Ser Arg Leu Ala Ser		
1525	1530	1535
Val Glu Lys Ala Gln Asn Glu Ile Leu Glu Cys Val Arg Ala Leu Leu		
1540	1545	1550
Asn Gln Asn Asn Ala Pro Thr Ala Ile Gly Arg Cys Phe Ser Pro Ser		
1555	1560	1565
Pro Asp Pro Leu Val Glu Thr Ala Asn Gly Thr Pro Gly Pro Leu Leu		
1570	1575	1580
Leu Lys Leu Pro Gly Thr Asp Pro Ile Leu Glu Glu Lys Asp His Asp		
1585	1590	1595
Ser Gly Glu Asn Ser Asn Ser Leu Pro Pro Gly Arg Ile Arg Arg Asn		
1605	1610	1615
Arg Thr Ala Thr Ile Cys Gly Gly Tyr Val Ser Glu Glu Arg Asn Met		
1620	1625	1630
Met Leu Leu Ser Pro Lys Pro Ser Asp Val Ser Gly Ile Pro Gln Gln		
1635	1640	1645
Arg Leu Met Ser Val Thr Ser Met Asp Pro Leu Pro Leu Pro Leu Ala		
1650	1655	1660
Lys Leu Ser Thr Met Ser Ile Arg Arg Arg His Glu Glu Tyr Thr Ser		
1665	1670	1675
Ile Thr Asp Ser Ile Ala Ile Arg His Pro Glu Arg Arg Ile Arg Asn		
1685	1690	1695
Asn Arg Ser Asn Ser Ser Glu His Asp Glu Ser Ala Val Asp Ser Glu		
1700	1705	1710
Gly Gly Gly Asn Val Thr Ser Ser Pro Arg Lys Arg Ser Thr Arg Asp		
1715	1720	1725
Leu Arg Met Thr Pro Ser Ser Gln Val Glu Glu Ser Thr Ser Arg Asp		
1730	1735	1740
Gln Ile Phe Glu Ile Asp His Pro Glu His Glu Glu Asp Glu Ala Gln		
1745	1750	1755
Ala Asp Cys Glu Leu Thr Asp Val Ile Thr Glu Glu Glu Asp Glu Glu		
1765	1770	1775
Glu Asp Asp Glu Glu Asp Asp Ser His Glu Arg His His Ile His Pro		
1780	1785	1790
Arg Arg Lys Ser Ser Arg Gln Asn Arg Gln Pro Ser His Thr Leu Glu		

-29-

1795 1800 1805
 Thr Asp Leu Ser Glu Gly Glu Glu Val Asp Pro Leu Asp Val Leu Lys
 1810 1815 1820
 Met Lys Glu Leu Pro Ile Ile His Gln Ile Leu Asn Glu Glu Glu Gln
 1825 1830 1835 184
 Ala Gly Ala Pro His Ser Thr Pro Val Ile Ala Ser Pro Ser Ser Ser
 1845 1850 1855
 Arg Ala Asp Leu Thr Ser Gln Lys Cys Ser Asp Val
 1860 1865

<210> 16
 <211> 489
 <212> DNA
 <213> Mus Musculus

<400> 16
 ccctgaaaga ctcgacttct gctgctagcg ctggagctga gttagttttg agaaggtttc 60
 ccggggctgt ccttggttcg tggcccgtag caccgcctcc ggagacgctt tccgatagat 120
 ggctgcaggc cgcggaggtg gaggaggagc cgctgccctt ccggagtcg ccccgtagg 180
 agaatgtccc agaaatcctg gatagagagc actttgacca agagggagtg tgtatatatt 240
 ataccaagct ccaaagaccc tcacagatgt cttccaggat gtcagatttg tcagcaactt 300
 gtcagatgtt tctgtggtcg tttggtcaag caacatgcat gctttactgc aagtcttgcc 360
 atgaaatact cagatgtgaa attgggtgaa cactttaacc aggcaataga agaatggtct 420
 gtggaaaagc acacggagca gagcccaaca gatgcttatg gagtcatcaa ttttcaaggg 480
 ggttctcat 489

<210> 17
 <211> 102
 <212> PRT
 <213> Mus Musculus

<400> 17
 Met Ser Gln Lys Ser Trp Ile Glu Ser Thr Leu Thr Lys Arg Glu Cys
 1 5 10 15
 Val Tyr Ile Ile Pro Ser Ser Lys Asp Pro His Arg Cys Leu Pro Gly
 20 25 30
 Cys Gln Ile Cys Gln Gln Leu Val Arg Cys Phe Cys Gly Arg Leu Val
 35 40 45
 Lys Gln His Ala Cys Phe Thr Ala Ser Leu Ala Met Lys Tyr Ser Asp
 50 55 60
 Val Lys Leu Gly Glu His Phe Asn Gln Ala Ile Glu Glu Trp Ser Val
 65 70 75 80
 Glu Lys His Thr Glu Gln Ser Pro Thr Asp Ala Tyr Gly Val Ile Asn
 85 90 95
 Phe Gln Gly Gly Ser His
 100

<210> 18
 <211> 410
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> unsure
 <222> (6)...(6)

<221> unsure
 <222> (58)...(58)

<221> unsure

-30-

<222> (89)...(89)

<221> unsure

<222> (406)...(406)

<400> 18

gccgcnggag	cctgagcggga	gggtgtgcgc	agcctcgcca	gcggggggccc	cgggctgngc	60
cattgcctca	ctgagccagc	gcctgcctnc	tacctcgccg	acagctggaa	ccagtgcgac	120
ctagtggctc	tcacctgctt	cctcctgggc	gtgggctgcc	ggctgacccc	gggtttgtac	180
cacctggggc	gcactgtcct	ctgcatcgac	ttcatggttt	tcacgggtcg	gctgcttcac	240
atcttcacgg	tcaacaaaca	gctggggccc	aagatcgta	tcgtgagcaa	gatgatgaag	300
gacgtgttct	tcttcctctt	cttcctcggc	gtgtggctgg	tagctatggg	ttggggccacg	360
gaggggttcc	tgaggccacg	ggacagtgc	ttcccaagta	tcctgncgcc		410

<210> 19

<211> 131

<212> PRT

<213> Homo Sapiens

<220>

<221> UNSURE

<222> (15)...(15)

<223> UNKNOWN

<221> UNSURE

<222> (25)...(25)

<223> UNKNOWN

<221> UNSURE

<222> (131)...(131)

<223> UNKNOWN

<400> 19

Ala	Glu	Gly	Val	Arg	Ser	Leu	Ala	Ser	Gly	Gly	Pro	Gly	Leu	Xaa	His
1				5					10					15	
Cys	Leu	Thr	Glu	Pro	Ala	Pro	Ala	Xaa	Tyr	Leu	Ala	Asp	Ser	Trp	Asn
			20					25					30		
Gln	Cys	Asp	Leu	Val	Ala	Leu	Thr	Cys	Phe	Leu	Leu	Gly	Val	Gly	Cys
		35					40					45			
Arg	Leu	Thr	Pro	Gly	Leu	Tyr	His	Leu	Gly	Arg	Thr	Val	Leu	Cys	Ile
	50					55					60				
Asp	Phe	Met	Val	Phe	Thr	Val	Arg	Leu	Leu	His	Ile	Phe	Thr	Val	Asn
65					70					75					80
Lys	Gln	Leu	Gly	Pro	Lys	Ile	Val	Ile	Val	Ser	Lys	Met	Met	Lys	Asp
				85					90					95	
Val	Phe	Phe	Phe	Leu	Phe	Phe	Leu	Gly	Val	Trp	Leu	Val	Ala	Met	Gly
			100					105					110		
Trp	Ala	Thr	Glu	Gly	Phe	Leu	Arg	Pro	Arg	Asp	Ser	Asp	Phe	Pro	Ser
		115					120					125			
Ile	Leu	Xaa													
			130												

<210> 20

<211> 389

<212> DNA

<213> Homo Sapiens

<400> 20

caaatttttt	gttagtacac	catctcatcc	aaattgcaaa	agtcacatgg	aaactggaac	60
caaagatcaa	gaaactgttt	gctctaaagc	tacagaagga	gataatacag	aatttgagc	120

-31-

atttgtagga	cacagagata	gcatggattt	acagagggtt	aaagaaacat	caaacaagat	180
aaaaatacta	tccaataaca	atacttctga	aaacactttg	aaacgagtga	gttctcttgc	240
tggatttact	gactgtcaca	gaacttccat	tcctgttcat	tcaaaacgag	aaaagatcag	300
tagaaggcca	tctaccgaag	acactcatga	agtagattcc	aaagcagctt	taataccggt	360
ttgtagattt	caactaaaca	gatatatat				389

<210> 21

<211> 415

<212> DNA

<213> Homo Sapiens

<400> 21

atttctagtt	tttcaaattt	gccagtcctt	ttgaatagta	tctccttctt	ttctcatggt	60
ttatatattaa	aactttttta	tgtccatcat	cactttaaac	atacttattt	tgtcatctat	120
aaccaataat	tccactatct	tatcagaaat	caaataccgt	ttatgtaagt	tgactcccat	180
gagttctaaa	ttgccattgt	gaggtcatct	tcggttaggc	tttaatttgt	tgcaaagttg	240
tgcagctcag	ggtcaggaag	agtccctcca	gaaaggagga	tttgttactg	tgaatctctt	300
tgttactaa	cctctttccc	cactgaaata	acttttttca	ataacatgat	tttaacaaca	360
taatctctct	atgccagaac	agatatatat	gaatgtaagt	caatattttc	ttgag	415

<210> 22

<211> 405

<212> DNA

<213> Mus Musculus

<400> 22

ttattatggc	ttatcatgaa	aaaccagtcc	tgcctcctcc	tcttatcatc	ctcagccata	60
tagtttctact	gttttgctgt	gtatgcaaaa	gaagaaagaa	agataagact	tccgatgggc	120
caaaactttt	cttaacagaa	gaagatcaaa	agaaactcca	tgattttgaa	gagcagtgtg	180
ttgagatgta	ctttgatgag	aaagatgaca	aattcaatc	tgggagtga	gagagaatcc	240
gggtcacttt	tgaaagagt	gagcagatga	gcattcagat	taaagaagtt	ggagatcgtg	300
tcaactacat	aaaaagatca	ttacagtctt	tagattctca	aattgggtcat	ctgcaagatc	360
tctcagccct	aacagtagat	acattgaaaa	cacttacagc	ccaga		405

<210> 23

<211> 5117

<212> DNA

<213> Homo Sapiens

<220>

<221> unsure

<222> (2382)... (2382)

<223> unknown

<221> unsure

<222> (4664)... (4664)

<223> unknown

<221> unsure

<222> (4682)... (4682)

<223> unknown

<221> unsure

<222> (4702)... (4702)

<223> unknown

<221> unsure

<222> (5038)... (5039)

<223> unknown

<221> unsure
 <222> (5056) ... (5056)
 <223> unknown

<221> unsure
 <222> (5071) ... (5072)

<400> 23

gatggcaaca	tggtgaagaa	tcaatggcta	aagcattagt	tgctgtgaag	atctatcggt	60
caatggcata	tgaagcaaag	cagagtgacc	tggtagatga	tacttcagaa	gaactaaaac	120
agtattccaa	tgatttttgt	cagttggccg	ttgaattatt	agaacagtc	ttcagacaag	180
atgaaacat	ggctatgaaa	ttgctcactt	atgaactgaa	gaactggagt	aattcaacct	240
gccttaagtt	agcagtttct	tcaagactta	gaccttttgt	agctcacacc	tgtacacaaa	300
tggtgttatc	tgatatgtgg	atgggaaggc	tgaatatgag	gaaaaattcc	tggtacaagg	360
tcatactaag	cattttagtt	ccacctgcca	tattgctggt	agagtataaa	actaaggctg	420
aaatgtccca	tatcccacaa	tctcaagatg	ctcatcagat	gacaatggat	gacagcgaaa	480
acaactttca	gaacataaca	gaagagatcc	ccatggaagt	gtttaagaa	gtacggattt	540
tggtatgtaa	tgaaggaaa	aatgagatgg	agatacaaat	gaaatcaaaa	aagcttccaa	600
ttacgcgaaa	gttttatgcc	ttttatcatg	caccaattgt	aaaattctgg	tttaacacgt	660
tggtcatatt	aggatttctg	atgctttata	catttgtggt	tcttgtacaa	atggaacagt	720
taccttcagt	tcaagaatgg	attgttattg	cttatatttt	tacttatgcc	attgagaaa	780
tcctgtgagt	ctttatgtct	gaagctggga	aagtaaacca	gaagattaaa	gtatggttta	840
gtgattactt	caacatcagt	gatacaattg	ccataatttc	tttcttcatt	ggatttggac	900
taagatttgg	agcaaaatgg	aactttgcaa	atgcatatga	taatcatggt	tttgtggctg	960
gaagattaat	ttactgtcct	aacataatat	tttggatagt	gcgtttgcta	gattttctag	1020
ctgtaaatca	acaggcagga	ccttatgtaa	tgatgattgg	aaaaatgggt	gccaatatgt	1080
tctacattgt	agtgattatg	gctcttgtat	tacttagttt	tggtgttccc	agaaaggcaa	1140
tactttatcc	tcatgaagca	ccatcttgga	ctcttgctaa	agatatagtt	tttcacccat	1200
actggatgat	ttttgtgaa	gtttatgcat	acgaaattga	tgtgtgtgca	aatgattctg	1260
ttatccctca	aatctgtggt	cctgggacgt	ggttgactcc	atttcttcaa	gcagctctacc	1320
tctttgtaca	gtatatcatt	atggttaatc	ttcttattgc	atttttcaac	aatgtgtatt	1380
tacaagtga	ggcaatttcc	aatattgtat	ggaagtacca	gcgttatcat	tttattatgg	1440
cttatcatga	gaaaccagtt	ctgcctcctc	cacttatcat	tcttagccat	atagtttctc	1500
tgttttgctg	catatgtaag	agaagaaa	aagataagac	ttccgatgga	ccaaaacttt	1560
tcttaacaga	agaagatcaa	aagaaaacttc	atgattttga	agagcagtg	gttgaaatgt	1620
atttcaatga	aaaagatgac	aaatttcatt	ctgggagtga	agagagaatt	cgtgtcactt	1680
ttgaaagagt	ggaacagatg	tgcatcaga	ttaaaaga	tggaatcgt	gtcaactaca	1740
taaaaagatc	attacaatca	ttagattctc	aaattggcca	tttgcaagat	ctttcagccc	1800
tgacggtaga	tacattaaaa	acactcactg	cccagaaagc	gtcggagct	agcaaagttc	1860
ataatgaaat	cacacgagaa	ctgagcattt	ccaaacactt	ggctcaaaac	cttattgatg	1920
atggtcctgt	aagaccttct	gtatggaaaa	agcatgggtg	tgtaaataca	cttagctcct	1980
ctcttctca	aggtgatctt	gaaagtaata	atccttttca	ttgtaatat	ttaatgaaag	2040
atgacaaa	tccccagtgt	aatatatttg	gtcaagactt	acctgcagta	ccccagagaa	2100
aagaatttaa	ttttccagag	gctggttcct	cttctgggtg	cttattccca	agtgtgtgtt	2160
ccctccaga	actgcgacag	agactacatg	gggtagaact	cttaaaaata	tttaataaaa	2220
atcaaaaatt	aggcagttca	tctactagca	taccacatct	gtcatcccca	ccaaccaa	2280
ttttgttag	tacaccatct	cagccaagtt	gcaaaagcca	cttggaact	ggaaccaa	2340
atcaagaaac	tgtttgctct	aaagctacag	aaggagataa	tncagaattt	ggagcatttg	2400
taggacacag	agatagcatg	gatttacaga	ggtttaaaga	aacatcaaac	aagataaaaa	2460
tactatccaa	taacaatact	tctgaaaaca	ctttgaaacg	agtgaattct	cttgctggat	2520
ttactgactg	tcacagaact	tccattcctg	ttcattcaaa	acaagcagaa	aaaatcagta	2580
gaaggccatc	taccgaagac	actcatgaag	tagattccaa	agcagcttta	ataccggatt	2640
ggttacaa	tagaccatca	aacagagaaa	tgccatctga	agaaggaaca	ttaaatggtc	2700
tcacttctcc	atttaagcca	gctatggata	caaattacta	ttattcagct	gtggaaagaa	2760
ataacttgat	gaggttatca	cagagcattc	catttacacc	tgtgcctcca	agaggggagc	2820
ctgtcacagt	gtatcgtttg	gaagagagtt	cacccaacat	actaaataac	agcatgtctt	2880
cttggtcaca	actaggcctc	tgtgccaaaa	tagagttttt	aagcaaagag	gagatgggag	2940
gaggtttacg	aaagctgtgc	aaagtacagt	gtactgggtc	agaacatgat	atcctcaaat	3000
cagggcatct	ttatattatc	aaatcttttc	ttccagaggt	ggttaataca	tggtcaagta	3060
tttataaaga	agatacagtt	ctgcatctct	gtctgagaga	aattcaacaa	cagagagcag	3120

-33-

```

cacaaaagct tacgtttgcc tttaatcaaa tgaaacccaa atccatacca tattctccaa 3180
ggttcccttga agttttcctg ctgtattgcc attcagcagg acagtgggtt gctgtggaaq 3240
aatgtatgac tggagaatth agaaaataca acaataataa tggagatgag attattccaa 3300
ctaatactct ggaagagatc atgctagcct ttagccactg gacttacgaa tatacaagag 3360
gggagttact ggtacttgat ttgcaagggt ttggtgaaaa ttgactgac ccactctgtga 3420
taaaagcaga agaaaagaga tcctgtgata tgggtttttg cccagcaaat ctaggagaag 3480
atgcaattaa aaacttcaga gcaaaacatc actgtaattc ttgctgtaga aagcttaaac 3540
ttccagatct gaagaggaat gattatagc ctgataaaat tatatttcct caggatgagc 3600
cttcagatth gaatcttcag cctggaaatt ccaccaaaga atcagaatca gctaattctg 3660
ttcgtctgat gttataatat taatattact gaatcattgg ttttgctgc acctcacaga 3720
aatgttactg tgtcactttt ccctcgggag gaaattgttt ggtaatatag aaagggtgat 3780
gcaagttgaa tttgctgact ccagcacagt taaaagggtca atattctttt gacctgatta 3840
atcagtcaga aagtcacctat aggatagagc tggcagctga gaaattttta aggtaattga 3900
taattagtat ttgtaacttt ttaaagggtc ctttgtatag cagaggatct catttgactt 3960
tgttttgatg aggggtgatgc cctctcttat gtggtacaat accattaacc aaaggtaggt 4020
gtccatgcag attttattgg cagctgtttt attgccattc aactagggaa atgaagaaat 4080
cacgcagcct tttggttaaa tggcagtcaa aattttcctc agtgtattta gtgtgttcag 4140
tgatgatatc actggttccc aactagatgc ttgttggtcca cgggaaggga aatgacttgt 4200
tctaattcta gggtcacaga ggtatgagaa gcctgaactg aagaccattt tcaagaggga 4260
cggatthtat gaatcagggt taggctccat atttaaagat agagccagtt ttttttttaa 4320
atagaaccca aattgtgtaa aaatgttaat tgggtttttt aaacatttgt ttatcaagtc 4380
actgttaagt agaagaaagc catggtaaac tgatacataa cctaaattat aaaagcagaa 4440
acctaaacta ctgcgtaagg gaagttacct tttgaggaaa gttaaagtac ttttttcctt 4500
atctgtatct atagcaacaa cccagaactt acaaacttct ccaaagattt tattgattgt 4560
tatatcaaat cagaatgtaa acatgaactc ttgcatatat ttaaaattgt gttggaacat 4620
ttgaacatga atgctgtttg ggtacttaag aaattrattc agtnggatta tcattatgtg 4680
anactggcag attgcagtgc anccttatgc caataaaatg taatttaaca gccccagata 4740
ttgttgaata ttcaacaata acaagaaaag cttttcatct aagttttatg ctttaatttt 4800
ttttcttttt ttttcttttt cttttgtttt cttggtacta attttaattt ttatttgtaa 4860
gggagcagta taaagcttat ttgtatttag tagtgtatct catagataca gacaaggcaa 4920
gagatgataa gctgttttaa tagtgtttta tattgattgg ggggtggggag aaagaaaaag 4980
tgtattactt aaagatacta tatacgtttt gtatatcatt aaatctttta aagaaatnna 5040
ataaatttat tgttttncaaa aaaaaaaccc nntaaaaaaa aaagggcggc ccctctagag 5100
gatccctcga ggggccc 5117

```

<210> 24

<211> 1224

<212> PRT

<213> Homo Sapiens

<220>

<221> UNSURE

<222> (794)... (794)

<223> UNKNOWN

<400> 24

```

Trp Gln His Gly Glu Glu Ser Met Ala Lys Ala Leu Val Ala Cys Lys
1      5      10      15
Ile Tyr Arg Ser Met Ala Tyr Glu Ala Lys Gln Ser Asp Leu Val Asp
20     25     30
Asp Thr Ser Glu Glu Leu Lys Gln Tyr Ser Asn Asp Phe Gly Gln Leu
35     40     45
Ala Val Glu Leu Leu Glu Gln Ser Phe Arg Gln Asp Glu Thr Met Ala
50     55     60
Met Lys Leu Leu Thr Tyr Glu Leu Lys Asn Trp Ser Asn Ser Thr Cys
65     70     75     80
Leu Lys Leu Ala Val Ser Ser Arg Leu Arg Pro Phe Val Ala His Thr
85     90     95

```


-34-

Cys	Thr	Gln	Met	Leu	Leu	Ser	Asp	Met	Trp	Met	Gly	Arg	Leu	Asn	Met	100	105	110
Arg	Lys	Asn	Ser	Trp	Tyr	Lys	Val	Ile	Leu	Ser	Ile	Leu	Val	Pro	Pro	115	120	125
Ala	Ile	Leu	Leu	Leu	Glu	Tyr	Lys	Thr	Lys	Ala	Glu	Met	Ser	His	Ile	130	135	140
Pro	Gln	Ser	Gln	Asp	Ala	His	Gln	Met	Thr	Met	Asp	Asp	Ser	Glu	Asn	145	150	155
Asn	Phe	Gln	Asn	Ile	Thr	Glu	Glu	Ile	Pro	Met	Glu	Val	Phe	Lys	Glu	165	170	175
Val	Arg	Ile	Leu	Asp	Ser	Asn	Glu	Gly	Lys	Asn	Glu	Met	Glu	Ile	Gln	180	185	190
Met	Lys	Ser	Lys	Lys	Leu	Pro	Ile	Thr	Arg	Lys	Phe	Tyr	Ala	Phe	Tyr	195	200	205
His	Ala	Pro	Ile	Val	Lys	Phe	Trp	Phe	Asn	Thr	Leu	Ala	Tyr	Leu	Gly	210	215	220
Phe	Leu	Met	Leu	Tyr	Thr	Phe	Val	Val	Leu	Val	Gln	Met	Glu	Gln	Leu	225	230	235
Pro	Ser	Val	Gln	Glu	Trp	Ile	Val	Ile	Ala	Tyr	Ile	Phe	Thr	Tyr	Ala	245	250	255
Ile	Glu	Lys	Val	Arg	Glu	Ile	Phe	Met	Ser	Glu	Ala	Gly	Lys	Val	Asn	260	265	270
Gln	Lys	Ile	Lys	Val	Trp	Phe	Ser	Asp	Tyr	Phe	Asn	Ile	Ser	Asp	Thr	275	280	285
Ile	Ala	Ile	Ile	Ser	Phe	Phe	Ile	Gly	Phe	Gly	Leu	Arg	Phe	Gly	Ala	290	295	300
Lys	Trp	Asn	Phe	Ala	Asn	Ala	Tyr	Asp	Asn	His	Val	Phe	Val	Ala	Gly	305	310	315
Arg	Leu	Ile	Tyr	Cys	Leu	Asn	Ile	Ile	Phe	Trp	Tyr	Val	Arg	Leu	Leu	325	330	335
Asp	Phe	Leu	Ala	Val	Asn	Gln	Gln	Ala	Gly	Pro	Tyr	Val	Met	Met	Ile	340	345	350
Gly	Lys	Met	Val	Ala	Asn	Met	Phe	Tyr	Ile	Val	Val	Ile	Met	Ala	Leu	355	360	365
Val	Leu	Leu	Ser	Phe	Gly	Val	Pro	Arg	Lys	Ala	Ile	Leu	Tyr	Pro	His	370	375	380
Glu	Ala	Pro	Ser	Trp	Thr	Leu	Ala	Lys	Asp	Ile	Val	Phe	His	Pro	Tyr	385	390	395
Trp	Met	Ile	Phe	Gly	Glu	Val	Tyr	Ala	Tyr	Glu	Ile	Asp	Val	Cys	Ala	405	410	415
Asn	Asp	Ser	Val	Ile	Pro	Gln	Ile	Cys	Gly	Pro	Gly	Thr	Trp	Leu	Thr	420	425	430
Pro	Phe	Leu	Gln	Ala	Val	Tyr	Leu	Phe	Val	Gln	Tyr	Ile	Ile	Met	Val	435	440	445
Asn	Leu	Leu	Ile	Ala	Phe	Phe	Asn	Asn	Val	Tyr	Leu	Gln	Val	Lys	Ala	450	455	460
Ile	Ser	Asn	Ile	Val	Trp	Lys	Tyr	Gln	Arg	Tyr	His	Phe	Ile	Met	Ala	465	470	475
Tyr	His	Glu	Lys	Pro	Val	Leu	Pro	Pro	Pro	Leu	Ile	Ile	Leu	Ser	His	485	490	495
Ile	Val	Ser	Leu	Phe	Cys	Cys	Ile	Cys	Lys	Arg	Arg	Lys	Lys	Asp	Lys	500	505	510
Thr	Ser	Asp	Gly	Pro	Lys	Leu	Phe	Leu	Thr	Glu	Glu	Asp	Gln	Lys	Lys	515	520	525
Leu	His	Asp	Phe	Glu	Glu	Gln	Cys	Val	Glu	Met	Tyr	Phe	Asn	Glu	Lys	530	535	540
Asp	Asp	Lys	Phe	His	Ser	Gly	Ser	Glu	Glu	Arg	Ile	Arg	Val	Thr	Phe	545	550	555
Glu	Arg	Val	Glu	Gln	Met	Cys	Ile	Gln	Ile	Lys	Glu	Val	Gly	Asp	Arg	565	570	575

-36-

Tyr Ser Pro Arg Phe Leu Glu Val Phe Leu Leu Tyr Cys His Ser Ala
 1060 1065 1070
 Gly Gln Trp Phe Ala Val Glu Glu Cys Met Thr Gly Glu Phe Arg Lys
 1075 1080 1085
 Tyr Asn Asn Asn Asn Gly Asp Glu Ile Ile Pro Thr Asn Thr Leu Glu
 1090 1095 1100
 Glu Ile Met Leu Ala Phe Ser His Trp Thr Tyr Glu Tyr Thr Arg Gly
 1105 1110 1115 112
 Glu Leu Leu Val Leu Asp Leu Gln Gly Val Gly Glu Asn Leu Thr Asp
 1125 1130 1135
 Pro Ser Val Ile Lys Ala Glu Glu Lys Arg Ser Cys Asp Met Val Phe
 1140 1145 1150
 Gly Pro Ala Asn Leu Gly Glu Asp Ala Ile Lys Asn Phe Arg Ala Lys
 1155 1160 1165
 His His Cys Asn Ser Cys Cys Arg Lys Leu Lys Leu Pro Asp Leu Lys
 1170 1175 1180
 Arg Asn Asp Tyr Thr Pro Asp Lys Ile Ile Phe Pro Gln Asp Glu Pro
 1185 1190 1195 120
 Ser Asp Leu Asn Leu Gln Pro Gly Asn Ser Thr Lys Glu Ser Glu Ser
 1205 1210 1215
 Ala Asn Ser Val Arg Leu Met Leu
 1220

<210> 25

<211> 2180

<212> DNA

<213> Homo Sapiens

<400> 25

tcgaggccaa	gaattcggca	cgagggcctc	gggcaggccc	cctggagcga	cctgcttctt	60
tgggcactgt	tgctgaacag	ggcacagatg	gccatgtact	tctgggagat	gggttccaat	120
gcagtttctt	cagctcttgg	ggcctgtttg	ctgctccggg	tgatggcacg	cctggagcct	180
gacgctgagg	aggcagcacg	gaggaaagac	ctggcggtca	agtttgaggg	gatgggcgtt	240
gacctctttg	gcgagtgcct	tcgcagcagt	gaggtgaggg	ctgcccgcct	cctcctccgt	300
cgctgccccg	tctgggggga	tgccacttgc	ctccagctgg	ccatgcaagc	tgacgcccgt	360
gccttctttg	cccaggatgg	ggtacagtct	ctgctgacac	agaagtgggt	gggagatatg	420
gccagcacta	cacccatctg	ggccctgggt	ctgccttctt	tttgcctccc	actcatctac	480
accgcctca	tcaccttcag	gaaatcagaa	gaggagccca	cacgggagga	gctagagttt	540
gacatggata	gtgtcattaa	tggggaaggg	cctgtcggga	cggcggaccc	agccgagaag	600
acgcgcctgg	gggtcccgcg	ccagtcgggc	cgctccgggt	gctgcggggg	ccgctgcggg	660
gggcgcgggt	gcctacgccg	ctggttccac	ttctggggcg	cgccgggtgac	catcttcatg	720
ggcaacgtgg	tcagctacct	gctgttctct	ctgcttttct	cgcggtgct	gctcgtggat	780
ttccagccgg	cgccgcccgg	ctccctggag	ctgctgctct	atttctgggc	tttcacgctg	840
ctgtgcgagg	aactgcgcca	gggcctgagc	ggaggcgggg	gcagcctcgc	cagcgggggc	900
cccgggcctg	gccatgcctc	actgagccag	cgccctgcgc	tctacctcgc	cgacagctgg	960
aaccagtgcg	acctagtggc	tctcacctgc	ttcctcctgg	gcgtgggctg	ccggctgacc	1020
ccgggtttgt	accacctggg	ccgcactgtc	ctctgcactg	acttcatggt	tttcacggtg	1080
cggtgcttct	acatcttcac	ggtcaacaaa	cagctggggc	ccaagatcgt	catcgtgagc	1140
aagatgatga	aggacgtgtt	cttcttctct	ttcttctctg	gcgtgtggct	ggtagcctat	1200
ggcgtggcca	cggaggggct	cctgaggcca	cgggacagtg	acttcccaag	tatcctgcgc	1260
cgcgtcttct	accgtcccta	cctgcagatc	ttcgggcaga	ttccccagga	ggacatggac	1320
gtggccctca	tggagcacag	caactgctcg	tcggagcccc	gcttctgggc	acaccctcct	1380
ggggcccagg	cgggcacctg	cgtctcccag	tatgccaaact	ggctgggtgg	gctgctcctc	1440
gtcatcttcc	tgctcgtggc	caacatcctg	ctgggtcaact	tgctcattgc	catgttcagt	1500
tacacattcg	gcaaagtaca	gggcaacagc	gatctctact	ggaaggcgca	gcgttaccgc	1560
ctcatccggg	aattccactc	tcggccccgc	ctggccccgc	cctttatcgt	catctcccac	1620
ttgcgcctcc	tgctcaggca	attgtgcagg	cgaccscgga	gccccagcc	gtcctccccg	1680
gaatcgagc	atttccgggt	ttacctttct	aagggaagcg	agcggaagct	gctaactgtg	1740
gaatcgtgct	ataaggagaa	ctttctgctg	gcacgcgcta	gggacaagcg	ggagagcgac	1800
tccgagmgtc	tgaagcgcac	gtcccagaag	gtggacttgg	cactgaaaca	gctgggacac	1860

-37-

```

atccgcgagt acgaacagcg cctgaaagtg ctggagcggg aggtccagca gtgtacctcg 1920
gcccccgcac ctggtggcct tgccttgag gtgagcccca tgtccatctg ggccactgtc 1980
aggaccacct ttgggagtgt catccttaca aaccacagca tgcccggtc ctccagaac 2040
cagtcacagc ctgggaggat caaggcctgg atcccrggcc gttatccatc tggaggctgc 2100
agggtccttg gggtaacagg gaccacagac ccctcaccac tcacagattc ctcacactgg 2160
ggaaataaag ccatttcaga 2180

```

<210> 26
 <211> 725
 <212> PRT
 <213> Homo Sapiens

<220>
 <221> UNSURE
 <222> (553)... (553)
 <223> UNKNOWN

<221> UNSURE
 <222> (603)... (603)
 <223> UNKNOWN

<400> 26

```

Ser Arg Pro Arg Ile Arg His Glu Gly Leu Gly Gln Ala Pro Trp Ser
1          5          10          15
Asp Leu Leu Leu Trp Ala Leu Leu Leu Asn Arg Ala Gln Met Ala Met
20          25          30
Tyr Phe Trp Glu Met Gly Ser Asn Ala Val Ser Ser Ala Leu Gly Ala
35          40          45
Cys Leu Leu Leu Arg Val Met Ala Arg Leu Glu Pro Asp Ala Glu Glu
50          55          60
Ala Ala Arg Arg Lys Asp Leu Ala Phe Lys Phe Glu Gly Met Gly Val
65          70          75          80
Asp Leu Phe Gly Glu Cys Tyr Arg Ser Ser Glu Val Arg Ala Ala Arg
85          90          95
Leu Leu Leu Arg Arg Cys Pro Leu Trp Gly Asp Ala Thr Cys Leu Gln
100         105         110
Leu Ala Met Gln Ala Asp Ala Arg Ala Phe Phe Ala Gln Asp Gly Val
115         120         125
Gln Ser Leu Leu Thr Gln Lys Trp Trp Gly Asp Met Ala Ser Thr Thr
130         135         140
Pro Ile Trp Ala Leu Val Leu Ala Phe Phe Cys Pro Pro Leu Ile Tyr
145         150         155         160
Thr Arg Leu Ile Thr Phe Arg Lys Ser Glu Glu Glu Pro Thr Arg Glu
165         170         175
Glu Leu Glu Phe Asp Met Asp Ser Val Ile Asn Gly Glu Gly Pro Val
180         185         190
Gly Thr Ala Asp Pro Ala Glu Lys Thr Pro Leu Gly Val Pro Arg Gln
195         200         205
Ser Gly Arg Pro Gly Cys Cys Gly Gly Arg Cys Gly Gly Arg Arg Cys
210         215         220
Leu Arg Arg Trp Phe His Phe Trp Gly Ala Pro Val Thr Ile Phe Met
225         230         235         240
Gly Asn Val Val Ser Tyr Leu Leu Phe Leu Leu Leu Phe Ser Arg Val
245         250         255
Leu Leu Val Asp Phe Gln Pro Ala Pro Pro Gly Ser Leu Glu Leu Leu
260         265         270
Leu Tyr Phe Trp Ala Phe Thr Leu Leu Cys Glu Glu Leu Arg Gln Gly
275         280         285
Leu Ser Gly Gly Gly Gly Ser Leu Ala Ser Gly Gly Pro Gly Pro Gly
290         295         300

```

-38-

His Ala Ser Leu Ser Gln Arg Leu Arg Leu Tyr Leu Ala Asp Ser Trp
 305 310 315 320
 Asn Gln Cys Asp Leu Val Ala Leu Thr Cys Phe Leu Leu Gly Val Gly
 325 330 335
 Cys Arg Leu Thr Pro Gly Leu Tyr His Leu Gly Arg Thr Val Leu Cys
 340 345 350
 Ile Asp Phe Met Val Phe Thr Val Arg Leu Leu His Ile Phe Thr Val
 355 360 365
 Asn Lys Gln Leu Gly Pro Lys Ile Val Ile Val Ser Lys Met Met Lys
 370 375 380
 Asp Val Phe Phe Phe Leu Phe Phe Leu Gly Val Trp Leu Val Ala Tyr
 385 390 395 400
 Gly Val Ala Thr Glu Gly Leu Leu Arg Pro Arg Asp Ser Asp Phe Pro
 405 410 415
 Ser Ile Leu Arg Arg Val Phe Tyr Arg Pro Tyr Leu Gln Ile Phe Gly
 420 425 430
 Gln Ile Pro Gln Glu Asp Met Asp Val Ala Leu Met Glu His Ser Asn
 435 440 445
 Cys Ser Ser Glu Pro Gly Phe Trp Ala His Pro Pro Gly Ala Gln Ala
 450 455 460
 Gly Thr Cys Val Ser Gln Tyr Ala Asn Trp Leu Val Val Leu Leu Leu
 465 470 475 480
 Val Ile Phe Leu Leu Val Ala Asn Ile Leu Leu Val Asn Leu Leu Ile
 485 490 495
 Ala Met Phe Ser Tyr Thr Phe Gly Lys Val Gln Gly Asn Ser Asp Leu
 500 505 510
 Tyr Trp Lys Ala Gln Arg Tyr Arg Leu Ile Arg Glu Phe His Ser Arg
 515 520 525
 Pro Ala Leu Ala Pro Pro Phe Ile Val Ile Ser His Leu Arg Leu Leu
 530 535 540
 Leu Arg Gln Leu Cys Arg Arg Pro Xaa Ser Pro Gln Pro Ser Ser Pro
 545 550 555 560
 Ala Leu Glu His Phe Arg Val Tyr Leu Ser Lys Glu Ala Glu Arg Lys
 565 570 575
 Leu Leu Thr Trp Glu Ser Val His Lys Glu Asn Phe Leu Leu Ala Arg
 580 585 590
 Ala Arg Asp Lys Arg Glu Ser Asp Ser Glu Xaa Leu Lys Arg Thr Ser
 595 600 605
 Gln Lys Val Asp Leu Ala Leu Lys Gln Leu Gly His Ile Arg Glu Tyr
 610 615 620
 Glu Gln Arg Leu Lys Val Leu Glu Arg Glu Val Gln Gln Cys Thr Ser
 625 630 635 640
 Ala Pro Ala Pro Gly Gly Leu Val Leu Glu Val Ser Pro Met Ser Ile
 645 650 655
 Trp Ala Thr Val Arg Thr Thr Phe Gly Ser Val Ile Leu Thr Asn His
 660 665 670
 Ser Met Pro Gly Ser Ser Gln Asn Gln Ser Gln Pro Gly Arg Ile Lys
 675 680 685
 Ala Trp Ile Pro Gly Arg Tyr Pro Ser Gly Gly Cys Arg Val Leu Gly
 690 695 700
 Val Thr Gly Thr Thr Asp Pro Ser Pro Leu Thr Asp Ser Ser His Trp
 705 710 715 720
 Gly Asn Lys Ala Ile
 725

<210> 27

<211> 7419

<212> DNA

<213> Homo Sapiens

<400> 27

cggggaccga	tccagcctcc	ggactctagc	ctaggctttt	gcaaaaagct	atttaggtga	60
cactatagaa	ggtacgcctg	caggtaccgg	tccggaattc	ccgggtcgac	ccacgcgtcc	120
gcagccccgt	cgccggcgga	ggcgggcgcg	ggcgcgtnc	ctgtggccag	tcaccgcgag	180
gagttggtcg	cacaattatg	aaagactcgg	cttctgctgc	tagcgcggga	gctgagttag	240
ttctgagaag	gtttccctgg	gcgttccttg	tccggcggcc	tctgctgccg	cctccggaga	300
cgcttcccga	tagatggcta	caggccgcgg	aggaggagga	ggtggagttg	ctgcccttcc	360
ggagtccgcc	ccgtgaggag	aatgtcccag	aaatcctgga	tagaaagcac	tttgaccaag	420
agggaatgtg	tatatattat	accaagttcc	aaggaccctc	acagatgcct	tccaggatgt	480
caaatttgtc	agcaactcgt	caggtgtttt	tgtggtcgct	tggtaagca	acatgcttgt	540
tttactgcaa	gtcttgccat	gaaatactca	gatgtgaaat	tgggtgacca	ttttaatcag	600
gcaatagaag	aatggtctgt	ggaaaagcat	acagaacaga	gcccacgga	tgcttatgga	660
gtcataaatt	ttcaaggggg	ttctcattcc	tacagagcta	agtatgtgag	gctatcatat	720
gacaccaaac	ctgaagtcac	tctgcaactt	ctgcttaaa	aatggcaaat	ggagttaccc	780
aaacttgtaa	tctctgtaca	tgggggcatg	cagaaatttg	agcttcaccc	acgaatcaag	840
cagttgcttg	gaaaaggtct	tattaaagct	gcagttacaa	ctggagcctg	gattttaact	900
ggaggagtaa	acacaggtgt	ggcaaaacat	ggtggagatg	ccctcaaaga	acatgcttcc	960
agatcatctc	gaaagatttg	cactatcgga	atagctccat	ggggagtgat	tgaaaacaga	1020
aatgatcttg	ttgggagaga	tgtggttgct	ccttatcaaa	ccttattgaa	ccccctgagc	1080
aaattgaatg	ttttgaataa	tctgcattcc	catttcatat	tgggtgatga	tggcactggt	1140
ggaaagtatg	gggcggaagt	cagactgaga	agagaacttg	aaaaaactat	taatcagcaa	1200
agaattcatg	ctaggattgg	ccaggtgtgc	cctgtgggtg	cacttatatt	tgagggtggg	1260
ccaatgttta	tcctcacagt	tcttgaatac	ccttcaggaa	gccccctgt	tccagtatgt	1320
gtgtgtgaag	gaacaggcag	agctgcagat	ctgctagcgt	atattcataa	acaaacagaa	1380
gaaggaggga	atcttccctga	tgcagcagag	cccgatatta	tttccactat	caaaaaaaca	1440
tttaactttg	gccagaatga	agcacttcat	ttatttcaaa	cactgatgga	gtgcatgaaa	1500
agaaaaggagc	ttatcactgt	tttccatatt	gggtcagatg	aacatcaaga	tatagatgta	1560
gcaatactta	ctgcactgct	aaaaggctact	aatgcactctg	catttgacca	gcttatcctt	1620
acattggcat	gggatagagt	tgacattgcc	aaaaatcatg	tatttgttta	tggacagcag	1680
tggctgttg	gatccttgga	acaagctatg	cttgatgctc	ttgtaatgga	tagagttgca	1740
tttgtaaaac	ttcttattga	aaatggagta	agcatgcata	aattccttac	cattccgaga	1800
ctggaagaac	tttacaacac	taaacaaggt	ccaactaatc	caatgctgtt	tcatcttggt	1860
cgagacgtca	aacagggaaa	tcttccctcca	ggatataaga	tcactctgat	tgatatagga	1920
cttgttattg	aatatctcat	gggaggaacc	tacagatgca	cctatactag	gaaacgtttt	1980
cgattaatat	ataatagtct	tgggtgaaat	aatcggagggt	ctggccgaaa	tacctccagc	2040
agcactcctc	agttgcgaaa	gagtcatgaa	tcttttgcca	atagggcaga	taaaaaggaa	2100
aaaatgaggc	ataaccattt	cattaagaca	gcacagccct	tccgaccaa	gattgataca	2160
gttatggaag	aaggaaaagaa	gaaaagaacc	aaagatgaaa	ttgtagacat	tgatgatcca	2220
gaaaccaagc	gctttcctta	tccacttaat	gaacttttaa	tttgggcttg	ccttatgaag	2280
aggcaggtca	tggcccgttt	tttatggcaa	catggtgaag	aatcaatggc	taaagcatta	2340
gttgccctgta	agatctatcg	ttcaatggca	tatgaagcaa	agcagagtga	cctggtagat	2400
gatacttcag	aagaactaaa	acagtattcc	aatgattttg	gtcagttggc	cgttgaaata	2460
ttagaacagt	ccttcagaca	agatgaaacc	atggctatga	aattgctcac	ttatgaactg	2520
aagaactgga	gtaatccaac	ctgccttaag	ttagcagttt	cttcaagact	tagacctttt	2580
gtagctcaca	cctgtacaca	aatgttggtta	tctgatatgt	ggatgggaag	gctgaatatg	2640
aggaaaaatt	cctggtacaa	ggtcatacta	agcatttttag	ttccacctgc	catattgctg	2700
ttagagtata	aaactaaggc	tgaaatgtcc	catatcccac	aatctcaaga	tgctcatcag	2760
atgacaatgg	atgacagcga	aaacaacttt	cagaacataa	cagaagagat	ccccatggaa	2820
gtgttttaaag	aagtacggat	tttggaatgt	aatgaaggaa	agaatgagat	ggagatacaa	2880
atgaaatcaa	aaaagcttcc	aattacgcga	aagttttatg	ccttttatca	tgcaccaatt	2940
gtaaaattct	ggtttaacac	gttggcatat	ttaggatttc	tgatgcttta	tacatttggtg	3000
gttcttgtag	aaatggaaca	gttaccttca	gttcaagaat	ggattgttat	tgcttatatt	3060
tttacttatg	ccattgagaa	agtccgtgag	atctttatgt	ctgaagctgg	gaaagtaa	3120
cagaagatta	aagtatggtt	tagtgattac	ttcaacatca	gtgatacaat	tgccataatt	3180
tctttcttca	ttggatttg	actaagattt	ggagcaaaat	ggaactttgc	aaatgcatat	3240
gataatcatg	tttttggtgc	tggaagatta	atttactgtc	ttaacataat	attttggtat	3300
gtgcgtttgc	tagattttct	agctgtaaat	caacaggcag	gaccttatgt	aatgatgatt	3360
ggaaaagtgg	tgccaatat	gttctacatt	gtatgatta	tggctctgtg	attacttagt	3420
tttggtgttc	ccagaaggc	aatactttat	cctcatgaag	caccatcttg	gactcttgct	3480
aaagatatag	tttttcaccc	atactggatg	atttttggtg	aagtttatgc	atacgaaatt	3540

gatgtgtgtg	caaattgattc	tggttatccct	caaattctgtg	gtcctgggac	gtggttgact	3600
ccattttcttc	aagcagtccta	cctcttttgta	cagtatatca	ttatgggttaa	tcttcttatt	3660
gcattttttca	acaattgtgta	tttacaagtgt	aaggcaatttt	ccaatattgt	atggaagtac	3720
cagcgttatc	atttttattat	ggcttatcat	gagaaaccag	ttctgcctcc	tccacttatc	3780
attcttagcc	atatagtttc	tctgtttttgc	tgcataatgta	agagaagaaa	gaaagataag	3840
acttccgatg	gacccaaaact	tttcttaaca	gaagaagatc	aaaagaaaact	tcatgatttt	3900
gaagagcagt	gtgttgaaat	gtattttcaat	gaaaaagatg	acaaattttca	ttctgggagt	3960
gaagagagaa	ttcgtgtcac	ttttgaaaga	gtggaacaga	tgtgcattca	gattaaagaa	4020
gttgagatc	gtgtcaacta	cataaaaaga	tcattacaat	cattagattc	tcaaattggc	4080
catttgcaag	atcttttcagc	cctgacggta	gatacattaa	aaacactcac	tgcccagaaa	4140
gcgtcggaag	ctagcaaatg	tcataatgaa	atcacacgag	aactgagcat	ttccaaacac	4200
ttggctcaaa	accttattga	tgatggctcct	gtaagacctt	ctgtatggaa	aaagcatggt	4260
gttgtaaaata	cacttagctc	ctctcttcct	caagggtgatc	ttgaaagtaa	taatcctttt	4320
cattgtaata	ttttaatgaa	agatgacaaa	gatccccagt	gtaatatatt	tggccaagac	4380
ttacctgcag	taccccagag	aaaagaattt	aattttccag	aggctgggtc	ctcttctggt	4440
gccttattcc	caagtgtgt	ttccctcca	gaactgcgac	agagactaca	tggggtagaa	4500
ctcttaaaaa	tatttaataa	aaatcaaaaa	ttaggcagtt	catctactag	cataccacat	4560
ctgtcatccc	caccaaccaa	attttttggt	agtacaccat	ctcagccaag	ttgcaaaaagc	4620
cacttggaag	ctggaaccaa	agatcaagaa	actgtttgct	ctaaagctac	agaaggagat	4680
aatacagaat	ttggagcatt	tgtaggacac	agagatagca	tggatttaca	gagggtttaa	4740
gaaacatcaa	acaagataaa	aatactatcc	aataacaata	cttctgaaaa	cactttgaaa	4800
cgagtgaagt	ctcttgctgg	atttactgac	tgtcacagaa	cttccattcc	tgttcattca	4860
aaacaagcag	aaaaaatcag	tagaaggcca	cttaccgag	acactcatga	agtagattcc	4920
aaagcagctt	taataccgga	ttgggttaca	gatagaccat	caaacagaga	aatgccatct	4980
gaagaaggaa	cattaaatgg	tctcacttct	ccatttaagc	cagctatgga	tacaaattac	5040
tattattcag	ctgtggaaag	aaataacttg	atgagggttat	cacagagcat	tccatttaca	5100
cctgtgcctc	caagagggga	gcctgtcaca	gtgtatcggt	tggaaagagag	ttcacccaac	5160
atactaaata	acagcatgtc	ttcttggtca	caactaggcc	tctgtgccaa	aatagagttt	5220
ttaagcaaa	aggagatggg	aggaggttta	cgaagagctg	tcaaagtaca	gtgtacctgg	5280
tcagaacctg	atatcctcaa	atcagggcac	ctttatatta	tcaaactctt	tcttcagag	5340
gtggttaata	catggtcaag	tatttataaa	gaagatacag	ttctgcatct	ctgtctgaga	5400
gaaattcaac	aacagagagc	agcacaaaag	cttacgtttg	cctttaatca	aatgaaaccc	5460
aaatccatac	catattctcc	aagggtccct	gaagttttcc	tgctgtattg	ccattcagca	5520
ggacagtgg	ttgctgtgga	agaatgtatg	actggagaat	ttagaaaata	caacaataat	5580
aatggagatg	agattattcc	aactaatact	ctggaagaga	tcatgctagc	ctttagccac	5640
tggacttacg	aatatacaag	aggggagtta	ctggtaactg	atttgcaagg	tgttggtgaa	5700
aatttgactg	acctatctgt	gataaaaagca	gaaagaaaga	gatcctgtga	tatgggtttt	5760
ggcccagcaa	atctaggaga	agatgcaatt	aaaaacttca	gagcaaaaaca	tactgtaat	5820
tcttgctgta	gaaagcttaa	acttccagat	ctgaagagga	atgattatac	gcctgataaa	5880
atttatattc	ctcaggatga	gccttcagat	ttgaatcttc	agcctggaaa	ttccaccaa	5940
gaatcagaat	caactaattc	tgttcgtctg	atgttataat	attaatatta	ctgaatcatt	6000
ggttttgcc	gcacctcaca	gaaatgttac	tgtgtcactt	ttccctcg	aggaaattgt	6060
ttggtaatat	agaaagggtg	atgcaagttg	aatttgctga	ctccagcaca	gttaaaaggt	6120
caatattctt	ttgacctgat	taatcagtc	gaaagtcct	ataggataga	gctggcagct	6180
gagaaatttt	aaaggtaatt	gataaattagt	atttgtaact	ttttaaaagg	ctctttgtat	6240
agcagaggat	ctcatttgac	tttgttttga	tgagggtgat	gccctctctt	atgtggtaca	6300
ataccattaa	ccaaaggtag	gtgtccatgc	agattttatt	ggcagctgtt	ttattgccat	6360
tcaactaggg	aatgaagaa	atcacgcagc	cttttggtta	aatggcagtc	aaaattttcc	6420
tcagtgtatt	tagtgtgttc	agtgtatgata	tcactgggtc	ccaactagat	gcttggtggc	6480
cacgggaagg	gaaatgactt	gttctaattc	taggttcaca	gaggtatgag	aagcctgaac	6540
tgaagaccat	tttcaagagg	gacgggtattt	atgaatcagg	gttaggctcc	atatttaaa	6600
atagagccag	tttttttttt	aaatagaacc	caaattgtgt	aaaaatgtta	attgggtttt	6660
ttaaacattg	ttttatcaag	tcactgttaa	gtagaagaaa	gccatggtaa	actgatacat	6720
aacctaaatt	ataaaagcag	aaacctaact	cactcgtcaa	gggaagttac	cttttgagga	6780
aagttaaagt	acttttttcc	ctatctgtat	ctatagcaac	aaccagaac	ttacaaactt	6840
ctccaaagat	tttattgatt	gttatatcaa	atcagaatgt	aaacatgaac	tcttgcatat	6900
attttaaatt	gtgttggaac	atttgaacat	gaatgctgtt	tgggtactta	agaaattrat	6960
tcagtnngat	tacattatg	tganactggc	agattgcagt	gcanccttat	gccataaaaa	7020
tgtaatttar	cagccccaga	tattgttgaa	tattcaacaa	taacaagaaa	agcttttcat	7080
ctaagtttta	tgctttaatt	ttttttcttt	ttttttcttt	ttcttttgtt	tccttggtag	7140

-41-

taattttaat	ttttatttgg	aagggagcag	tataaagctt	atttgatttt	agtagtgat	7200
ctcatagata	cagacaaggc	aagagatgat	aagctgttta	aatagtgktt	aatattgatt	7260
gggggtgggg	agaaagaaaa	agtgtattac	ttaaagatac	tatatacskt	ttktatatca	7320
ttaaattcttt	aaaagaaatn	naataaattt	attgttttnc	aaaaaaaaac	ccnntaaaaa	7380
aaaaagggcg	gcccctctag	aggatccctc	gaggggccc			7419

<210> 28

<211> 1865

<212> PRT

<213> Homo Sapiens

<400> 28

Met	Ser	Gln	Lys	Ser	Trp	Ile	Glu	Ser	Thr	Leu	Thr	Lys	Arg	Glu	Cys	
1				5					10					15		
Val	Tyr	Ile	Ile	Pro	Ser	Ser	Lys	Asp	Pro	His	Arg	Cys	Leu	Pro	Gly	
			20					25					30			
Cys	Gln	Ile	Cys	Gln	Gln	Leu	Val	Arg	Cys	Phe	Cys	Gly	Arg	Leu	Val	
		35				40						45				
Lys	Gln	His	Ala	Cys	Phe	Thr	Ala	Ser	Leu	Ala	Met	Lys	Tyr	Ser	Asp	
		50				55					60					
Val	Lys	Leu	Gly	Asp	His	Phe	Asn	Gln	Ala	Ile	Glu	Glu	Trp	Ser	Val	
65					70					75				80		
Glu	Lys	His	Thr	Glu	Gln	Ser	Pro	Thr	Asp	Ala	Tyr	Gly	Val	Ile	Asn	
			85						90					95		
Phe	Gln	Gly	Gly	Ser	His	Ser	Tyr	Arg	Ala	Lys	Tyr	Val	Arg	Leu	Ser	
			100					105					110			
Tyr	Asp	Thr	Lys	Pro	Glu	Val	Ile	Leu	Gln	Leu	Leu	Leu	Lys	Glu	Trp	
		115					120					125				
Gln	Met	Glu	Leu	Pro	Lys	Leu	Val	Ile	Ser	Val	His	Gly	Gly	Met	Gln	
		130					135					140				
Lys	Phe	Glu	Leu	His	Pro	Arg	Ile	Lys	Gln	Leu	Leu	Gly	Lys	Gly	Leu	
145					150					155					160	
Ile	Lys	Ala	Ala	Val	Thr	Thr	Gly	Ala	Trp	Ile	Leu	Thr	Gly	Gly	Val	
			165						170					175		
Asn	Thr	Gly	Val	Ala	Lys	His	Val	Gly	Asp	Ala	Leu	Lys	Glu	His	Ala	
			180					185					190			
Ser	Arg	Ser	Ser	Arg	Lys	Ile	Cys	Thr	Ile	Gly	Ile	Ala	Pro	Trp	Gly	
		195					200					205				
Val	Ile	Glu	Asn	Arg	Asn	Asp	Leu	Val	Gly	Arg	Asp	Val	Val	Ala	Pro	
		210				215					220					
Tyr	Gln	Thr	Leu	Leu	Asn	Pro	Leu	Ser	Lys	Leu	Asn	Val	Leu	Asn	Asn	
225					230					235				240		
Leu	His	Ser	His	Phe	Ile	Leu	Val	Asp	Asp	Gly	Thr	Val	Gly	Lys	Tyr	
			245						250					255		
Gly	Ala	Glu	Val	Arg	Leu	Arg	Arg	Glu	Leu	Glu	Lys	Thr	Ile	Asn	Gln	
			260					265					270			
Gln	Arg	Ile	His	Ala	Arg	Ile	Gly	Gln	Gly	Val	Pro	Val	Val	Ala	Leu	
		275					280					285				
Ile	Phe	Glu	Gly	Gly	Pro	Asn	Val	Ile	Leu	Thr	Val	Leu	Glu	Tyr	Leu	
		290				295					300					
Gln	Glu	Ser	Pro	Pro	Val	Pro	Val	Val	Val	Cys	Glu	Gly	Thr	Gly	Arg	
305					310					315				320		
Ala	Ala	Asp	Leu	Leu	Ala	Tyr	Ile	His	Lys	Gln	Thr	Glu	Glu	Gly	Gly	
			325						330					335		
Asn	Leu	Pro	Asp	Ala	Ala	Glu	Pro	Asp	Ile	Ile	Ser	Thr	Ile	Lys	Lys	
			340					345					350			
Thr	Phe	Asn	Phe	Gly	Gln	Asn	Glu	Ala	Leu	His	Leu	Phe	Gln	Thr	Leu	
		355					360						365			

-42-

Met	Glu	Cys	Met	Lys	Arg	Lys	Glu	Leu	Ile	Thr	Val	Phe	His	Ile	Gly
370						375					380				
Ser	Asp	Glu	His	Gln	Asp	Ile	Asp	Val	Ala	Ile	Leu	Thr	Ala	Leu	Leu
385					390					395					400
Lys	Gly	Thr	Asn	Ala	Ser	Ala	Phe	Asp	Gln	Leu	Ile	Leu	Thr	Leu	Ala
			405						410						415
Trp	Asp	Arg	Val	Asp	Ile	Ala	Lys	Asn	His	Val	Phe	Val	Tyr	Gly	Gln
			420					425					430		
Gln	Trp	Leu	Val	Gly	Ser	Leu	Glu	Gln	Ala	Met	Leu	Asp	Ala	Leu	Val
		435					440					445			
Met	Asp	Arg	Val	Ala	Phe	Val	Lys	Leu	Leu	Ile	Glu	Asn	Gly	Val	Ser
450						455					460				
Met	His	Lys	Phe	Leu	Thr	Ile	Pro	Arg	Leu	Glu	Glu	Leu	Tyr	Asn	Thr
465					470					475					480
Lys	Gln	Gly	Pro	Thr	Asn	Pro	Met	Leu	Phe	His	Leu	Val	Arg	Asp	Val
				485					490						495
Lys	Gln	Gly	Asn	Leu	Pro	Pro	Gly	Tyr	Lys	Ile	Thr	Leu	Ile	Asp	Ile
			500					505					510		
Gly	Leu	Val	Ile	Glu	Tyr	Leu	Met	Gly	Gly	Thr	Tyr	Arg	Cys	Thr	Tyr
		515					520					525			
Thr	Arg	Lys	Arg	Phe	Arg	Leu	Ile	Tyr	Asn	Ser	Leu	Gly	Gly	Asn	Asn
530						535					540				
Arg	Arg	Ser	Gly	Arg	Asn	Thr	Ser	Ser	Ser	Thr	Pro	Gln	Leu	Arg	Lys
545					550					555					560
Ser	His	Glu	Ser	Phe	Gly	Asn	Arg	Ala	Asp	Lys	Lys	Glu	Lys	Met	Arg
				565					570						575
His	Asn	His	Phe	Ile	Lys	Thr	Ala	Gln	Pro	Phe	Arg	Pro	Lys	Ile	Asp
			580					585					590		
Thr	Val	Met	Glu	Glu	Gly	Lys	Lys	Arg	Thr	Lys	Asp	Glu	Ile	Val	
		595				600					605				
Asp	Ile	Asp	Asp	Pro	Glu	Thr	Lys	Arg	Phe	Pro	Tyr	Pro	Leu	Asn	Glu
610						615					620				
Leu	Leu	Ile	Trp	Ala	Cys	Leu	Met	Lys	Arg	Gln	Val	Met	Ala	Arg	Phe
625					630					635					640
Leu	Trp	Gln	His	Gly	Glu	Glu	Ser	Met	Ala	Lys	Ala	Leu	Val	Ala	Cys
			645						650						655
Lys	Ile	Tyr	Arg	Ser	Met	Ala	Tyr	Glu	Ala	Lys	Gln	Ser	Asp	Leu	Val
			660					665					670		
Asp	Asp	Thr	Ser	Glu	Glu	Leu	Lys	Gln	Tyr	Ser	Asn	Asp	Phe	Gly	Gln
		675					680					685			
Leu	Ala	Val	Glu	Leu	Leu	Glu	Gln	Ser	Phe	Arg	Gln	Asp	Glu	Thr	Met
690						695					700				
Ala	Met	Lys	Leu	Leu	Thr	Tyr	Glu	Leu	Lys	Asn	Trp	Ser	Asn	Ser	Thr
705					710					715					720
Cys	Leu	Lys	Leu	Ala	Val	Ser	Ser	Arg	Leu	Arg	Pro	Phe	Val	Ala	His
				725					730						735
Thr	Cys	Thr	Gln	Met	Leu	Leu	Ser	Asp	Met	Trp	Met	Gly	Arg	Leu	Asn
			740					745					750		
Met	Arg	Lys	Asn	Ser	Trp	Tyr	Lys	Val	Ile	Leu	Ser	Ile	Leu	Val	Pro
		755					760					765			
Pro	Ala	Ile	Leu	Leu	Leu	Glu	Tyr	Lys	Thr	Lys	Ala	Glu	Met	Ser	His
		770				775					780				
Ile	Pro	Gln	Ser	Gln	Asp	Ala	His	Gln	Met	Thr	Met	Asp	Asp	Ser	Glu
785					790					795					800
Asn	Asn	Phe	Gln	Asn	Ile	Thr	Glu	Glu	Ile	Pro	Met	Glu	Val	Phe	Lys
				805					810						815
Glu	Val	Arg	Ile	Leu	Asp	Ser	Asn	Glu	Gly	Lys	Asn	Glu	Met	Glu	Ile
			820					825				830			
Gln	Met	Lys	Ser	Lys	Lys	Leu	Pro	Ile	Thr	Arg	Lys	Phe	Tyr	Ala	Phe
		835					840						845		

-43-

Tyr	His	Ala	Pro	Ile	Val	Lys	Phe	Trp	Phe	Asn	Thr	Leu	Ala	Tyr	Leu	850	855	860
Gly	Phe	Leu	Met	Leu	Tyr	Thr	Phe	Val	Val	Leu	Val	Gln	Met	Glu	Gln	865	870	875
Leu	Pro	Ser	Val	Gln	Glu	Trp	Ile	Val	Ile	Ala	Tyr	Ile	Phe	Thr	Tyr	885	890	895
Ala	Ile	Glu	Lys	Val	Arg	Glu	Ile	Phe	Met	Ser	Glu	Ala	Gly	Lys	Val	900	905	910
Asn	Gln	Lys	Ile	Lys	Val	Trp	Phe	Ser	Asp	Tyr	Phe	Asn	Ile	Ser	Asp	915	920	925
Thr	Ile	Ala	Ile	Ile	Ser	Phe	Phe	Ile	Gly	Phe	Gly	Leu	Arg	Phe	Gly	930	935	940
Ala	Lys	Trp	Asn	Phe	Ala	Asn	Ala	Tyr	Asp	Asn	His	Val	Phe	Val	Ala	945	950	955
Gly	Arg	Leu	Ile	Tyr	Cys	Leu	Asn	Ile	Ile	Phe	Trp	Tyr	Val	Arg	Leu	965	970	975
Leu	Asp	Phe	Leu	Ala	Val	Asn	Gln	Gln	Ala	Gly	Pro	Tyr	Val	Met	Met	980	985	990
Ile	Gly	Lys	Met	Val	Ala	Asn	Met	Phe	Tyr	Ile	Val	Val	Ile	Met	Ala	995	1000	1005
Leu	Val	Leu	Leu	Ser	Phe	Gly	Val	Pro	Arg	Lys	Ala	Ile	Leu	Tyr	Pro	1010	1015	1020
His	Glu	Ala	Pro	Ser	Trp	Thr	Leu	Ala	Lys	Asp	Ile	Val	Phe	His	Pro	1025	1030	1035
Tyr	Trp	Met	Ile	Phe	Gly	Glu	Val	Tyr	Ala	Tyr	Glu	Ile	Asp	Val	Cys	1045	1050	1055
Ala	Asn	Asp	Ser	Val	Ile	Pro	Gln	Ile	Cys	Gly	Pro	Gly	Thr	Trp	Leu	1060	1065	1070
Thr	Pro	Phe	Leu	Gln	Ala	Val	Tyr	Leu	Phe	Val	Gln	Tyr	Ile	Ile	Met	1075	1080	1085
Val	Asn	Leu	Leu	Ile	Ala	Phe	Phe	Asn	Asn	Val	Tyr	Leu	Gln	Val	Lys	1090	1095	1100
Ala	Ile	Ser	Asn	Ile	Val	Trp	Lys	Tyr	Gln	Arg	Tyr	His	Phe	Ile	Met	1105	1110	1115
Ala	Tyr	His	Glu	Lys	Pro	Val	Leu	Pro	Pro	Pro	Leu	Ile	Ile	Leu	Ser	1125	1130	1135
His	Ile	Val	Ser	Leu	Phe	Cys	Cys	Ile	Cys	Lys	Arg	Arg	Lys	Lys	Asp	1140	1145	1150
Lys	Thr	Ser	Asp	Gly	Pro	Lys	Leu	Phe	Leu	Thr	Glu	Glu	Asp	Gln	Lys	1155	1160	1165
Lys	Leu	His	Asp	Phe	Glu	Glu	Gln	Cys	Val	Glu	Met	Tyr	Phe	Asn	Glu	1170	1175	1180
Lys	Asp	Asp	Lys	Phe	His	Ser	Gly	Ser	Glu	Glu	Arg	Ile	Arg	Val	Thr	1185	1190	1195
Phe	Glu	Arg	Val	Glu	Gln	Met	Cys	Ile	Gln	Ile	Lys	Glu	Val	Gly	Asp	1205	1210	1215
Arg	Val	Asn	Tyr	Ile	Lys	Arg	Ser	Leu	Gln	Ser	Leu	Asp	Ser	Gln	Ile	1220	1225	1230
Gly	His	Leu	Gln	Asp	Leu	Ser	Ala	Leu	Thr	Val	Asp	Thr	Leu	Lys	Thr	1235	1240	1245
Leu	Thr	Ala	Gln	Lys	Ala	Ser	Glu	Ala	Ser	Lys	Val	His	Asn	Glu	Ile	1250	1255	1260
Thr	Arg	Glu	Leu	Ser	Ile	Ser	Lys	His	Leu	Ala	Gln	Asn	Leu	Ile	Asp	1265	1270	1275
Asp	Gly	Pro	Val	Arg	Pro	Ser	Val	Trp	Lys	Lys	His	Gly	Val	Val	Asn	1285	1290	1295
Thr	Leu	Ser	Ser	Ser	Leu	Pro	Gln	Gly	Asp	Leu	Glu	Ser	Asn	Asn	Pro	1300	1305	1310
Phe	His	Cys	Asn	Ile	Leu	Met	Lys	Asp	Asp	Lys	Asp	Pro	Gln	Cys	Asn	1315	1320	1325

-44-

Ile Phe Gly Gln Asp Leu Pro Ala Val Pro Gln Arg Lys Glu Phe Asn
 1330 1335 1340
 Phe Pro Glu Ala Gly Ser Ser Ser Gly Ala Leu Phe Pro Ser Ala Val
 1345 1350 1355 1360
 Ser Pro Pro Glu Leu Arg Gln Arg Leu His Gly Val Glu Leu Leu Lys
 1365 1370 1375
 Ile Phe Asn Lys Asn Gln Lys Leu Gly Ser Ser Ser Thr Ser Ile Pro
 1380 1385 1390
 His Leu Ser Ser Pro Pro Thr Lys Phe Phe Val Ser Thr Pro Ser Gln
 1395 1400 1405
 Pro Ser Cys Lys Ser His Leu Glu Thr Gly Thr Lys Asp Gln Glu Thr
 1410 1415 1420
 Val Cys Ser Lys Ala Thr Glu Gly Asp Asn Thr Glu Phe Gly Ala Phe
 1425 1430 1435 1440
 Val Gly His Arg Asp Ser Met Asp Leu Gln Arg Phe Lys Glu Thr Ser
 1445 1450 1455
 Asn Lys Ile Lys Ile Leu Ser Asn Asn Asn Thr Ser Glu Asn Thr Leu
 1460 1465 1470
 Lys Arg Val Ser Ser Leu Ala Gly Phe Thr Asp Cys His Arg Thr Ser
 1475 1480 1485
 Ile Pro Val His Ser Lys Gln Ala Glu Lys Ile Ser Arg Arg Pro Ser
 1490 1495 1500
 Thr Glu Asp Thr His Glu Val Asp Ser Lys Ala Ala Leu Ile Pro Asp
 1505 1510 1515 1520
 Trp Leu Gln Asp Arg Pro Ser Asn Arg Glu Met Pro Ser Glu Glu Gly
 1525 1530 1535
 Thr Leu Asn Gly Leu Thr Ser Pro Phe Lys Pro Ala Met Asp Thr Asn
 1540 1545 1550
 Tyr Tyr Tyr Ser Ala Val Glu Arg Asn Asn Leu Met Arg Leu Ser Gln
 1555 1560 1565
 Ser Ile Pro Phe Thr Pro Val Pro Pro Arg Gly Glu Pro Val Thr Val
 1570 1575 1580
 Tyr Arg Leu Glu Glu Ser Ser Pro Asn Ile Leu Asn Asn Ser Met Ser
 1585 1590 1595 1600
 Ser Trp Ser Gln Leu Gly Leu Cys Ala Lys Ile Glu Phe Leu Ser Lys
 1605 1610 1615
 Glu Glu Met Gly Gly Gly Leu Arg Arg Ala Val Lys Val Gln Cys Thr
 1620 1625 1630
 Trp Ser Glu His Asp Ile Leu Lys Ser Gly His Leu Tyr Ile Ile Lys
 1635 1640 1645
 Ser Phe Leu Pro Glu Val Val Asn Thr Trp Ser Ser Ile Tyr Lys Glu
 1650 1655 1660
 Asp Thr Val Leu His Leu Cys Leu Arg Glu Ile Gln Gln Gln Arg Ala
 1665 1670 1675 1680
 Ala Gln Lys Leu Thr Phe Ala Phe Asn Gln Met Lys Pro Lys Ser Ile
 1685 1690 1695
 Pro Tyr Ser Pro Arg Phe Leu Glu Val Phe Leu Leu Tyr Cys His Ser
 1700 1705 1710
 Ala Gly Gln Trp Phe Ala Val Glu Glu Cys Met Thr Gly Glu Phe Arg
 1715 1720 1725
 Lys Tyr Asn Asn Asn Asn Gly Asp Glu Ile Ile Pro Thr Asn Thr Leu
 1730 1735 1740
 Glu Glu Ile Met Leu Ala Phe Ser His Trp Thr Tyr Glu Tyr Thr Arg
 1745 1750 1755 1760
 Gly Glu Leu Leu Val Leu Asp Leu Gln Gly Val Gly Glu Asn Leu Thr
 1765 1770 1775
 Asp Pro Ser Val Ile Lys Ala Glu Glu Lys Arg Ser Cys Asp Met Val
 1780 1785 1790
 Phe Gly Pro Ala Asn Leu Gly Glu Asp Ala Ile Lys Asn Phe Arg Ala
 1795 1800 1805

-45-

Lys His His Cys Asn Ser Cys Cys Arg Lys Leu Lys Leu Pro Asp Leu
 1810 1815 1820
 Lys Arg Asn Asp Tyr Thr Pro Asp Lys Ile Ile Phe Pro Gln Asp Glu
 1825 1830 1835 1840
 Pro Ser Asp Leu Asn Leu Gln Pro Gly Asn Ser Thr Lys Glu Ser Glu
 1845 1850 1855
 Ser Thr Asn Ser Val Arg Leu Met Leu
 1860 1865

<210> 29
 <211> 4061
 <212> DNA
 <213> Homo Sapiens

<400> 29
 ggtctggaag cagagccggc ggagggagcg ccggggccct gggctgcagg aggttgccgc 60
 ggccgcggca gcatggtggt gccggagaag gagcagagct ggatcccca gatcttcaag 120
 aagaagacct gcacgacgtt catagttgac tccacagatc cgggaggagc cttgtgccag 180
 tgtggggcgc cccggaccgc ccaccccgca gtggccatgg aggatgcctt cggggcagcc 240
 gtggtgaccg tgtgggacag cgatgcacac accacggaga agcccaccga tgcctacgga 300
 gagctggact tcacgggggc cgcccgcaag cacagcaatt tcctccggct ctctgaccga 360
 acggatccag ctgcagttta tagtctggtc acacgcacat ggggcttccg tgccccgaac 420
 ctggtggtgt cagtgtggg ggatcgggg ggcccgctcc tccagacctg gctgcaggac 480
 ctgctgcgtc gtgggctggt gcgggctgcc cagagcacag gagcctggat tgtcactggg 540
 ggtctgcaca cgggcatcgg ccggcatggt ggtgtggctg tacgggacca tcagatggcc 600
 agcactgggg gcaccaaggt ggtggccatg ggtgtggccc cctgggggtg ggtccggaat 660
 agagacaccc tcatcaaccc caagggtcgt ttccctgcga ggtaccgggt gcgcggtgac 720
 ccggaggacg ggtccagtt tccctggac tacaactact cggccttctt cctggtggac 780
 gacggcacac acgctgcct gggggcgag agctcggaag gcttgcgcct ggagtcctac 840
 atctcacagc agaagacggg cgtgggaggg actggaattg acatccctgt cctgctctc 900
 ctgattgatg gtgatgagaa gatgttgacg cgaatagaga acgccacca ggctcagctc 960
 ccatgtctcc tcgtggctgg ctccagggga gctgcggact gcctggcgga gaccctggaa 1020
 gacactctgg cccagggag tgggggagcc aggaagggcg aagcccaga tcgaatcagg 1080
 cgtttctttt ccaaaggga ccttgaggtc ctgcaggccc aggtggagag gattatgacc 1140
 cgaaggagc tcctgacagt ctattcttct gaggtgggt ctgaggaatt cgagaccata 1200
 gttttgaagg ccctgtgaa ggctgtggg agctcggaag cctcagccta cctgtctgag 1260
 ctgcgtttgg ctgtggcttg gaaccgcgtg gacattgccc agagtgaact ctttcggggg 1320
 gacatccaat ggcggtcctt ccatctcgaa gcttccctca tggacgccct gctgaatgac 1380
 cggcctgagt tcgtgcgctt gctcatttcc cacggcctca gcctgggcca ctccctgacc 1440
 ccgatgcgcc tggcccaact ctacagcgcg gcgcctcca actcgctcat ccgcaacctt 1500
 ttggaccagg cgtcccacag cgcaggcacc aaagcccag ccctaaaagg gggagctgcg 1560
 gagctccggc ccctgacgt ggggcatgtg ctgaggatgc tgcgtgggaa gatgtgcgcg 1620
 ccgaggtacc cctccggggg cgctgggac cctcaccag gccaggcctt cggggagagc 1680
 atgtatctgc tctcggacaa ggccacctcg ccgctctcgc tggatgctgg cctcgggcag 1740
 gccccctgga gcgacctgct tctttgggca ctggtgctga acagggcaca gatggccatg 1800
 tacttctggg agatgggttc caatgcagtt tcctcagctc ttggggcctg tttgctgctc 1860
 cgggtgatgg cagcctgga gcctgacgct gaggaggcag cacggaggaa agacctggcg 1920
 ttcaagtttg aggggatggg cgttgacctc tttggcgagt gctatcgag cagtgaagtg 1980
 agggctgccc gcctcctcct ccgtcgctgc ccgctctggg gggatgccac ttgcctccag 2040
 ctggccatgc aagctgacgc ccgtgccttc tttgccagg atggggtaca gtctctgctg 2100
 acacagaagt ggtggggaga tatggccagc actacacca tctgggccct ggttctcgcc 2160
 ttcttttgcc ctccactcat ctacaccgc ctcactacct tcaggaaatc agaagaggag 2220
 cccacacggg aggagctaga gtttgacatg gatagtgtca ttaatgggga agggcctgtc 2280
 gggacggcgg acccagccga gaagacggcg ctgggggtcc cgcgccagtc gggccgtccg 2340
 ggttgctgcg ggggcccgtg cggggggcgc cgggtgcctac gccgctggtt ccacttctgg 2400
 ggcgcgccgg tgacctctt catgggcaac gtggtcagct acctgctgtt cctgctgctt 2460
 ttctcgcggg tgcgtcctg ggatttccag ccggcgccgc ccggtccctt ggagctgctg 2520
 ctctatttct gggctttcac gctgctgtgc gaggaactgc gccaggccct gagcggaggc 2580
 gggggcagcc tcgccagcg gggccccggg cctggccatg cctcactgag ccagcgccgtg 2640
 cgctctacc tcgccgacag ctggaaccag tgcgacctag tggtctcac ctgcttctc 2700

-46-

```

ctgggcggtg gctgccggct gaccccggtt ttgtaccacc tgggcccgcac tgtcctctgc 2760
atcgacttca tggttttcac ggtgcggctg cttcacatct tcacggtcaa caaacagctg 2820
gggccaaga tegtcatcgt gagcaagatg atgaaggacg tgttcttctt cctcttcttc 2880
ctcggcggtg ggctggtagc ctatggcggt gccacggagg ggctcctgag gccacgggac 2940
agtgaacttc caagtatcct gcgcgcgctc ttctaccgtc cctacctgca gatcttcggg 3000
cagattcccc aggaggacat ggacgtggcc ctcatggagc acagcaactg ctcgtcggag 3060
cccggcttct gggcacaccc tcctggggcc caggcgggca cctgcgtctc ccagtatgcc 3120
aactggctgg tgggtctgct cctcgtcatc ttctgctcgt tggccaacat cctgctggtc 3180
aacttgctca ttgccatggt cagttacaca ttcgcaaaag tacagggcaa cagcgatctc 3240
tactggaagg cgcagcgtta ccgcctcatc cgggaattcc actctcggcc cgcgtggcc 3300
ccgcccttta tegtcatctc ccacttgccg ctctgctca ggcaattgtg caggcgaccc 3360
cggagcccc agcgtcctc cccggccctc gagcatttcc gggtttacct ttctaaggaa 3420
gccgagcgga agctgtaaac gtgggaatcg gtgcataagg agaactttct gctggcacgc 3480
gctagggaca agcgggagag cgactccgag cgtctgaagc gcacgtccca gaaggtggac 3540
ttggcactga aacagctggg acacatccgc gagtacgaac agcgcctgaa agtgctggag 3600
cgggaggtcc agcagtgtag ccgcgtcctg ggggtgggtg ccgaggccct gagccgctct 3660
gccttgctgc ccccaggtgg gccgccaccc cctgacctgc ctgggtccaa agactgagcc 3720
ctgctggcgg acttcaagga gaagcccca caggggattt tgctcctaga gtaaggctca 3780
tctgggcctc ggccccgca cctggtggcc ttgtccttga ggtgagcccc atgtccatct 3840
gggcaactgt caggaccacc tttgggagtg tcctccttac aaaccacagc atgcccggt 3900
cctcccagaa ccagtcccag cctgggagga tcaaggcctg gatcccgggc cgttatccat 3960
ctggaggctg cagggtcctt ggggtaacag ggaccacaga cccctacca ctcacagatt 4020
cctcacactg gggaaataaa gccatttcag aggaaaaaaa a 4061

```

<210> 30

<211> 1214

<212> PRT

<213> Homo Sapiens

<400> 30

```

Met Val Val Pro Glu Lys Glu Gln Ser Trp Ile Pro Lys Ile Phe Lys
1 5 10 15
Lys Lys Thr Cys Thr Thr Phe Ile Val Asp Ser Thr Asp Pro Gly Gly
20 25 30
Thr Leu Cys Gln Cys Gly Arg Pro Arg Thr Ala His Pro Ala Val Ala
35 40 45
Met Glu Asp Ala Phe Gly Ala Ala Val Val Thr Val Trp Asp Ser Asp
50 55 60
Ala His Thr Thr Glu Lys Pro Thr Asp Ala Tyr Gly Glu Leu Asp Phe
65 70 75 80
Thr Gly Ala Gly Arg Lys His Ser Asn Phe Leu Arg Leu Ser Asp Arg
85 90 95
Thr Asp Pro Ala Val Tyr Ser Leu Val Thr Arg Thr Trp Gly Phe
100 105 110
Arg Ala Pro Asn Leu Val Val Ser Val Leu Gly Gly Ser Gly Gly Pro
115 120 125
Val Leu Gln Thr Trp Leu Gln Asp Leu Leu Arg Arg Gly Leu Val Arg
130 135 140
Ala Ala Gln Ser Thr Gly Ala Trp Ile Val Thr Gly Gly Leu His Thr
145 150 155 160
Gly Ile Gly Arg His Val Gly Val Ala Val Arg Asp His Gln Met Ala
165 170 175
Ser Thr Gly Gly Thr Lys Val Val Ala Met Gly Val Ala Pro Trp Gly
180 185 190
Val Val Arg Asn Arg Asp Thr Leu Ile Asn Pro Lys Gly Ser Phe Pro
195 200 205
Ala Arg Tyr Arg Trp Arg Gly Asp Pro Glu Asp Gly Val Gln Phe Pro
210 215 220
Leu Asp Tyr Asn Tyr Ser Ala Phe Phe Leu Val Asp Asp Gly Thr His
225 230 235 240

```

-47-

Gly Cys Leu Gly Gly Glu Asn Arg Phe Arg Leu Arg Leu Glu Ser Tyr
 245 250 255
 Ile Ser Gln Gln Lys Thr Gly Val Gly Gly Thr Gly Ile Asp Ile Pro
 260 265 270
 Val Leu Leu Leu Leu Ile Asp Gly Asp Glu Lys Met Leu Thr Arg Ile
 275 280 285
 Glu Asn Ala Thr Gln Ala Gln Leu Pro Cys Leu Leu Val Ala Gly Ser
 290 295 300
 Gly Gly Ala Ala Asp Cys Leu Ala Glu Thr Leu Glu Asp Thr Leu Ala
 305 310 315 320
 Pro Gly Ser Gly Gly Ala Arg Gln Gly Glu Ala Arg Asp Arg Ile Arg
 325 330 335
 Arg Phe Phe Pro Lys Gly Asp Leu Glu Val Leu Gln Ala Gln Val Glu
 340 345 350
 Arg Ile Met Thr Arg Lys Glu Leu Leu Thr Val Tyr Ser Ser Glu Asp
 355 360 365
 Gly Ser Glu Glu Phe Glu Thr Ile Val Leu Lys Ala Leu Val Lys Ala
 370 375 380
 Cys Gly Ser Ser Glu Ala Ser Ala Tyr Leu Asp Glu Leu Arg Leu Ala
 385 390 395 400
 Val Ala Trp Asn Arg Val Asp Ile Ala Gln Ser Glu Leu Phe Arg Gly
 405 410 415
 Asp Ile Gln Trp Arg Ser Phe His Leu Glu Ala Ser Leu Met Asp Ala
 420 425 430
 Leu Leu Asn Asp Arg Pro Glu Phe Val Arg Leu Leu Ile Ser His Gly
 435 440 445
 Leu Ser Leu Gly His Phe Leu Thr Pro Met Arg Leu Ala Gln Leu Tyr
 450 455 460
 Ser Ala Ala Pro Ser Asn Ser Leu Ile Arg Asn Leu Leu Asp Gln Ala
 465 470 475 480
 Ser His Ser Ala Gly Thr Lys Ala Pro Ala Leu Lys Gly Gly Ala Ala
 485 490 495
 Glu Leu Arg Pro Pro Asp Val Gly His Val Leu Arg Met Leu Leu Gly
 500 505 510
 Lys Met Cys Ala Pro Arg Tyr Pro Ser Gly Gly Ala Trp Asp Pro His
 515 520 525
 Pro Gly Gln Gly Phe Gly Glu Ser Met Tyr Leu Leu Ser Asp Lys Ala
 530 535 540
 Thr Ser Pro Leu Ser Leu Asp Ala Gly Leu Gly Gln Ala Pro Trp Ser
 545 550 555 560
 Asp Leu Leu Leu Trp Ala Leu Leu Leu Asn Arg Ala Gln Met Ala Met
 565 570 575
 Tyr Phe Trp Glu Met Gly Ser Asn Ala Val Ser Ser Ala Leu Gly Ala
 580 585 590
 Cys Leu Leu Leu Arg Val Met Ala Arg Leu Glu Pro Asp Ala Glu Glu
 595 600 605
 Ala Ala Arg Arg Lys Asp Leu Ala Phe Lys Phe Glu Gly Met Gly Val
 610 615 620
 Asp Leu Phe Gly Glu Cys Tyr Arg Ser Ser Glu Val Arg Ala Ala Arg
 625 630 635 640
 Leu Leu Leu Arg Arg Cys Pro Leu Trp Gly Asp Ala Thr Cys Leu Gln
 645 650 655
 Leu Ala Met Gln Ala Asp Ala Arg Ala Phe Phe Ala Gln Asp Gly Val
 660 665 670
 Gln Ser Leu Leu Thr Gln Lys Trp Trp Gly Asp Met Ala Ser Thr Thr
 675 680 685
 Pro Ile Trp Ala Leu Val Leu Ala Phe Phe Cys Pro Pro Leu Ile Tyr
 690 695 700
 Thr Arg Leu Ile Thr Phe Arg Lys Ser Glu Glu Glu Pro Thr Arg Glu
 705 710 715 720

-48-

Glu Leu Glu Phe Asp Met Asp Ser Val Ile Asn Gly Glu Gly Pro Val
 725 730 735
 Gly Thr Ala Asp Pro Ala Glu Lys Thr Pro Leu Gly Val Pro Arg Gln
 740 745 750
 Ser Gly Arg Pro Gly Cys Cys Gly Gly Arg Cys Gly Gly Arg Arg Cys
 755 760 765
 Leu Arg Arg Trp Phe His Phe Trp Gly Ala Pro Val Thr Ile Phe Met
 770 775 780
 Gly Asn Val Val Ser Tyr Leu Leu Phe Leu Leu Phe Ser Arg Val
 785 790 795 800
 Leu Leu Val Asp Phe Gln Pro Ala Pro Pro Gly Ser Leu Glu Leu Leu
 805 810 815
 Leu Tyr Phe Trp Ala Phe Thr Leu Leu Cys Glu Glu Leu Arg Gln Gly
 820 825 830
 Leu Ser Gly Gly Gly Ser Leu Ala Ser Gly Gly Pro Gly Pro Gly
 835 840 845
 His Ala Ser Leu Ser Gln Arg Leu Arg Leu Tyr Leu Ala Asp Ser Trp
 850 855 860
 Asn Gln Cys Asp Leu Val Ala Leu Thr Cys Phe Leu Leu Gly Val Gly
 865 870 875 880
 Cys Arg Leu Thr Pro Gly Leu Tyr His Leu Gly Arg Thr Val Leu Cys
 885 890 895
 Ile Asp Phe Met Val Phe Thr Val Arg Leu Leu His Ile Phe Thr Val
 900 905 910
 Asn Lys Gln Leu Gly Pro Lys Ile Val Ile Val Ser Lys Met Met Lys
 915 920 925
 Asp Val Phe Phe Phe Leu Phe Phe Leu Gly Val Trp Leu Val Ala Tyr
 930 935 940
 Gly Val Ala Thr Glu Gly Leu Leu Arg Pro Arg Asp Ser Asp Phe Pro
 945 950 955 960
 Ser Ile Leu Arg Arg Val Phe Tyr Arg Pro Tyr Leu Gln Ile Phe Gly
 965 970 975
 Gln Ile Pro Gln Glu Asp Met Asp Val Ala Leu Met Glu His Ser Asn
 980 985 990
 Cys Ser Ser Glu Pro Gly Phe Trp Ala His Pro Pro Gly Ala Gln Ala
 995 1000 1005
 Gly Thr Cys Val Ser Gln Tyr Ala Asn Trp Leu Val Val Leu Leu Leu
 1010 1015 1020
 Val Ile Phe Leu Leu Val Ala Asn Ile Leu Leu Val Asn Leu Leu Ile
 1025 1030 1035 1040
 Ala Met Phe Ser Tyr Thr Phe Gly Lys Val Gln Gly Asn Ser Asp Leu
 1045 1050 1055
 Tyr Trp Lys Ala Gln Arg Tyr Arg Leu Ile Arg Glu Phe His Ser Arg
 1060 1065 1070
 Pro Ala Leu Ala Pro Pro Phe Ile Val Ile Ser His Leu Arg Leu Leu
 1075 1080 1085
 Leu Arg Gln Leu Cys Arg Arg Pro Arg Ser Pro Gln Pro Ser Ser Pro
 1090 1095 1100
 Ala Leu Glu His Phe Arg Val Tyr Leu Ser Lys Glu Ala Glu Arg Lys
 1105 1110 1115 1120
 Leu Leu Thr Trp Glu Ser Val His Lys Glu Asn Phe Leu Leu Ala Arg
 1125 1130 1135
 Ala Arg Asp Lys Arg Glu Ser Asp Ser Glu Arg Leu Lys Arg Thr Ser
 1140 1145 1150
 Gln Lys Val Asp Leu Ala Leu Lys Gln Leu Gly His Ile Arg Glu Tyr
 1155 1160 1165
 Glu Gln Arg Leu Lys Val Leu Glu Arg Glu Val Gln Gln Cys Ser Arg
 1170 1175 1180
 Val Leu Gly Trp Val Ala Glu Ala Leu Ser Arg Ser Ala Leu Leu Pro
 1185 1190 1195 1200

Pro Gly Gly Pro Pro Pro Pro Asp Leu Pro Gly Ser Lys Asp
1205 1210

<210> 31
<211> 4646
<212> DNA
<213> Homo Sapiens

<400> 31

tcgaccacag	cgctccgccca	cgcgctccgcc	cacgcgctccg	cccacgcgctc	cgcccacgcg	60
tccgcccacg	cgctccggggt	gaaagmramy	cmygcktsms	aaaaaccgctc	acttaggaaa	120
agatgtcctt	tcgggcagcc	aggctcagca	tgaggacacag	aaggaatgac	actctggaca	180
gcacccggac	cctgtactcc	agcgcgtctc	ggagcacaga	cttgtcttac	agtgaagcg	240
acttggtgaa	ttttattcaa	gcaaatttta	agaaacgaga	atgtgtcttc	tttaccaaaag	300
attccaaggc	cacggagaat	gtgtgcaagt	gtggctatgc	ccagagccag	cacatggaag	360
gcacccagat	caaccaaagt	gagaaatgga	actacaagaa	acacaccaag	gaatttccta	420
ccgacgcctt	tggggatatt	cagtttgaga	cactggggaa	gaaagggaaag	tatatacgtc	480
tgtcctgcga	cacggacgcg	gaaatccttt	acgagctgct	gacccagcac	tggcacctga	540
aaacacccaa	cctggtcatt	tctgtgaccg	ggggcgccaa	gaacttcgcc	ctgaagccgc	600
gcatgcgcaa	gatcttcagc	cggctcatct	acatcgcgca	gtccaaaggt	gcttggtatc	660
tcacgggagg	cacccattat	ggcctgatga	agtacatcgg	ggaggtgggtg	agagataaca	720
ccatcagcag	gagttcagag	gagaatattg	tggccattgg	catagcagct	tggggcattg	780
tctccaaccg	ggacacccctc	atcaggaatt	gcgatgctga	gggctatttt	ttagccaggt	840
accttatgga	tgaacttcaca	agagatccac	tgtgtatcct	ggacaacaac	cacacacatt	900
tgtctgctgt	ggacaatggc	tgtcatggac	atccactgt	cgaagcaaag	ctccggaatc	960
agctagagaa	gtatatctct	gagcgacta	ttcaagattc	caactatggt	ggcaagatcc	1020
ccattgtgtg	ttttgcccac	ggaggtggaa	aagagacttt	gaaagccatc	aatacctcca	1080
tcaaaaataa	aattccttgt	gtggtggtgg	aaggctcggg	ccagatcgct	gatgtgatcg	1140
ctagcctggt	ggaggtggag	gatgccctga	catcttctgc	cgtaaggag	aagctggtgc	1200
gctttttacc	ccgcacgggtg	tcccggctgc	ctgagcgaga	gactgagagt	tggatcaaat	1260
ggctcaaaga	aattctcgaa	tgttctcacc	tattaacagt	tattaaatg	gaagaagctg	1320
gggatgaaat	tgtgagcaat	gccatctcct	acgctctata	caaagccttc	agcaccagtg	1380
agcaagacaa	ggataactgg	aatgggcagc	tgaagcttct	gctggagtgg	aaccagctgg	1440
acttagccaa	tgatgagatt	ttcaccaatg	accgccgatg	ggagtctgct	gaccttcaag	1500
aagtcatggt	tacggctctc	ataaaggaca	gacccaagtt	tgtccgcctc	tttctggaga	1560
atggcttgaa	cctacggaag	tttctcacc	atgatgtcct	cactgaactc	ttctccaacc	1620
acttcagcac	gcttgtgtac	cggaaatctgc	agatcgccaa	gaattcctat	aatgatgcc	1680
tcctcacgtt	tgtctggaaa	ctgggtgcga	acttccgaag	aggcttccgg	aaggaagaca	1740
gaaatggccg	ggacgagatg	gacatagaac	tccacgacgt	gtctcctatt	actcggcacc	1800
ccctgcaagc	tctcttcac	tgggccattc	ttcagaataa	gaaggaaactc	tccaaagtca	1860
tttgaggagca	gaccaggggc	tgcactctgg	cagccctggg	agccagcaag	cttctgaaga	1920
ctctggccaa	agtgaagaac	gacatcaatg	ctgctgggga	gtccgaggag	ctggctaagt	1980
agtacgagac	ccgggctgtt	gagctgttca	ctgagtgtta	cagcagcgat	gaagacttgg	2040
cagaacagct	gctggtctat	tcctgtgaag	cttgggggtg	aagcaactgt	ctggagctgg	2100
cggtggaggc	cacagaccag	catttcatcg	cccagcctgg	ggtccagaat	tttctttcta	2160
agcaatggta	tggagagatt	tcccagagaca	ccaagaactg	gaagattatc	ctgtgtctgt	2220
ttattatacc	cttgggtggc	tgtggctttg	tatcatttag	gaagaaacct	gtcgacaagc	2280
acaagaagct	gctttggtac	tatgtggcgt	tcttcacctc	ccccttcgtg	gtcttctcct	2340
ggaatgtggt	cttctacatc	gccttcctcc	tgtgttttgc	ctacgtgctg	ctcatggatt	2400
tccattcgggt	gccacacccc	cccagagctgg	tctgtactc	gctgggtctt	gtcctcttct	2460
gtgatgaagt	gagacagtgg	tacgtaaatg	gggtgaatta	ttttactgac	ctgtggaatg	2520
tgatggacac	gctggggctt	ttttacttca	tagcaggaat	tgtatttcgg	ctccactctt	2580
ctaataaaaag	ctctttgtat	tctggacgag	tcattttctg	tctggactac	attattttca	2640
ctctaagatt	gatccacatt	tttactgtaa	gcagaaactt	aggaccaag	attataatgc	2700
tgcagaggat	gctgatcgat	gtgttcttct	tcctgttctc	ctttgcgggtg	tggatgggtg	2760
cctttggcgt	ggccaggcaa	gggatcctta	ggcagaatga	gcagcgctgg	aggtggatat	2820
tccgttcgggt	catctacgag	ccctacctgg	ccatgttcgg	ccaggtgccc	agtgcagtgg	2880
atggtaccac	gtatgacttt	gcccactgca	ccttactctg	gaatgagtcc	aagccactgt	2940
gtgtggagct	ggatgagcac	aaactgcccc	gggtccccga	gtggatcacc	atccccctgg	3000
tgtgcatcta	catgttatcc	accaacatcc	tgtgtgtcaa	cctgctggtc	gccatgtttg	3060

-50-

```

gctacacggt gggcaccgtc caggagaaca atgaccagggt ctggaagttc cagaggtact 3120
tcctgggtgca ggagtactgc agccgcctca atatcccctt ccccttcacg gtcttcgctt 3180
acttctacat ggtggtgaag aagtgttca agtgttgctg caaggagaaa aacatggagt 3240
cttctgtctg ctgtttcaaa aatgaagaca atgagactct ggcatgggag ggtgtcatga 3300
aggaaaacta ccttgtcaag atcaacacaa aagccaacga cacctcagag gaaatgaggc 3360
atcgatttag acaactggat acaaagctta atgatctcaa gggctcttctg aaagagattg 3420
ctaataaaat caaataaaac tgtatgaact ctaatggaga aaaatctaata tatagcaaga 3480
tcataattaag gaatgctgat gaacaatttt gctatcgact actaaatgag agattttcag 3540
acccctgggt acatgggtga tgattttaaa tcaccctagt gtgctgagac cttgagaata 3600
aagtgtgtga ttgggttcat acttgaagac ggatataaag gaagaatatt tcctttatgt 3660
gtttctccag aatgggtgct gtttctctct gtgtctcaat gcctgggact ggaggttgat 3720
agtttaagtg tggtcttacc gcctcctttt tcctttaatc ttatttttga tgaacacata 3780
tataggagaa catctatcct atgaataaga acctggtcat gctttactcc tgtattgtta 3840
ttttgttcat ttccaattga ttctctactt ttcccttttt tgtattatgt gactaattag 3900
ttggcataatt gtwaanaagtc tctcaaatta ggccagattc taaaacatgc tgcagcaaga 3960
ggaccccgct ctcttcagga aaagtgtttt catttctcag gatgcttctt acctgtcaga 4020
ggaggtgaca aggcagtctc ttgctctctt ggactcacca ggctcctatt gaaggaacca 4080
ccccattcc taaatatgtg aaaagtcgcc caaaatgcaa ccttgaaagg cactactgac 4140
tttgttctta ttggatactc ctcttattta ttatttttcc attaaaaata atagctggct 4200
attatagaaa atttagacca tacagagatg tagaagaac ataaattgtc cccattacct 4260
taaggtaatc actgctaaca atttctggat ggtttttcaa gtctattttt tttctatgta 4320
tgtctcaatt ctcttcaaa attttacaga atgttatcat actacatata tactttttat 4380
gtaagctttt tcacttagta ttttatcaaa tatgttttta ttatattcat agccttctta 4440
aacattatat caataattgc ataataggca acctctagcg attaccataa ttttgtcat 4500
tgaaggctat ctccagttga tcattgggat gagcatcttt gtgcatgaat cctattgctg 4560
tatttgggaa aattttccaa ggtagattc caataaatat ctatttatta ttaaaaaaaa 4620
aaaaaaaagg gcggccgctc tagagt 4646

```

<210> 32

<211> 1104

<212> PRT

<213> Homo Sapiens

<400> 32

```

Met, Ser Phe Arg Ala Arg Leu Ser Met Arg Asn Arg Arg Asn Asp
1          5          10          15
Thr Leu Asp Ser Thr Arg Thr Leu Tyr Ser Ser Ala Ser Arg Ser Thr
20          25          30
Asp Leu Ser Tyr Ser Glu Ser Asp Leu Val Asn Phe Ile Gln Ala Asn
35          40          45
Phe Lys Lys Arg Glu Cys Val Phe Phe Thr Lys Asp Ser Lys Ala Thr
50          55          60
Glu Asn Val Cys Lys Cys Gly Tyr Ala Gln Ser Gln His Met Glu Gly
65          70          75          80
Thr Gln Ile Asn Gln Ser Glu Lys Trp Asn Tyr Lys Lys His Thr Lys
85          90          95
Glu Phe Pro Thr Asp Ala Phe Gly Asp Ile Gln Phe Glu Thr Leu Gly
100          105          110
Lys Lys Gly Lys Tyr Ile Arg Leu Ser Cys Asp Thr Asp Ala Glu Ile
115          120          125
Leu Tyr Glu Leu Leu Thr Gln His Trp His Leu Lys Thr Pro Asn Leu
130          135          140
Val Ile Ser Val Thr Gly Gly Ala Lys Asn Phe Ala Leu Lys Pro Arg
145          150          155          160
Met Arg Lys Ile Phe Ser Arg Leu Ile Tyr Ile Ala Gln Ser Lys Gly
165          170          175
Ala Trp Ile Leu Thr Gly Gly Thr His Tyr Gly Leu Met Lys Tyr Ile
180          185          190
Gly Glu Val Val Arg Asp Asn Thr Ile Ser Arg Ser Ser Glu Glu Asn
195          200          205

```

-51-

Ile Val Ala Ile Gly Ile Ala Ala Trp Gly Met Val Ser Asn Arg Asp
 210 215 220
 Thr Leu Ile Arg Asn Cys Asp Ala Glu Gly Tyr Phe Leu Ala Gln Tyr
 225 230 235 240
 Leu Met Asp Asp Phe Thr Arg Asp Pro Leu Cys Ile Leu Asp Asn Asn
 245 250 255
 His Thr His Leu Leu Val Asp Asn Gly Cys His Gly His Pro Thr
 260 265 270
 Val Glu Ala Lys Leu Arg Asn Gln Leu Glu Lys Tyr Ile Ser Glu Arg
 275 280 285
 Thr Ile Gln Asp Ser Asn Tyr Gly Gly Lys Ile Pro Ile Val Cys Phe
 290 295 300
 Ala Gln Gly Gly Gly Lys Glu Thr Leu Lys Ala Ile Asn Thr Ser Ile
 305 310 315 320
 Lys Asn Lys Ile Pro Cys Val Val Val Glu Gly Ser Gly Gln Ile Ala
 325 330 335
 Asp Val Ile Ala Ser Leu Val Glu Val Glu Asp Ala Leu Thr Ser Ser
 340 345 350
 Ala Val Lys Glu Lys Leu Val Arg Phe Leu Pro Arg Thr Val Ser Arg
 355 360 365
 Leu Pro Glu Glu Glu Thr Glu Ser Trp Ile Lys Trp Leu Lys Glu Ile
 370 375 380
 Leu Glu Cys Ser His Leu Leu Thr Val Ile Lys Met Glu Glu Ala Gly
 385 390 395 400
 Asp Glu Ile Val Ser Asn Ala Ile Ser Tyr Ala Leu Tyr Lys Ala Phe
 405 410 415
 Ser Thr Ser Glu Gln Asp Lys Asp Asn Trp Asn Gly Gln Leu Lys Leu
 420 425 430
 Leu Leu Glu Trp Asn Gln Leu Asp Leu Ala Asn Asp Glu Ile Phe Thr
 435 440 445
 Asn Asp Arg Arg Trp Glu Ser Ala Asp Leu Gln Glu Val Met Phe Thr
 450 455 460
 Ala Leu Ile Lys Asp Arg Pro Lys Phe Val Arg Leu Phe Leu Glu Asn
 465 470 475 480
 Gly Leu Asn Leu Arg Lys Phe Leu Thr His Asp Val Leu Thr Glu Leu
 485 490 495
 Phe Ser Asn His Phe Ser Thr Leu Val Tyr Arg Asn Leu Gln Ile Ala
 500 505 510
 Lys Asn Ser Tyr Asn Asp Ala Leu Leu Thr Phe Val Trp Lys Leu Val
 515 520 525
 Ala Asn Phe Arg Arg Gly Phe Arg Lys Glu Asp Arg Asn Gly Arg Asp
 530 535 540
 Glu Met Asp Ile Glu Leu His Asp Val Ser Pro Ile Thr Arg His Pro
 545 550 555 560
 Leu Gln Ala Leu Phe Ile Trp Ala Ile Leu Gln Asn Lys Lys Glu Leu
 565 570 575
 Ser Lys Val Ile Trp Glu Gln Thr Arg Gly Cys Thr Leu Ala Ala Leu
 580 585 590
 Gly Ala Ser Lys Leu Leu Lys Thr Leu Ala Lys Val Lys Asn Asp Ile
 595 600 605
 Asn Ala Ala Gly Glu Ser Glu Glu Leu Ala Asn Glu Tyr Glu Thr Arg
 610 615 620
 Ala Val Glu Leu Phe Thr Glu Cys Tyr Ser Ser Asp Glu Asp Leu Ala
 625 630 635 640
 Glu Gln Leu Leu Val Tyr Ser Cys Glu Ala Trp Gly Gly Ser Asn Cys
 645 650 655
 Leu Glu Leu Ala Val Glu Ala Thr Asp Gln His Phe Ile Ala Gln Pro
 660 665 670
 Gly Val Gln Asn Phe Leu Ser Lys Gln Trp Tyr Gly Glu Ile Ser Arg
 675 680 685

-52-

Asp Thr Lys Asn Trp Lys Ile Ile Leu Cys Leu Phe Ile Ile Pro Leu
 690 695 700
 Val Gly Cys Gly Phe Val Ser Phe Arg Lys Lys Pro Val Asp Lys His
 705 710 715 720
 Lys Lys Leu Leu Trp Tyr Tyr Val Ala Phe Phe Thr Ser Pro Phe Val
 725 730 735
 Val Phe Ser Trp Asn Val Val Phe Tyr Ile Ala Phe Leu Leu Leu Phe
 740 745 750
 Ala Tyr Val Leu Leu Met Asp Phe His Ser Val Pro His Pro Pro Glu
 755 760 765
 Leu Val Leu Tyr Ser Leu Val Phe Val Leu Phe Cys Asp Glu Val Arg
 770 775 780
 Gln Trp Tyr Val Asn Gly Val Asn Tyr Phe Thr Asp Leu Trp Asn Val
 785 790 795 800
 Met Asp Thr Leu Gly Leu Phe Tyr Phe Ile Ala Gly Ile Val Phe Arg
 805 810 815
 Leu His Ser Ser Asn Lys Ser Ser Leu Tyr Ser Gly Arg Val Ile Phe
 820 825 830
 Cys Leu Asp Tyr Ile Ile Phe Thr Leu Arg Leu Ile His Ile Phe Thr
 835 840 845
 Val Ser Arg Asn Leu Gly Pro Lys Ile Ile Met Leu Gln Arg Met Leu
 850 855 860
 Ile Asp Val Phe Phe Phe Leu Phe Leu Phe Ala Val Trp Met Val Ala
 865 870 875 880
 Phe Gly Val Ala Arg Gln Gly Ile Leu Arg Gln Asn Glu Gln Arg Trp
 885 890 895
 Arg Trp Ile Phe Arg Ser Val Ile Tyr Glu Pro Tyr Leu Ala Met Phe
 900 905 910
 Gly Gln Val Pro Ser Asp Val Asp Gly Thr Thr Tyr Asp Phe Ala His
 915 920 925
 Cys Thr Phe Thr Gly Asn Glu Ser Lys Pro Leu Cys Val Glu Leu Asp
 930 935 940
 Glu His Asn Leu Pro Arg Phe Pro Glu Trp Ile Thr Ile Pro Leu Val
 945 950 955 960
 Cys Ile Tyr Met Leu Ser Thr Asn Ile Leu Leu Val Asn Leu Leu Val
 965 970 975
 Ala Met Phe Gly Tyr Thr Val Gly Thr Val Gln Glu Asn Asn Asp Gln
 980 985 990
 Val Trp Lys Phe Gln Arg Tyr Phe Leu Val Gln Glu Tyr Cys Ser Arg
 995 1000 1005
 Leu Asn Ile Pro Phe Pro Phe Ile Val Phe Ala Tyr Phe Tyr Met Val
 1010 1015 1020
 Val Lys Lys Cys Phe Lys Cys Cys Cys Lys Glu Lys Asn Met Glu Ser
 1025 1030 1035 104
 Ser Val Cys Cys Phe Lys Asn Glu Asp Asn Glu Thr Leu Ala Trp Glu
 1045 1050 1055
 Gly Val Met Lys Glu Asn Tyr Leu Val Lys Ile Asn Thr Lys Ala Asn
 1060 1065 1070
 Asp Thr Ser Glu Glu Met Arg His Arg Phe Arg Gln Leu Asp Thr Lys
 1075 1080 1085
 Leu Asn Asp Leu Lys Gly Leu Leu Lys Glu Ile Ala Asn Lys Ile Lys
 1090 1095 1100